

"born free, as free as the wind blows"

Centre for Entomological Studies Ankara

\*\*\*\*\*

## Report on the Temporary Results of the Faunal Lists of African States based upon the Databank of the Cesa. 16. Tunis.

Ahmet Ömer Koçak <sup>1</sup> Muhabbet Kemal

**Abstract:** Report on the temporary results of the faunal list of African states based upon the databank of the Cesa 16. Tunis. - *Cesa Publ. African Lepid.* 19: 1-32.

In this paper totally 1307 lepidopteran taxa from Tunis are listed with synonyms.

**Keywords:** Lepidoptera, fauna, Tunis.

In the following list, totally 1307 lepidopteran taxa from Tunis are listed with their synonymous names. This information are based upon the databank of the Cesa.

### Lepidoptera Butterflies (101 taxa)

**Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): pandora [Denis & Schiffermüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha ,1967; deserticola Gross & Ebert,1975.

**Byblia ilithyia (Drury,[1773])** (Argynnididae) Synonym(s): ilithyia Drury,[1773]; polinice Stoll,[1782]; gotzianus Herbst,1798; cora Feisthamel,1850; badiata Grünberg,1910; #aestivalis Ungemach,1932; #alithyia D'Abrera,1981

**Charaxes jasius (Linnaeus,1767)** (Argynnididae) Synonym(s): jasius Linnaeus,1767; jason Linnaeus,1767 praeocc.; rhea Hübner,1800; unedonis Hübner,1806; faroensis Ribbe,1909; septentrionalis Verity,1913; europaeus Verity,1917.

**Hypolimnias misippus (Linnaeus,1764)** (Argynnididae) Synonym(s): misippus Linnaeus,1764 inaria Cramer,[1779]; alcippoides Butler,1883.

**Issoria lathonia (Linnaeus,1758)** (Argynnididae) Synonym(s): lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.

**Melitaea (Cinclidia) aetherie (Hübner,[1826])** (Argynnididae) Synonym(s): aetherie Hübner,[1826]

**Melitaea (Didymaeformis) deserticola Kirby,1877** (Argynnididae) Synonym(s): #deserticola Oberthür,1876; deserticola Kirby,1877; nisseni Rothschild,1913; interposita Rothschild,1913; harterti Rothschild,1913

**Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) Synonym(s): didyma Esper,[1779]; cytheris Müschen,1781; neera Fischer de Waldheim,1840; meridionalis Staudinger,1861; occidentalis Staudinger,1861; dalmatina Staudinger,1861; graeca Staudinger,1870; jaika Krulikowsky,1897; kasanskyi Krulikowsky,1901; mauritanica Oberthür,1909; mauretanica Oberthür,1909; patycosana Turati,1911; nisseni Rothschild,1913; interposita Rothschild,1913; oreithyia Fruhstorfer,1917; druentia Fruhstorfer,1917; lesora Fruhstorfer,1917; naina Fruhstorfer,1917; tarltonia Fruhstorfer,1917; seilemis Fruhstorfer,1917; marsilia Fruhstorfer,1917; cataprotea Verity,1929; libanotica Belter,1934; montium Belter,1934; variabilis Belter,1934; pontifex Bryk,1940; pfeifferi Bryk,1940; orinomus Rüttimeyer,1942; boschmai Eisner,1942; ibra Higgins,1964; pseudolatonigena Yakovlev,2002

<sup>1</sup> Prof. Dr. Ahmet Ömer Koçak, Yüzüncü Yıl University, Faculty of Science and Arts, Department of Biology, Campus, 65000 Van / Turkey  
e-mail - [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

Asst. Prof. Dr. Muhabbet Kemal, Yüzüncü Yıl University, Faculty of Science and Arts, Department of Biology, Campus, 65000 Van / Turkey  
e-mail - [muhabbet\\_kemal@yahoo.com.tr](mailto:muhabbet_kemal@yahoo.com.tr)

- Neptis (s.str.) serena Overlaet,1955** (Argynnididae) Synonym(s): serena Overlaet,1955
- Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) Synonym(s): polychloros Linnaeus,1758; testudo Esper,1781; pyrrhomelaena Hübner,1824; pyromelas Freyer,1834; fervida Standfuss,1896.
- Phalanta phalantha (Drury,[1773])** (Argynnididae) Synonym(s): phalantha Drury,[1773]
- Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) Synonym(s): c-album Linnaeus,1758; g-album Fourcroy,1785.
- Precis (Junonia) orithya (Linnaeus,1758)** (Argynnididae) Synonym(s): orithya Linnaeus,1758
- Vanessa (Cynthia) cardui (Linnaeus,1758)** (Argynnididae) Synonym(s): cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; japonica Stichel,1908; universa Verity,1919; takesakiana Kato,1925; jacksoni Clark,1927
- Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynnididae) Synonym(s): atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewiczii Schille,1896; #klimene Fischer,1896; italica Stichel,1900.
- Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaiidae) Synonym(s): chrysippus Linnaeus,1758; aegyptius Schreber,1759
- Danaus (Anosia) chrysippus chrysippus (Linnaeus,1758)** (Danaiidae) Synonym(s): chrysippus Linnaeus,1758; aegyptius Schreber,1759
- Carcharodus (Lavatheria) boeticus (Rambur,[1839])** (Hesperiidae) Synonym(s): boeticus Rambur,[1839]; marrubii Rambur,[1840]; rostagnoi Verity,1911; fulvescens Verity,1925; fulva Verity,1925; grisea Verity,1925; viridescens Verity,1925; aegra Verity,1925; fonti Sagarra,1930.
- Carcharodus (Lavatheria) lavatherae (Esper,[1783])** (Hesperiidae) Synonym(s): lavatherae Esper,[1783]; australior Verity,1919; pyrenaicus Picard,1948.
- Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): alceae Esper,[1780]; malvae Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustalis Verity,1924; corsicus Picard,1948.
- Carcharodus (s.str.) tripolinus (Verity,1925)** (Hesperiidae) Synonym(s): tripolinus Verity,1925
- Gegenes nostrodamus (Fabricius,1793)** (Hesperiidae) Synonym(s): nostrodamus Fabricius,1793; proclea Walker,1870; karsana Moore,1874; #nostradamus Rothschild,1913; pumiliominima Verity,1931; megalegyna Verity,1940
- Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): pumilio Hoffmannsegg,1804; pygmaeus Cyrilli,1787 nec Fabr.,1775; aetna Boisduval,1840; lefebvreii Rambur,1842; monochroa Rebel,1907.
- Pelopidas mathias (Fabricius,1798)** (Hesperiidae) Synonym(s): mathias Fabricius,1798; elegans Mabilille,1877; umbrata Butler,1879; octofenestrata Saalmüller,1884; albirostris Mabilille,[1887].
- Spialia (Neospialia) sertorius (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): sertorius Hoffmannsegg,1804
- Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) Synonym(s): acteon Rottemburg,1775; heydeni Plötz,1884; clara-obsoleta Tutt,1920; phoenix Graves,1925; aurescens Verity,1948.
- Thymelicus hamza (Oberthür,1876)** (Hesperiidae) Synonym(s): hamza Oberthür,1876
- Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabilille,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934
- Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) Synonym(s): celtis Laicharting,1782
- Azanus (s.str.) ubaldus (Stoll,[1782])** (Lycaenidae) Synonym(s): ubaldus Stoll,[1782]; zena Moore,1865; ethoda Walker,1870; itea Walker,1870; macalenga Trimen,1870; thebana Staudinger,1894.
- Azanus (s.str.) ubaldus ubaldus (Stoll,[1782])** (Lycaenidae) Synonym(s): ubaldus Stoll,[1782]; zena Moore,1865; ethoda Walker,1870; itea Walker,1870; macalenga Trimen,1870; thebana Staudinger,1894.
- Callophrys avis Chapman,1909** (Lycaenidae) Synonym(s): avis Chapman,1909
- Callophrys rubi (Linnaeus,1758)** (Lycaenidae) Synonym(s): rubi Linnaeus,1758; caecus Fourcroy,1785; virgatus Verity,1913; herculeana Pfeiffer,1927
- Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): argiolus Linnaeus,1758; cleobis Sulzer,1776; thersanon Bergsträßer,1779; argyphontes Bergsträßer,1779; argalus Bergsträßer,1779; marginatus Retzius,1783; acis Fabricius,1787 nec Dru.,[1773]; #parvipuncta Fuchs,1880; calidogenita Verity,1919; britanna Verity,1919.
- Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931
- Cigaritis allardi Oberthür,1909** (Lycaenidae) Synonym(s): allardi Oberthür,1909
- Cigaritis myrmecophila Dumont,1922** (Lycaenidae) Synonym(s): myrmecophila Dumont,1922
- Cigaritis siphax Lucas,1849** (Lycaenidae) Synonym(s): siphax Lucas,1849; erythrea Staudinger,1892; #pallascens Oberthür,1896; #supraimpunctata Oberthür,1896; impunctata Oberthür,1909; immaculatus Oberthür,1915; funebris Oberthür,1915; orientalis Riley,1925
- Cigaritis zohra Donzel,1847** (Lycaenidae) Synonym(s): zohra Donzel,1847; #massinissa Lucas,1847; jugurtha Oberthür,1876; littoralis Riley,1925
- Deudorix (Virachola) livia (Klug,1834)** (Lycaenidae) Synonym(s): livia Klug,1834; pallascens Rothschild,1921
- Euchrysops osiris (Hopffer,1855)** (Lycaenidae) Synonym(s): osiris Hopffer,1855; anubis Snellen,1872; phoa Snellen,1872; pyrrhops Mabilille,1877; cuprescens Sharpe,1898; australis Hulstaert,1924.
- Glaucopsyche (Iolana) debilitata (Schultz,1905)** (Lycaenidae) Synonym(s): debilitata Schultz,1905; saritae Fernandez-Rubio,1973
- Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): alexis Poda,1761; damaetas [Denis & Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976.
- Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886
- Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): pirithous Linnaeus,1767; telicanus Lang,1789 tetrica Sagarra,1925.
- Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linn.,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853

- Plebejus (Plebejides) allardi (Oberthür,1874)** (Lycaenidae) Synonym(s): allardi Oberthür,1874
- Polyommatus (s.str. (Lysandra)) punctiferus (Oberthür,1876)** (Lycaenidae) Synonym(s): punctifera Oberthür,1876
- Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fuscioles Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851; celina Austaut,1879; neglectus Stradomsky & Arzanov,1999
- Pseudophilotes abencerragus (Pierret,1837)** (Lycaenidae) Synonym(s): abencerragus Pierret,1837
- Satyrrium (Nordmannia) esculi (Hübner,[1804])** (Lycaenidae) Synonym(s): esculi Hübner,[1804]
- Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): balkanicus Freyer,[1843]; #balkanicus Röber,1897
- Tarucus (s.str.) rosaceus (Austaut,1885)** (Lycaenidae) Synonym(s): rosacea Austaut,1885; mediterraneae Bethune-Baker,1918.
- Tarucus (s.str.) theophrastus (Fabricius,1793)** (Lycaenidae) Synonym(s): theophrastus Fabricius,1793; #radiata Oberthür,1910; #micaerulescens Oberthür,1910; #teophrastus Rothschild,1913
- Tomares ballus (Fabricius,1787)** (Lycaenidae) Synonym(s): ballus Fabricius,1787
- Tomares mauretanicus (Lucas,1849)** (Lycaenidae) Synonym(s): mauretanicus Lucas,1849; undulatus Gerhard,1853; #mauritanicus Oberthür,1881; boisduvali Oberthür,1910; maroccanus Zopp,1954; antonius Brevignon,1985
- Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): karsandra Moore,1865
- Zizeeria (s.str.) knysna (Trimen,1862)** (Lycaenidae) Synonym(s): lysimon Hübner,[1804] nec Stll,[1790]; knysna Trimen,1862.
- Zizula hylax (Fabricius,1775)** (Lycaenidae) Synonym(s): hylax Fabricius,1775; gaika Trimen,1862; mylica Guenée,1863; cleodora Walker,1870; perparva Saalmüller,1884.
- Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) Synonym(s): machaon Linnaeus,1758; reginae Retzius,1783; umbellatarum Fabricius,1807; aurantiaca Speyer,1858.
- Papilio (s.str.) saharae Oberthür,1879** (Papilionidae) Synonym(s): saharae Oberthür,1879
- Zerynthia (s.str.) rumina (Linnaeus,1758)** (Papilionidae) Synonym(s): rumina Linnaeus,1758
- Anthocharis belia (Linnaeus,1767)** (Pieridae) Synonym(s): belia Linnaeus,1767; eupheno Linnaeus,1767; douei Pierret,1835.
- Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): crataegi Linnaeus,1758; nigronervosus Retzius,1783; minor Verity,1907; basanius Fruhstorfer,1910; crataegiaugusta Verity,1937.
- Catopsilia florella (Fabricius,1775)** (Pieridae) Synonym(s): florella Fabricius,1775; pyrene Swainson,1821; hyblaea & rhadia Boisduval,1836; marchellina Bertolini,1850; aleurona Butler,1876; rufosparsa Butler,1880; swainsoni Westwood,1881.
- Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) Synonym(s): crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893.
- Colotis (s.str.) chrysonome (Klug,1829)** (Pieridae) Synonym(s): chrysonome Klug,1829; gaudens Butler,1876; arenicolens Butler,1884; helvolus Butler,1888; cosmas Hulstaert,1924; meinherzhageni Riley,1934; socnensis Kruger,1939; patrizii Storace,1949.
- Colotis (s.str.) evagore (Klug,1829)** (Pieridae) Synonym(s): evagore Klug,1829; saxeus Swinhoe,1884
- Euchloe (Elphinstonia) charlonia (Donzel,1842)** (Pieridae) Synonym(s): charlonia Donzel,1842; levaillantii H.Lucas,1847; elizabethae Hemming,1932.
- Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): ausonia Hübner,[1804]; marchandae Geyer,[1832].
- Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) Synonym(s): belemia Esper,[1800]; glauce Hübner,[1804]; desertorum Turati,1905; distincta Röber,1907; evanescens Röber,1907; marmorata Chnéour,1934
- Euchloe (s.str.) crameri Butler,1869** (Pieridae) Synonym(s): crameri Butler,1869
- Euchloe (s.str.) falloui (Allard,1867)** (Pieridae) Synonym(s): falloui Allard,1867; seitzi Röber,1907; obsolescens Rothschild,1913; lucida Sheljuzhko,1914; choumovitschi Schneeur,1935.
- Eurema (Terias) hecabe (Linnaeus,1758)** (Pieridae) Synonym(s): hecabe Linnaeus,1758; luzonensis Linnaeus,1764
- Eurema (s.str.) brigitta (Stoll,[1780])** (Pieridae) Synonym(s): brigitta Stoll,[1780]; libythea Fabricius,1798
- Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) Synonym(s): cleopatra Linnaeus,1767; balearica Bubacek,1920.
- Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) Synonym(s): rhamni Linnaeus,1758; gravesi Huggins,1956.
- Pieris (Artogeia) napi (Linnaeus,1758)** (Pieridae) Synonym(s): napi Linn.,1758; napaeae Esper,[1804]; dubiosa Röber,1907; napoleon Eitschb.,1990
- Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929.
- Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.
- Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): daplidice Linnaeus,1758; belemida Geyer,[1832]; albidice Oberthür,1881; iberidice Bryk,1940.
- Pontia glauconome Klug,1829** (Pieridae) Synonym(s): glauconome Klug,1829
- Berberia abdelkader (Pierret,1837)** (Satyridae) Synonym(s): abdelkader Pierret,1837; #serrata Heyne,1895; alfae Slaby,1981; saharae Slaby,1981; arvorum Slaby,1981
- Berberia lambessanus (Staudinger,1901)** (Satyridae) Synonym(s): lambessanus Staudinger,1901; romeii Rothschild,1933; alexander Chnéour,1937
- Chazara (Neochazara) priouri (Pierret,1837)** (Satyridae) Synonym(s): priouri Pierret,1837
- Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): briseis Linnaeus,1764; daedale Bergsträßer,1780; bataia Fruhstorfer,1909; interjecta Verity,1916; variabilis Varin,1958; pictonica Varin,1958.
- Coenonympha (dorus) fettigii Oberthür,1874** (Satyridae) Synonym(s): fettigii Oberthür,1874
- Coenonympha (s.str.) arcanioides (Pierret,1837)** (Satyridae) Synonym(s): arcanioides Pierret,1837; marginalis Butler,1868; major Seitz,1908; #holli Oberthür,1910; #biocellata Oberthür,1910; etc.

- Coenonympha (s.str.) pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): pamphilus Linnaeus,1758; menalcas Poda,1761; nephele Hufnagel,1766; marginata Heyne,1894; orantia Fruhstorfer,1908; scota Verity,1911; infrarasa Verity,1926; juldusica Verity,1926; asiaemontium Verity,1926; euxina Verity,1926; posteuxina Verity,1926; londonii Verity,1926; neolyllus De Lattin,1950
- Hipparchia (Neohipparchia) hansii (Austaut,1879)** (Satyridae) Synonym(s): hansii Austaut,1879; montana Austaut,1905; holli Oberthür,1909; columbatii Oberthür,1922; belouini Oberthür,1922; chpakowskyi Chneour,1942; intermedia Chnéour,1963; tlemceni Slaby,1977; tansleyi Tarrier,1995; edithae Tarrier,1996
- Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) Synonym(s): statilinus Hufnagel,1766; fauna Sulzer,1776 nec Drury,1773; allionia Fabricius,1781; actaea sensu Villers,1789; arachne Esper,1789 nec Denis & Schiff.,1775; allionii Hübner,1826, etc.
- Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) Synonym(s): aristaeus Bonelli,1826; sardoa Spuler,1908; rautheri Krause,1912; ichnusa Hemming,1931; algerica auct.
- Hipparchia (Pseudotergumia) fidia (Linnaeus,1767)** (Satyridae) Synonym(s): fidia Linnaeus,1767; albovenosa Austaut,1885; paleia Fruhstorfer,1908; velleia Fruhstorfer,1908; minor Oberthür,1909; hebitis Rothschild,1917; intermedia Rothschild,1917; minerva Hemming,1934; kandarica Varin,1953; beninguildi Varin,1953; splendum Varin,1958; balearica Perceval,1975; arseniae Gomez-Bustillo,1977
- Hipparchia (s.str.) ellena (Oberthür,1894)** (Satyridae) Synonym(s): ellena Oberthür,1894
- Idata cecilia (Vallantin,1894)** (Satyridae) Synonym(s): ida Esper,1784 nec Cramer,1775; cecilia Vallantin,1894; aphrodite Hemming,1934.
- Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellator Verity,1923; pallidedepulverata Verity,1923.
- Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.
- Melanargia (Turcargia) lucasi (Rambur,1858)** (Satyridae) Synonym(s): lucasi Rambur,1858; mauretanicus Oberthür,1876; meadewaldoi Rothschild,1917; #lepigrei Betz,1948
- Melanargia ines (Hoffmannsegg,1804)** (Satyridae) Synonym(s): thetis Hübner,1796 nec Rott.,1775; ines Hoffmannsegg,1804; hannibal Stauder,1913; fathme Wagner,1913; colossea Rothschild,1917; johandiezi Oberthür,1922; minima Houlbert,1923; arahoui Tarrier,1996
- Pararge aegeria (Linnaeus,1758)** (Satyridae) Synonym(s): aegeria Linnaeus,1758; meone Cramer,1782; egeria Ochsenheimer,1807; sardoa Verity,1908.
- Pyronia bathseba (Fabricius,1793)** (Satyridae) Synonym(s): pasiphae Esper,1781 nec Cramer,1775; bathseba Fabricius,1793; philippina Austaut,1877; tessalensis Austaut,1880; taurina Oberthür,1915; multiocellata Oberthür,1915; pardilloi Sagarra,1924

## Moths (1206 taxa)

- Alucita desmodactyla Zeller,1847** (Alucitidae) Synonym(s): desmodactyla Zeller,1847
- Alucita hexadactyla Linnaeus,1758** (Alucitidae) Synonym(s): hexadactyla Linnaeus,1758; polydactyla Hübner,[1813]; poecilodactyla Stephens,1835; #cartereau Jourdeuille,1883
- Alucita palodactyla Zeller,1847** (Alucitidae) Synonym(s): palodactyla Zeller,1847; perittodactyla Staudinger,1859; parthenodactyla Chrétien,1915
- Alucita pectinata Scholz & Jäckh,1994** (Alucitidae) Synonym(s): pectinata Scholz & Jäckh,1994
- Apaidia rufeola (Rambur,1832)** (Arctiidae) Synonym(s): rufeola Rambur,1832; vaulogeri Legrand,1938; barbarica Legrand,1939
- Atlantarctia dido (Wagner,1841)** (Arctiidae) Synonym(s): dido Wagner,1841
- Atlantarctia oberthueri (Oberthür,1890)** (Arctiidae) Synonym(s): oberthueri Oberthür,1890; else Nissen,1917.
- Coscinia (s.str.) cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): cribraria Linnaeus,1758; cribrum Linnaeus,1761; chrysocephala Hübner,[1804]; punctigera Freyer,1834; sibirica Staudinger,1892; bivittata South,1900; fumidaria O.Bang-Haas,1927; arenaria Lempke,1937; nikitini O.Bang-Haas,1938; pannonica Daniel,1955; benderi Marten,1957
- Cymbalophora pudica (Esper,[1784])** (Arctiidae) Synonym(s): pudica Esper,[1784]; tessellata De Villers,1789 nec Goeze,1781
- Eilema uniola (Rambur,1866)** (Arctiidae) Synonym(s): uniola Rambur,1866
- Manulea (s.str.) marcida (Mann,1859)** (Arctiidae) Synonym(s): marcida Mann,1859
- Manulea (s.str.) pygmaeola (Doubleday,1847)** (Arctiidae) Synonym(s): pygmaeolum Doubleday,1847
- Maurica joiceyi (Talbot,1928)** (Arctiidae) Synonym(s): joiceyi Talbot,1928
- Ocnogyna (s.str.) advena (Fabricius,1787)** (Arctiidae) Synonym(s): advena Fabricius,1787; ?pierreti Rambur,1841; mauretanicus Lucas,1848; atlanticum Lucas,1853; huguenini Oberthür,1878; gandolphe Oberthür,1881; pallida Rothschild,1917; massoueroi Turati,1930
- Ocnogyna (s.str.) baetica (Rambur,1836)** (Arctiidae) Synonym(s): baetica Rambur,1836; meridionalis Seitz,1910; ramburi Oberthür,1911; albescens Oberthür,1917.
- Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonym(s): fuliginosa Linnaeus,1758; fervida Staudinger,1871 nec Walk.,1855; lurida Rothschild,1910; monticola Daniel,1970 nec Reiss.,1934
- Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): pulchella Linnaeus,1758; pulchra [Denis & Schiffermüller],1775; thyter Butler,1877; shyama Bhattacharjee & Gupta,1969; menoni Bhattacharjee & Gupta,1969.
- Acrosyntaxis pharaoh (Gozmany,1963)** (Autostichidae) Synonym(s): pharaoh Gozmany,1963
- Amselina africana Gozmany,2008** (Autostichidae) Synonym(s): africana Gozmany,2008
- Apatema inexpectatum Gozmany,1988** (Autostichidae) Synonym(s): inexpectatum Gozmany,1988
- Apatema mediopallidum Walsingham,1900** (Autostichidae) Synonym(s): mediopallidum Walsingham,1900; minor Rebel,1916; bifasciatum Chrétien,1922; phanerodoxa Meyrick,1926; proterocline Meyrick,1923; melitensis Amsel,1952
- Arragonia punctivittella (Zerny,1927)** (Autostichidae) Synonym(s): punctivittella Zerny,1927
- Arragonia tunesiella Amsel,1942** (Autostichidae) Synonym(s): tunesiella Amsel,1942

- Epanastasis arenbergerorum Gozmany, 1988** (Autostichidae) Synonym(s): arenbergerorum Gozmany, 1988
- Epanastasis tunesica Gozmany, 1988** (Autostichidae) Synonym(s): tunesica Gozmany, 1988
- Eremica saharae Walsingham, 1904** (Autostichidae) Synonym(s): saharae Walsingham, 1904
- Heringita perarmata Gozmany, 2000** (Autostichidae) Synonym(s): perarmata Gozmany, 2000
- Hesperesta geminella (Chrétien, 1915)** (Autostichidae) Synonym(s): geminella Chrétien, 1915; perstriellus Amsel, 1942.
- Hesperesta hartigi (Turati, 1934)** (Autostichidae) Synonym(s): hartigi Turati, 1934
- Holcopogon bubulcellus (Staudinger, 1859)** (Autostichidae) Synonym(s): bubulcellus Staudinger, 1859; pulverulellus Constant, 1865; barbata Walsingham, 1900.
- Leilaptera lithochroma (Walsingham, 1904)** (Autostichidae) Synonym(s): lithochroma Walsingham, 1904; longicornella Chrétien, 1915
- Oegoconia caradjai Popescu-Gorj & Capuse, 1965** (Autostichidae) Synonym(s): caradjai Popescu-Gorj & Capuse, 1965
- Oegoconia novimundi (Busck, 1915)** (Autostichidae) Synonym(s): novimundi Busck, 1915
- Oegoconia quadripuncta (Haworth, [1828])** (Autostichidae) Synonym(s): quadripuncta Haworth, [1828]; deauratella Stainton, 1849; #quadripunctata Noack, 1960.
- Pantacordis pallidum (Staudinger, 1876)** (Autostichidae) Synonym(s): pallida Staudinger, 1876; saharae Oberthür, 1888; exiguella Chrétien, 1915; minutella Chrétien, 1922; klimeschi Gozmany, 1957
- Sagarancona sericiella (Walsingham, 1904)** (Autostichidae) Synonym(s): sericiella Walsingham, 1904
- Stibaromacha ratella (Herrich-Schäffer, 1854)** (Autostichidae) Synonym(s): ratella Herrich-Schäffer, 1854; sericeella Rebel, 1917; sebdorella Chrétien, 1922; #viettei Agenjo, 1952
- Symmoca (s.str.) calidella Walsingham, 1905** (Autostichidae) Synonym(s): calidella Walsingham, 1905
- Symmoca (s.str.) serrata Gozmany, 1985** (Autostichidae) Synonym(s): serrata Gozmany, 1985
- Symmoca (s.str.) stigmaphora Gozmany, 2008** (Autostichidae) Synonym(s): stigmaphora Gozmany, 2008
- Symmoca (s.str.) tunesica Gozmany, 1988** (Autostichidae) Synonym(s): tunesica Gozmany, 1988
- Symmocoides oxybiellus (Millière, 1872)** (Autostichidae) Synonym(s): oxybiellus Millière, 1872; astuta Gozmany, 1961
- Tenieta albidella (Rebel, 1901)** (Autostichidae) Synonym(s): albidella Rebel, 1901; kebillilla Lucas, 1945; evae Gozmany, 1967
- Turatia chretieni Gozmany, 2000** (Autostichidae) Synonym(s): chretieni Gozmany, 2000
- Turatia morettii (Turati, 1926)** (Autostichidae) Synonym(s): morettii Turati, 1926.
- Turatia scutigera Gozmany, 2000** (Autostichidae) Synonym(s): scutigera Gozmany, 2000
- Turatia serratina (Gozmany, 1967)** (Autostichidae) Synonym(s): serratina Gozmany, 1967
- Batrachedra parvulipunctella Chrétien, 1915** (Batrachedridae) Synonym(s): parvulipunctella Chrétien, 1915; phragmitidella Mariani, 1936
- Blastobasis phycidella (Zeller, 1839)** (Blastobasidae) Synonym(s): phycidella Zeller, 1839; roscidella Zeller, 1847
- Brachodes powelli (Oberthür, 1922)** (Brachodidae) Synonym(s): powelli Oberthür, 1922
- Bucculatrix bicolorella Chrétien, 1915** (Bucculatricidae) Synonym(s): bicolorella Chrétien, 1915
- Bucculatrix herbalbella Chrétien, 1915** (Bucculatricidae) Synonym(s): herbalbella Chrétien, 1915
- Bucculatrix zizyphella Chrétien, 1907** (Bucculatricidae) Synonym(s): zizyphella Chrétien, 1907
- Tebenna bjerkanarella (Borgström, 1784)** (Choreutidae) Synonym(s): cardui Ström, 1783; bjerkanarella Borgström, 1784; prunnerella Rossi, 1794; vibrana Hübner, [1813]; fibrana Hübner, [1825]; pretiosana Duponchel, 1842; vibralis Treitschke, 1835; australis Zeller, 1857; kawabei Arita, 1975
- Tebenna micalis (Mann, 1857)** (Choreutidae) Synonym(s): micalis Mann, 1857; isshikii Matsumura, 1931; bradleyi Clarke, 1971; hypocroca Diakonoff, 1978
- Axia (s.str.) vaulogeri (Staudinger, 1892)** (Cimeliidae) Synonym(s): vaulogeri Staudinger, 1892
- Coleophora acanthyllidis Walsingham, 1907** (Coleophoridae) Synonym(s): acanthyllidis Walsingham, 1907; radiosella Toll, 1952; tozeurensis Toll, 1956
- Coleophora aegyptiacae Walsingham, 1907** (Coleophoridae) Synonym(s): aegyptiacae Walsingham, 1907
- Coleophora aestuariella Bradley, 1984** (Coleophoridae) Synonym(s): aestuariella Bradley, 1984; tanasella Nemeş, 2003
- Coleophora afrosarda Baldizzone & Kaltenbach, 1983** (Coleophoridae) Synonym(s): afrosarda Baldizzone & Kaltenbach, 1983
- Coleophora aglabitella Chrétien, 1915** (Coleophoridae) Synonym(s): aglabitella Chrétien, 1915
- Coleophora agnatella Toll, 1960** (Coleophoridae) Synonym(s): agnatella Toll, 1960
- Coleophora alticolella Zeller, 1849** (Coleophoridae) Synonym(s): alticolella Zeller, 1849
- Coleophora asthenella Constant, 1893** (Coleophoridae) Synonym(s): asthenella Constant, 1893
- Coleophora beduina Baldizzone, 1987** (Coleophoridae) Synonym(s): beduina Baldizzone, 1987
- Coleophora berbera Baldizzone, 1998** (Coleophoridae) Synonym(s): berbera Baldizzone, 1998
- Coleophora berlandella Toll, 1956** (Coleophoridae) Synonym(s): berlandella Toll, 1956
- Coleophora chretienella Oudejans, 1971** (Coleophoridae) Synonym(s): bipunctella Chrét., 1915 nec Walsh., 1882; chretienella Oudejans, 1971
- Coleophora colutella (Fabricius, 1794)** (Coleophoridae) Synonym(s): colutella Fabricius, 1794, serenella Duponchel, 1843; crocinella Tengström, 1848; stanoiuii Nemeş, 2004
- Coleophora crepidinella Zeller, 1847** (Coleophoridae) Synonym(s): crepidinella Zeller, 1847
- Coleophora crexella Baldizzone, 1987** (Coleophoridae) Synonym(s): crexella Baldizzone, 1987
- Coleophora deviella Zeller, 1847** (Coleophoridae) Synonym(s): deviella Zeller, 1847; leucophaeella Caradja, 1920; suaedivora Meyrick, 1928
- Coleophora echinopsilonella Chrétien, 1915** (Coleophoridae) Synonym(s): echinopsilonella Chrétien, 1915; icarella Toll, 1957
- Coleophora eupreta Walsingham, 1907** (Coleophoridae) Synonym(s): eupreta Walsingham, 1907; nageli Rebel, 1910; circumdatella Turati, 1934; argentariella Klimesch, 1952; africana Toll, 1957; gozmanyi Toll, 1960; betica Glaser, 1981

- Coleophora fretella Zeller, 1847** (Coleophoridae) Synonym(s): fretella Zeller, 1847; pabulella Zeller, 1847; marianii Toll, 1942; gilveolella Toll, 1954
- Coleophora fuscinervella Toll, 1956** (Coleophoridae) Synonym(s): fuscinervella Toll, 1956
- Coleophora fuscoaenea Toll, 1952** (Coleophoridae) Synonym(s): fuscoaenea Toll, 1952
- Coleophora fuscipictella Toll, 1957** (Coleophoridae) Synonym(s): fuscipictella Toll, 1957
- Coleophora gracilella Toll, 1952** (Coleophoridae) Synonym(s): gracilella Toll, 1952
- Coleophora gymnocarpella Walsingham, 1907** (Coleophoridae) Synonym(s): gymnocarpella Walsingham, 1907
- Coleophora hadrocerella Toll, 1952** (Coleophoridae) Synonym(s): hadrocerella Toll, 1952
- Coleophora haloxylonella Chrétien, 1915** (Coleophoridae) Synonym(s): haloxylonella Chrétien, 1915
- Coleophora hieronella Zeller, 1849** (Coleophoridae) Synonym(s): hieronella Zeller, 1849
- Coleophora hippodromica Walsingham, 1907** (Coleophoridae) Synonym(s): hippodromica Walsingham, 1907
- Coleophora hololeucella Toll, 1952** (Coleophoridae) Synonym(s): hololeucella Toll, 1952
- Coleophora hospitiella Chrétien, 1915** (Coleophoridae) Synonym(s): hospitiella Chrétien, 1915; fuscostraminella Toll, 1956; richteri Toll, 1959
- Coleophora hystricella Toll, 1957** (Coleophoridae) Synonym(s): hystricella Toll, 1957
- Coleophora infolliculella Chrétien, 1915** (Coleophoridae) Synonym(s): infolliculella Chrétien, 1915; espunaella Glaser, 1978
- Coleophora internitens Baldizzone & Wolf, 1999** (Coleophoridae) Synonym(s): internitens Baldizzone & Wolf, 1999
- Coleophora lasloella Baldizzone, 1982** (Coleophoridae) Synonym(s): lasloella Baldizzone, 1982
- Coleophora maritimella Newman, 1863** (Coleophoridae) Synonym(s): maritimella Newman, 1863; obtusella Stainton, 1874
- Coleophora mediterranea Baldizzone, 1990** (Coleophoridae) Synonym(s): mediterranea Baldizzone, 1990
- Coleophora microalbella Amsel, 1935** (Coleophoridae) Synonym(s): microalbella Amsel, 1935; sabulella Toll, 1952
- Coleophora micronotella Toll, 1956** (Coleophoridae) Synonym(s): micronotella Toll, 1956
- Coleophora niveicostella Zeller, 1839** (Coleophoridae) Synonym(s): niveicostella Zeller, 1839; longicostella Stainton, 1867
- Coleophora nurmahal Toll, 1957** (Coleophoridae) Synonym(s): nurmahal Toll, 1957
- Coleophora parthenica Meyrick, 1891** (Coleophoridae) Synonym(s): parthenica Meyrick, 1891; cygnipennella Toll, 1959; candidella Toll, 1959; transcaspica Toll, 1959; lashkarella Toll & Amsel, 1967; hilmendella Amsel, 1968.
- Coleophora pauperculella Toll, 1956** (Coleophoridae) Synonym(s): pauperculella Toll, 1956
- Coleophora plurifoliella Chrétien, 1896** (Coleophoridae) Synonym(s): plurifoliella Chrétien, 1896
- Coleophora poecilella Walsingham, 1907** (Coleophoridae) Synonym(s): poecilella Walsingham, 1907
- Coleophora praecipua Walsingham, 1907** (Coleophoridae) Synonym(s): praecipua Walsingham, 1907
- Coleophora protecta Walsingham, 1907** (Coleophoridae) Synonym(s): protecta Walsingham, 1907
- Coleophora pseudofuscoaenea Stübner, 2007** (Coleophoridae) Synonym(s): pseudofuscoaenea Stübner, 2007
- Coleophora punica Baldizzone, 1985** (Coleophoridae) Synonym(s): punica Baldizzone, 1985
- Coleophora reisseri Rebel, 1926** (Coleophoridae) Synonym(s): reisseri Rebel, 1926
- Coleophora rhanteriella Chrétien, 1915** (Coleophoridae) Synonym(s): rhanteriella Chrétien, 1915; excellens Toll, 1952; semistriatella Toll, 1962; subexcellens Toll, 1962
- Coleophora sarehma Toll, 1956** (Coleophoridae) Synonym(s): sarehma Toll, 1956; exasperatella Toll, 1957; #sarhema Baldizzone, 1982
- Coleophora serinipennella Christoph, 1872** (Coleophoridae) Synonym(s): serinipennella Christoph, 1872; stefanii Joannis, 1899; novella Chrétien, 1926; caliacraella Caradja, 1931; lucidella Caradja, 1932; jerichoella Amsel, 1935; jordanella Amsel, 1935; deserticola Toll, 1944; soffneri Toll, 1944.
- Coleophora solidaginella Staudinger, 1859** (Coleophoridae) Synonym(s): solidaginella Staudinger, 1859
- Coleophora traganella Chrétien, 1915** (Coleophoridae) Synonym(s): traganella Chrétien, 1915
- Coleophora tunisiae Stübner & Baldizzone, 2007** (Coleophoridae) Synonym(s): tunisiae Stübner & Baldizzone, 2007
- Coleophora viettella Toll, 1942** (Coleophoridae) Synonym(s): viettella Toll, 1942; arabica Amsel, 1958
- Goniodoma millierella Ragonot, 1882** (Coleophoridae) Synonym(s): millierella Ragonot, 1882
- Allochlanes monocentra Meyrick, 1891** (Coleophoridae) Synonym(s): monocentra Meyrick, 1891
- Alloclita francoeuriae Walsingham, 1905** (Cosmopterigidae) Synonym(s): francoeuriae Walsingham, 1905
- Ascalenia acaciella Chrétien, 1915** (Cosmopterigidae) Synonym(s): acaciella Chrétien, 1915; tergipunctella Turati, 1924; maculatella Lucas, 1937 nec Chrétien, 1915; noviciata Gozmany, 1960.
- Ascalenia echidnias (Meyrick, 1891)** (Cosmopterigidae) Synonym(s): echidnias Meyrick, 1891; signatella Chrétien, 1915; oranella Lucas, 1939; satellita Gozmany, 1960.
- Calanesia karsholti Sinev, 1990** (Cosmopterigidae) Synonym(s): karsholti Sinev, 1990
- Calycobathra acarpa Meyrick, 1891** (Cosmopterigidae) Synonym(s): acarpa Meyrick, 1891; pinguescentella Chrétien, 1915; sublineatella Lucas, 1933
- Coccidiphila danilevskyi Sinev, 1997** (Cosmopterigidae) Synonym(s): danilevskyi Sinev, 1997
- Coccidiphila ledereriella (Zeller, 1850)** (Cosmopterigidae) Synonym(s): ledereriella Zeller, 1850; unedella Millière, 1876; rungsella Nel & Brusseeux, 1997
- Cosmopterix attenuatella (Walker, 1864)** (Cosmopterigidae) Synonym(s): attenuatella Walker, 1864; flavofasciata Wollaston, 1879; lepidezae Walsingham, 1882; mimetis Meyrick, 1897; venefica Meyrick, 1915; apiculata Meyrick, 1922; melanarches Meyrick, 1929; antillia Forbes, 1931; luteoapicalis Ghesquière, 1942; superba Gozmany, 1960
- Cosmopterix pararufella Riedl, 1976** (Cosmopterigidae) Synonym(s): pararufella Riedl, 1976
- Cosmopterix salahinella Chrétien, 1907** (Cosmopterigidae) Synonym(s): salahinella Chrétien, 1907; rufella Turati, 1927; phragmitidis Amsel, 1935



- Eteobalea isabellella (Costa,1836)** (Cosmopterigidae) **Synonym(s):** isabellella Costa,1836; opulentella Herrich-Schäffer,1853; rutilella Chrétien,1896.
- Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) **Synonym(s):** sumptuosella Lederer,1855; amseli Osthelder,1940
- Eteobalea thaumatella (Walsingham,1907)** (Cosmopterigidae) **Synonym(s):** thaumatella Walsingham,1907; lactipunctella Turati,1924.
- Limnaecia phragmitella Stainton,1851** (Cosmopterigidae) **Synonym(s):** phragmitella Stainton,1851
- Phosphaticola gemmatella Viette,1951** (Cosmopterigidae) **Synonym(s):** gemmatella Viette,1951
- Pyroderces apicinotella (Chrétien,1915)** (Cosmopterigidae) **Synonym(s):** apicinotella Chrétien,1915; simplicella Amsel,1959
- Pyroderces tethysella Koster & Sinev,2003** (Cosmopterigidae) **Synonym(s):** tethysella Koster & Sinev,2003
- Vulcaniella grabowiella (Staudinger,1859)** (Cosmopterigidae) **Synonym(s):** grabowiella Staudinger,1859
- Brachygystia mauretanica (Lucas,1907)** (Cossidae) **Synonym(s):** mauretanica Lucas,1907; powelli Oberthür,1911
- Dyspessa algeriensis (Rambur,1858)** (Cossidae) **Synonym(s):** algeriensis Rambur,1858
- Dyspessa fuscata (Staudinger,1892)** (Cossidae) **Synonym(s):** fuscata Staudinger,1892
- Dyspessa kabyllaria A.Bang-Haas,1906** (Cossidae) **Synonym(s):** kabyllaria A.Bang-Haas,1906; turbinans Turati,1926.
- Eremocossus vaulogeri (Staudinger,1897)** (Cossidae) **Synonym(s):** vaulogeri Staudinger,1897; saharae Lucas,1907; hartigi Rebel,1935.
- Holcocerus holosericeus (Staudinger,1884)** (Cossidae) **Synonym(s):** holosericeus Staudinger,1884; persicus Austaut,1897.
- Mormogystia reibellii (Oberthür,1876)** (Cossidae) **Synonym(s):** reibellii Oberthür,1876; mussolinii Turati,1927; cognata Krüger,1939; #reibelli Wiltshire,1980
- Phragmataecia castaneae (Hübner,1790)** (Cossidae) **Synonym(s):** castaneae Hübner,1790; arundinis Hübner,[1808]; minor Moore,1879; pygmaea Graeser,1888; minima Hampson,1891
- Wiltshirocossus aries (Püngeler,1902)** (Cossidae) **Synonym(s):** aries Püngeler,1902; aegyptiaca Hampson,1910; cheesmani Tams,1925; tahlai Dumont,1932; bongiovannii Krüger,1939; pulcher Rungs,1956; #aegyptiaca Yakovlev,2011
- Dysauxes (Adautis) punctata (Fabricius,1781)** (Ctenuchidae) **Synonym(s):** punctata Fabricius,1781; serva Hübner,[1803]; confamula Hübner,[1803]; ochrea Millièr,1876
- Dysauxes (Adautis) servula (Berce,1862)** (Ctenuchidae) **Synonym(s):** servula Berce,1862; separata A.Bang-Haas,1906
- Tinagma balteolellum (Fischer v. Röslerstamm,1841)** (Douglassiidae) **Synonym(s):** balteolellum Fischer v. Röslerstamm,1841; borkhauseniella Herrich-Schäffer,1855
- Tinagma bledellum (Chrétien,1916)** (Douglassiidae) **Synonym(s):** bledellum Chrétien,1916.
- Watsonalla binaria (Hufnagel,1767)** (Drepanidae) **Synonym(s):** binaria Hufnagel,1767; falcata Fabricius,1775; falcularia De Villers,1789; falcatalis Haworth,1802; uncula Hübner,[1802]
- Elachista (Dibrachia) elksourensis Kaila,2005** (Elachistidae) **Synonym(s):** elksourensis Kaila,2005
- Elachista (Dibrachia) totalbella Chrétien,1908** (Elachistidae) **Synonym(s):** totalbella Chrétien,1908
- Elachista bledella Chrétien,1915** (Elachistidae) **Synonym(s):** bledella Chrétien,1915
- Elachista bromella Chrétien,1915** (Elachistidae) **Synonym(s):** bromella Chrétien,1915
- Elachista ciliatella Chrétien,1915** (Elachistidae) **Synonym(s):** ciliatella Chrétien,1915
- Elachista glaseri Traugott-Olsen,1992** (Elachistidae) **Synonym(s):** glaseri Traugott-Olsen,1992; rikkae Traugott-Olsen,1992; totanaensis Traugott-Olsen,1992; demartini Traugott-Olsen,1992; bengtssoni Traugott-Olsen,1992; senecai Traugott-Olsen,1992; wadielhiraensis Traugott-Olsen,1992; rissaniensis Traugott-Olsen,1992; michelseni Traugott-Olsen,1992
- Elachista maboulella Chrétien,1915** (Elachistidae) **Synonym(s):** maboulella Chrétien,1915; catalunella Traugott-Olsen,1992; gerdmaritella Traugott-Olsen,1992; gielisi Traugott-Olsen,1992
- Elachista nuraghella Amsel,1951** (Elachistidae) **Synonym(s):** nuraghella Amsel,1951; grotenfelti Kaila,2012
- Stephensia calpella (Walsingham,1908)** (Elachistidae) **Synonym(s):** calpella Walsingham,1908; bullatella Chrétien,1915.
- Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) **Synonym(s):** bipunctella Fabricius,1775; echiella [Denis & Schiffermüller],1775; hohenwartiella Rossi,1790; griseicostella Wiltshire,1947; euphoria Kun,2007
- Ethmia candidella (Alpheraky,1908)** (Ethmiidae) **Synonym(s):** candidella Alpheraky,1908; orientella Caradja,1931.
- Ethmia humiliella (Chrétien,1915)** (Ethmiidae) **Synonym(s):** humiliella Chrétien,1915 q
- Ethmia humiliella Chrétien,1915** (Ethmiidae) **Synonym(s):** humiliella Chrétien,1915
- Ethmia lepidella (Chrétien,1907)** (Ethmiidae) **Synonym(s):** lepidella Chrétien,1907; niveella Caradja,1920; minusculella Turati,1929; lactistrigella Turati & Krüger,1936; euphraticella Amsel,1954.
- Ethmia lybiella (Ragonot,1892)** (Ethmiidae) **Synonym(s):** lybiella Ragonot,1892; biskraella Chrétien,1915; trimaculella Lucas,1943.
- Ethmia quadrinotella (Mann,1861)** (Ethmiidae) **Synonym(s):** quadrinotella Mann,1861; atticella Caradja,1920; galaxaea Meyrick,1922.
- Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) **Synonym(s):** sexpunctella Hübner,[1810] nec Fabr.,1794; terminella T.B.Fletcher,1938.
- Ethmia variinotella (Chrétien,1915)** (Ethmiidae) **Synonym(s):** variinotella Chrétien,1915
- Ethmia vittalbella (Christoph,1877)** (Ethmiidae) **Synonym(s):** vittalbella Christoph,1877; #vittalbata Mabilie,1906; radiatella Chrétien,1907; tripolitanella Turati,1929.
- Galactica variinotella (Chrétien,1915)** (Galacticidae) **Synonym(s):** variinotella Chrétien,1915
- Anacampsis scintillella (Fischer v. Röslerstamm,1841)** (Gelechiidae) **Synonym(s):** scintillella Fischer v. Röslerstamm,1841; brunneella Herrich-Schäffer,1854; contuberniella Staudinger,1859
- Anarsia acaciae Walsingham,1896** (Gelechiidae) **Synonym(s):** acaciae Walsingham,1896
- Anarsia lineatella Zeller,1839** (Gelechiidae) **Synonym(s):** lineatella Zeller,1839; heratella Amsel,1967; tauricella Amsel,1967.
- Anarsia retamella Chrétien,1915** (Gelechiidae) **Synonym(s):** retamella Chrétien,1915

- Apatetris echiochilonella (Chrétien,1908)** (Gelechiidae) Synonym(s): echiochilonella Chrétien,1908
- Apotistatus leucostictus Walsingham,1904** (Gelechiidae) Synonym(s): leucostictus Walsingham,1904
- Aroga aristotelis (Millière,[1876])** (Gelechiidae) Synonym(s): aristotelis Millière,[1876]; astragali Staudinger,1879; fulminella Millière,1882; lacertella Walsingham,1904; #aplasticella Rebel,1913; hyrcanella Toll,1947
- Aroga pascuicola (Staudinger,1871)** (Gelechiidae) Synonym(s): pascuicola Staudinger,1871; eremella Chrétien,1915
- Athrips carthaginella (D.Lucas,1940)** (Gelechiidae) Synonym(s): carthaginella D.Lucas,1940
- Athrips fagoniae (Walsingham,1904)** (Gelechiidae) Synonym(s): fagoniae Walsingham,1904; cervinella Turati,1934; rosinansella Lucas,1942
- Athrips thymifoliella (Constant,1893)** (Gelechiidae) Synonym(s): thymifoliella Constant,1893; glaucella Chrétien,1915
- Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): arabica Amsel,1952
- Bryotropha domestica (Haworth,1828)** (Gelechiidae) Synonym(s): domestica Haworth,1828; domesticella Doubleday,1859; domesticella Bruand,1859; salmonis Walsingham,1908; algiricella Chrétien,1917
- Bryotropha sutteri Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): sutteri Karsholt & Rutten,2005
- Chrysoesthia candidella (Chrétien,1915)** (Gelechiidae) Synonym(s): candidella Chrétien,1915
- Chrysoesthia compositella (Chrétien,1915)** (Gelechiidae) Synonym(s): compositella Chrétien,1915
- Chrysoesthia gaditella (Staudinger,1859)** (Gelechiidae) Synonym(s): gaditella Staudinger,1859
- Epidola lilyella Lucas,1945** (Gelechiidae) Synonym(s): lilyella Lucas,1945
- Epidola stigma Staudinger,1859** (Gelechiidae) Synonym(s): stigma Staudinger,1859; flava Amsel,1942
- Euscrobipalpa acutisacca (Povolny,2002)** (Gelechiidae) Synonym(s): acutisacca Povolny,2002
- Euscrobipalpa algeriensis Povolny & Bradley,1965** (Gelechiidae) Synonym(s): algeriensis Povolny & Bradley,1965
- Euscrobipalpa bigoti Povolny,1973** (Gelechiidae) Synonym(s): bigoti Povolny,1973; tunesica Povolny,1979 [ssp.]
- Euscrobipalpa bradleyi Povolny,1971** (Gelechiidae) Synonym(s): bradleyi Povolny,1971; glaserorum Povolny,1977
- Euscrobipalpa depictata (Povolny,2002)** (Gelechiidae) Synonym(s): depictata Povolny,2002
- Euscrobipalpa disjunctella (Staudinger,1859)** (Gelechiidae) Synonym(s): disjunctella Staudinger,1859; tridentella Chrétien,1917
- Euscrobipalpa forsteri Povolny,1971** (Gelechiidae) Synonym(s): forsteri Povolny,1971
- Euscrobipalpa fraterna (Povolny,1969)** (Gelechiidae) Synonym(s): fraterna Povolny,1969
- Euscrobipalpa gallincolella (Mann,1872)** (Gelechiidae) Synonym(s): gallincolella Mann,1872; eremaula Meyrick,1891; lyciella Walsingham,1900; desertella Rebel,1900; reisseri Gregor & Povolny,1955; philolycii M.Hering,1957
- Euscrobipalpa gecko (Walsingham,1911)** (Gelechiidae) Synonym(s): gecko Walsingham,1911
- Euscrobipalpa halymella (Millière,1864) [see Huemer & Karsholt,2010]** (Gelechiidae) Synonym(s): halymella Millière,1864
- Euscrobipalpa heratella Povolny,1967** (Gelechiidae) Synonym(s): heratella Povolny,1967
- Euscrobipalpa instabilella (Douglas,1846)** (Gelechiidae) Synonym(s): instabilella Douglas,1846; lagunella Chrétien,1910; strobilacella Caradja,1920; salsolella Amsel,1933; halymiphaga Amsel,1952
- Euscrobipalpa kaurii (Povolny,2002)** (Gelechiidae) Synonym(s): kaurii Povolny,2002
- Euscrobipalpa meyricki Povolny,1971** (Gelechiidae) Synonym(s): meyricki Povolny,1971
- Euscrobipalpa nitentella (Fuchs,1902)** (Gelechiidae) Synonym(s): nitentella Fuchs,1902; seminella Pierce & Metcalfe,1935
- Euscrobipalpa ocellatella (Boyd,1858)** (Gelechiidae) Synonym(s): ocellatella Boyd,1858; submissella Stainton,1859; portosantana Stainton,1859; horticoella Rössler,1866; obscurior Rebel,1926; orientale Gregor & Povolny,1954
- Euscrobipalpa ochraceella (Chrétien,1915)** (Gelechiidae) Synonym(s): ochraceellum Chrétien,1915
- Euscrobipalpa phagnalella (Constant,1895)** (Gelechiidae) Synonym(s): phagnalella Constant,1895
- Euscrobipalpa richteri Povolny,1968** (Gelechiidae) Synonym(s): richteri Povolny,1968
- Euscrobipalpa salinella (Zeller,1847)** (Gelechiidae) Synonym(s): salinella Zeller,1847; omachella Oberthür,1888; salicorniae F.Hering,1889; spargulariella Chrétien,1910; zernyella Rebel,1918; caliacrae Caradja,1932; thymalaeae Amsel,1939; corsicanum Gregor & Povolny,1954; ignotum Gregor & Povolny,1954
- Euscrobipalpa selectella (Caradja,1920)** (Gelechiidae) Synonym(s): selectella Caradja,1920; fraterna Povolny,1969
- Euscrobipalpa suaedivorella (Chrétien,1915)** (Gelechiidae) Synonym(s): suaedivorella Chrétien,1915; detersipunctella Toll,1947.
- Euscrobipalpa traganella (Chrétien,1915)** (Gelechiidae) Synonym(s): traganella Chrétien,1915
- Gnorimoschema epithymella (Staudinger,1859)** (Gelechiidae) Synonym(s): epithymella Staudinger,1859; brunneomaculella Hackman,1946; boernii Amsel,1952
- Hedma microcasis (Meyrick,1929)** (Gelechiidae) Synonym(s): microcasis Meyrick,1929; abzacella Dumont,1932; hyoscyami Amsel,1933; polioptera Janse,1960; aellographa Janse,1960
- Holcophora obtusipalpis (Walsingham,1905)** (Gelechiidae) Synonym(s): obtusipalpis Walsingham,1905; cinerellus Turati,1930
- Holcophora pruinosa (Chrétien,1915)** (Gelechiidae) Synonym(s): pruinosa Chrétien,1915
- Horridivalva tenuiella Sattler,1967** (Gelechiidae) Synonym(s): tenuiella Sattler,1967
- Ilseopsis peterseni Povolny,1965** (Gelechiidae) Synonym(s): peterseni Povolny,1965
- Isophrictis constantina (Baker,1888)** (Gelechiidae) Synonym(s): constantina Baker,1888
- Megacraspedus gibeauxi Huemer & Karsholt,2018** (Gelechiidae) Synonym(s): gibeauxi Huemer & Karsholt,2018
- Megacraspedus numidellus (Chrétien,1915)** (Gelechiidae) Synonym(s): numidellus Chrétien,1915; mareotidellus Turati,1924
- Megacraspedus peyerimhoffi Le Cerf,1925** (Gelechiidae) Synonym(s): peyerimhoffi Le Cerf,1925
- Megacraspedus squalidus (Meyrick,1926)** (Gelechiidae) Synonym(s): squalida Meyrick,1926; escalerellus Schmidt,1941



- Megacraspedus violacellus (Chrétien,1915)** (Gelechiidae) Synonym(s): violacellum Chrétien,1915; chretienella Dumont,1928; halfella Dumont,1928; arnaldi Turati & Krüger,1930
- Metanarsia alplitodes (Meyrick,1891)** (Gelechiidae) Synonym(s): alplitodes Meyrick,1891; gobica Lvovsky & Piskunov,1989
- Metanarsia incertella (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): incertella Herrich-Schäffer,1861; longivittella Rebel,1914; halmyropis Meyrick,1926; rhamniferella Lucas,1940
- Metzneria aestivella (Zeller,1839)** (Gelechiidae) Synonym(s): aestivella Zeller,1839; carlinella Stainton,1851; selaginella Mann,1855; torridella Mann.
- Metzneria agraphella (Ragonot,1895)** (Gelechiidae) Synonym(s): agraphella Ragonot,1895; incognita Walsingham,1904.
- Metzneria castiliella (Möschler,1866)** (Gelechiidae) Synonym(s): castiliella Möschler,1866; eatoni Walsingham,1899.
- Metzneria clitella Rebel,1903** (Gelechiidae) Synonym(s): clitella Rebel,1903; tricoloria Turati,1930
- Metzneria littorella (Douglas,1850)** (Gelechiidae) Synonym(s): littorella Douglas,1850; quinquepunctella Herrich-Schäffer,1855.
- Metzneria torosulella Rebel,1893** (Gelechiidae) Synonym(s): torosulella Rebel,1893; monochroa Walsingham
- Metzneria tristella Rebel,1901** (Gelechiidae) Synonym(s): tristella Rebel,1901
- Mirificarma flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): flavella Duponchel,[1844]; segetella Zeller,1847.
- Mirificarma interrupta (Curtis,1827)** (Gelechiidae) Synonym(s): interruptella Hübner,1793 nec interruptella De Vill.,1789; interrupta Curtis,1827
- Mirificarma mulinella (Zeller,1839)** (Gelechiidae) Synonym(s): mulinella Zeller,1839; caminariella Fuchs,1902; nigraesilvae Amsel,1950.
- Mirificarma ocellinella (Chrétien,1915)** (Gelechiidae) Synonym(s): ocellinella Chrétien,1915; aurantiella Chrétien,1915; retamaefoliella Dumont,1931
- Mirificarma pallidipulchra (Walsingham,1904)** (Gelechiidae) Synonym(s): pallidipulchra Walsingham,1904; striolella Turati,1924.
- Monochroa psamathias (Meyrick,1891)** (Gelechiidae) Synonym(s): psamathias Meyrick,1891; turkmenica Ivinskis & Piskunov,1980
- Nothris congressariella (Bruand,1858)** (Gelechiidae) Synonym(s): congressariella Bruand,1858; declaratella Staudinger,1859
- Ornathalva angulatella (Chrétien,1915)** (Gelechiidae) Synonym(s): angulatella Chrétien,1915; nigrosubvittatella Lucas,1933.
- Ornathalva antipyramis (Meyrick,1925)** (Gelechiidae) Synonym(s): antipyramis Meyrick,1925
- Ornathalva cerostomatella (Walsingham,1904)** (Gelechiidae) Synonym(s): cerostomatella Walsingham,1904; tripartitella Mabilie,1907; minutella Turati,1929; biclavata Meyrick,1934.
- Ornathalva erubescens (Walsingham,1904)** (Gelechiidae) Synonym(s): erubescens Walsingham,1904
- Ornathalva heligmatodes (Walsingham,1904)** (Gelechiidae) Synonym(s): heligmatodes Walsingham,1904
- Ornathalva heluanensis (Debski,1913)** (Gelechiidae) Synonym(s): heluanensis Debski,1913; frankeniivorella Chrétien,1917; oasicolella Turati,1924; siculella Mariani,1937.
- Ornathalva longiductella Sattler,1967** (Gelechiidae) Synonym(s): longiductella Sattler,1967
- Ornathalva macrosignella Sattler,1967** (Gelechiidae) Synonym(s): macrosignella Sattler,1967
- Ornathalva mixolitha (Meyrick,1918)** (Gelechiidae) Synonym(s): mixolitha Meyrick,1918
- Ornathalva pharaonis Sattler,1967** (Gelechiidae) Synonym(s): pharaonis Sattler,1967
- Ornathalva plutelliformis (Staudinger,1859)** (Gelechiidae) Synonym(s): plutelliformis Staudinger,1859; olbiaella Millièrè,[1861]; siewersiellus Christoph,1867; sinuatella Walsingham,1904
- Ornathalva sesostrella (Rebel,1912)** (Gelechiidae) Synonym(s): sesostrella Rebel,1912
- Ornathalva triangulella Sattler,1967** (Gelechiidae) Synonym(s): triangulella Sattler,1967
- Ornathalva zonella (Chrétien,1917)** (Gelechiidae) Synonym(s): zonella Chrétien,1917; cimelion Amsel,1935; iranella Sattler,1967
- Parapodia sinaica (Frauenfeld,1859)** (Gelechiidae) Synonym(s): sinaica Frauenfeld,1859; tamaricicola Joannis,1912; tamariciella Amsel,1958
- Phloeocercis cherregella Chrétien,1908** (Gelechiidae) Synonym(s): cherregella Chrétien,1908; cecidiella Chrétien,1915; fagoniae Meyrick,1925
- Phthorimaea operculella (Zeller,1873)** (Gelechiidae) Synonym(s): terrella Walker,1864; operculella Zeller,1873; piscipellis Zeller,1873; solanella Boisduval,1874; tabacella Ragonot,1879; sedata Butler,1880; #terrella Pinhey,1975
- Psamathocrita innotatella (Chrétien,1915)** (Gelechiidae) Synonym(s): innotatella Chrétien,1915
- Pseudosphronia exustella (Zeller,1847)** (Gelechiidae) Synonym(s): exustella Zeller,1847; catharurga Meyrick,1923; parahumerella Amsel,1935; buvati Nel,1998
- Ptocheuusa dresnayella Lucas,1945** (Gelechiidae) Synonym(s): dresnayella Lucas,1945
- Ptocheuusa multistrigella Ragonot,1892** (Gelechiidae) Synonym(s): multistrigella Ragonot,1892
- Pyncostola bohemiella (Nickerl,1864)** (Gelechiidae) Synonym(s): bohemiella Nickerl,1864; tunesiella Chrétien,1915; jablonkayi Gozmany,1954
- Stomopteryx bivittella (Chrétien,1915)** (Gelechiidae) Synonym(s): bivittella Chrétien,1915
- Stomopteryx deverrae (Walsingham,1905)** (Gelechiidae) Synonym(s): deverrae Walsingham,1905
- Stomopteryx nigricella (Chrétien,1915)** (Gelechiidae) Synonym(s): nigricella Chrétien,1915
- Syncopacma acanthyllidis (Walsingham,1905)** (Gelechiidae) Synonym(s): acanthyllidis Walsingham,1905
- Syncopacma thaumalea (Walsingham,1905)** (Gelechiidae) Synonym(s): thaumalea Walsingham,1905
- Teleiopsis sarcochroma (Walsingham,1900)** (Gelechiidae) Synonym(s): sarcochroma Walsingham,1900; nigrorosea Walsingham,1904; hessi Amsel,1935.
- Tiranimia epidolella Chrétien,1915** (Gelechiidae) Synonym(s): epidolella Chrétien,1915

- Tuta absoluta (Meyrick,1917)** (Gelechiidae) Synonym(s): absoluta Meyrick,1917
- Afriberina terraria (A.Bang-Haas,1907)** (Geometridae) Synonym(s): terraria A.Bang-Haas,1907
- Antilurga alhambrata (Staudinger,1859)** (Geometridae) Synonym(s): alhambrata Staudinger,1859
- Aplocera arenbergeri Weisert,2004** (Geometridae) Synonym(s): arenbergeri Weisert,2004
- Atomorpha mabillearia (D.Lucas,1907)** (Geometridae) Synonym(s): mabillearia D.Lucas,1907; marmorata A.Bang-Haas,1907
- Brachyglossina acidalaria Wagner,1914** (Geometridae) Synonym(s): acidalaria Wagner,1914
- Calamodes occitanaria (Duponchel,1829)** (Geometridae) Synonym(s): occitanaria Duponchel,1829; occidanaria Freyer,1837; bejaranaria Fernandez,1931
- Camptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): bilineata Linnaeus,1758; brocatella Fourcroy,1785; dumetata Schrank,1802; bilinearia Boisduval,1840; musauria Freyer,1846; testaceolata Staudinger,1871
- Casilda consecraria (Staudinger,1871)** (Geometridae) Synonym(s): consecraria Staudinger,1871; intermediaria Turati,1930
- Catarhoe basochesiata (Duponchel,1831)** (Geometridae) Synonym(s): basochesiata Duponchel,1831; indecora W.Warren,1899; algricata Lucas,1907
- Catarhoe cuculata (Hufnagel,1767)** (Geometridae) Synonym(s): cuculata Hufnagel,1767; sinuata [Denis & Schiffermüller],1775; sabinata Dannehl,1933
- Chesias plumbeata Staudinger,1901** (Geometridae) Synonym(s): plumbeata Staudinger,1901
- Cleta transiens L.B.Prout,1913** (Geometridae) Synonym(s): transiens L.B.Prout,1913
- Colostygia sericeata (Schwingenschuss,1926)** (Geometridae) Synonym(s): sericeata Schwingenschuss,1926
- Crocallis (s.str.) dardoinaria Donzel,1840** (Geometridae) Synonym(s): dardoinaria Donzel,1840; aglossaria Boisduval,1840
- Cyclophora puppillaria (Hübner,[1799])** (Geometridae) Synonym(s): puppillaria Hübner,[1799]; nolaria Hübner,1809; gyrata Hübner,[1813]; gyraria Treitschke,1827; mirtalis Costa,1834; calaritana Turati,1911; asiaeminoris Amsel,1935; granti L.B.Prout,1935
- Cyclophora suppunctaria (Zeller,1847)** (Geometridae) Synonym(s): suppunctaria Zeller,1847; amabilis Schawerda,1922; grisea Schawerda,1938
- Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonym(s): malatyana Wehrli,1934
- Dyscia (Zuleika) nobiliaria (A.Bang-Haas,1906)** (Geometridae) Synonym(s): nobiliaria A.Bang-Haas,1906; #nobiliaria Rothschild,1915
- Dyscia (s.str.) galactaria Turati,1934** (Geometridae) Synonym(s): galactaria Turati,1934; karsholti Wiltshire,1991.
- Ennomos (Deuteronomos) fuscantarius (Haworth,1809)** (Geometridae) Synonym(s): fuscantaria Haworth,1809; effractarius sensu auct.
- Epirrhoe sandosaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): sandosaria Herrich-Schäffer,1852
- Epirrita christyi (Allen,1906)** (Geometridae) Synonym(s): christyi Allen,1906
- Eumegethes tenuis (Staudinger,1898)** (Geometridae) Synonym(s): tenuis Staudinger,1898; petroffi Andres & Seitz,1923; picta Turati,1934
- Eupithecia abbreviata Stephens,1831** (Geometridae) Synonym(s): nebulata Haworth,1809; abbreviata Stephens,1831
- Eupithecia breviculata (Donzel,1837)** (Geometridae) Synonym(s): breviculata Donzel,1837; anatolica Schwingenschuss,1939 [ssp.]; georgica Vojnits,1977 [ssp.]
- Eupithecia dearmata Dietze,[1904]** (Geometridae) Synonym(s): dearmata Dietze,[1904]; harterti Rothschild,1915
- Eupithecia elissa Dietze,1910** (Geometridae) Synonym(s): elissa Dietze,1910
- Eupithecia gratiosata Herrich-Schäffer,1861** (Geometridae) Synonym(s): gratiosata Herrich-Schäffer,1861; subseparata Christoph,1885
- Eupithecia innotata (Hufnagel,1767)** (Geometridae) Synonym(s): innotata Hufnagel,1767; tamarisciata Freyer,1836; suspectata Dietze,1871; uliata Staudinger,1897; ulicada Dietze,1910; alexandriana Vardikjan,1972; sergiana Vardikjan,1972.
- Eupithecia laquaearia Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): laquaearia Herrich-Schäffer,[1848]; merinata Guenée,[1858]
- Eupithecia massiliata Millière,1865** (Geometridae) Synonym(s): massiliata Millière,1865; peyerimhoffata Millière,1870; atlantica Pinker,1969; pinkeriata Moberg,1983
- Eupithecia minusculata Alpheraky,1883** (Geometridae) Synonym(s): minusculata Alpheraky,1883; inversaria Turati,1930; penultima Wiltshire,1985; herrenschmidt Mentzer & Moberg,1992
- Eupithecia oblongata (Thunberg,1784)** (Geometridae) Synonym(s): #centaureata [Denis & Schiffermüller],1775; oblongata Thunberg,1784; boloniensis Fourcroy,1875; centralisata Staudinger,1892; chinae Vojnits,1977.
- Eupithecia oxycedrata (Rambur,1833)** (Geometridae) Synonym(s): oxycedrata Rambur,1833; oxycedrararia Boisduval,1840; provinciata Millière,1872
- Eupithecia rhoisata (Chrétien,1917)** (Geometridae) Synonym(s): rhoisata Chrétien,1917
- Eupithecia rusicadaria Dietze,1910** (Geometridae) Synonym(s): rusicadaria Dietze,1910
- Eupithecia sardoa Dietze,1910** (Geometridae) Synonym(s): sardoa Dietze,1910
- Eupithecia tenellata Dietze,1906** (Geometridae) Synonym(s): tenellata Dietze,1906; gelinaria Lucas,1907; deserticola Turati,1934
- Eupithecia ultimaria Boisduval,1840** (Geometridae) Synonym(s): ultimaria Boisduval,1840; tornifascia Rothschild,1913
- Eupithecia unedonata (Mabille,1868)** (Geometridae) Synonym(s): unedonata Mabille,1868
- Eupithecia unitaria Herrich-Schäffer,1852** (Geometridae) Synonym(s): unitaria Herrich-Schäffer,1852; roseocinnamomaria Rothschild,1913
- Godonela aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): aestimaria Hübner,[1809]; contemptata Guenée,[1858]; aestimata Herrich-Schäffer,1861; tunesella Lucas,1949.
- Hemistola chrysoprasaria (Esper,[1794])** (Geometridae) Synonym(s): nayas Fourcroy,1785; pomona Fourcroy,1785; lucidata Donovan,1794; chrysoprasaria Esper,[1794];

- Horisme scorteata (Staudinger,1901)** (Geometridae) Synonym(s): scorteata Staudinger,1901
- Hylaea compararia (Staudinger,[1895])** (Geometridae) Synonym(s): compararia Staudinger,[1895]
- Idaea allardiata (Mabille,1869)** (Geometridae) Synonym(s): allardiata Mabille,1869
- Idaea attenuaria (Rambur,1833)** (Geometridae) Synonym(s): attenuaria Rambur,1833
- Idaea aversata (Linnaeus,1758)** (Geometridae) Synonym(s): aversata Linnaeus,1758; remutata Linnaeus,1758; lividata Clerck,1759; trilineata Hufnagel,1767; grisata Fabricius,[1776]; murinata Fabricius,1794; aversaria Hübner,[1799]; fuliginata Haworth,1809; latifasciaria Heydenreich,1851.
- Idaea bicertaria (Staudinger,1892)** (Geometridae) Synonym(s): bicertaria Staudinger,1892
- Idaea bigladiata Herbulot,1975** (Geometridae) Synonym(s): bigladiata Herbulot,1975
- Idaea calunetaria (Staudinger,1859)** (Geometridae) Synonym(s): calunetaria Staudinger,1859; dorycniata Bellier,1862; callunata Rambur,1866.
- Idaea cervantaria (Millière,1869)** (Geometridae) Synonym(s): cervantaria Millière,1869
- Idaea completa (Staudinger,1892)** (Geometridae) Synonym(s): completa Staudinger,1892
- Idaea degeneraria (Hübner,[1799])** (Geometridae) Synonym(s): degeneraria Hübner,[1799]; degenerata Treitschke,1828; floridaria Turati,1913
- Idaea diaphanaria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): diaphanaria A.Bang-Haas,1910
- Idaea efflorata Zeller,1849** (Geometridae) Synonym(s): efflorata Zeller,1849; extersaria Herrich-Schäffer,1852; inesata Millière,1868; atromarginata Mabille,1869
- Idaea elongaria (Rambur,1833)** (Geometridae) Synonym(s): elongaria Rambur,1833; aridata Zeller,1847; aridaria Heydenreich,1851; monadaria Guenée,[1858]; confusaria Lederer,1863; infermata Staudinger,1871; zephyrata Millière,1872; marialudovicata Lucas,1942.
- Idaea erlacheri Hausmann,2003** (Geometridae) Synonym(s): erlacheri Hausmann,2003
- Idaea erubescens Hausmann,2003** (Geometridae) Synonym(s): erubescens Hausmann,2003
- Idaea eugeniata (Millière,1870)** (Geometridae) Synonym(s): eugeniata Millière,1870; seeboldiata Rössler,1877; algeriaca Culot,1917
- Idaea fractilineata (Zeller,1847)** (Geometridae) Synonym(s): fractilineata Zeller,1847; fractilinearia Herrich-Schäffer,1852
- Idaea improbata (Staudinger,1898)** (Geometridae) Synonym(s): improbata Staudinger,1898
- Idaea incisaria (Staudinger,1892)** (Geometridae) Synonym(s): incisaria Staudinger,1892; praecisa Reisser,1933 [ssp.]; pulverulenta Reisser,1933 [ssp.]; incisiarioides Wehrli,1934
- Idaea infirmaria (Rambur,1833)** (Geometridae) Synonym(s): infirmaria Rambur,1833; carnearia Mann,1855; ledererata Guenée,[1858]; nigrobarbata Staudinger,1859; aquitanaria Constant,1865
- Idaea inquinata (Scopoli,1763)** (Geometridae) Synonym(s): inquinata Scopoli,1763; herbariata Fabricius,1798; pusillaria Hübner,[1799]; microsaria Boisduval,1840; incomptaria Boisduval,1840
- Idaea laevigata (Scopoli,1763)** (Geometridae) Synonym(s): laevigata Scopoli,1763; laevigaria Hübner,[1799]; renularia Hübner,[1809]; lividellaria Peyerimhoff,1863; renulata Rambur,1866; coulioniata Balestre,1907; storae Andreas,1928
- Idaea litigiosaria (Boisduval,1840)** (Geometridae) Synonym(s): litigiosaria Boisduval,1840; morosaria Herrich-Schäffer,1852; dissidiata Guenée,1858; agraria De Joannis,1891
- Idaea lobaria (Chrétien,1909)** (Geometridae) Synonym(s): lobaria Chrétien,1909; balestraria Lucas,1909
- Idaea longaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): longaria Herrich-Schäffer,1852; prolongata Rambur,1866
- Idaea manicaria (Herrich-Schäffer,1851)** (Geometridae) Synonym(s): manicaria Herrich-Schäffer,1851; volitaria De Joannis,1891; fatimata Staudinger,1895
- Idaea nexata (Hübner,[1813])** (Geometridae) Synonym(s): nexata Hübner,[1813]; #nexaria Hübner,[1825]; cirtanaria H.Lucas,1849; marambaudista D.Lucas,1924
- Idaea nigrolineata (Chrétien,1911)** (Geometridae) Synonym(s): nigrolineata Chrétien,1911
- Idaea oberthuri (Lucas,1917)** (Geometridae) Synonym(s): oberthuri Lucas,1917
- Idaea ochrata (Scopoli,1763)** (Geometridae) Synonym(s): ochrata Scopoli,1763; #ochreate [Denis & Schiffermüller],1775; corrigata Fabricius,1781; ochrearia Schrank,1802 nec Ross.,1794; sicula Zeller,1847; accretata Fuchs,1901
- Idaea okbaria (Chrétien,1911)** (Geometridae) Synonym(s): okbaria Chrétien,1911
- Idaea ostrinaria (Hübner,[1813])** (Geometridae) Synonym(s): ostrinaria Hübner,[1813]; demarginata Schwingenschuss,1938.
- Idaea rainerii Hausmann,1994** (Geometridae) Synonym(s): rainerii Hausmann,1994
- Idaea seriata (Schrank,1802)** (Geometridae) Synonym(s): albulata Hufnagel,1767; seriata Schrank,1802; cubicularia Peyerimhoff,1862
- Idaea straminata (Borkhausen,1794)** (Geometridae) Synonym(s): straminata Borkhausen,1794; inornata Haworth,1809; suffusata Treitschke,1828; suffusaria Boisduval,1840; inornaria Doubleday,1849; agrostemmata Guenée,[1858]; minuta Heydemann,1934
- Idaea subsaturata (Guenée,[1858])** (Geometridae) Synonym(s): subsaturata Guenée,[1858]; miserata Staudinger,1859; subherbariata Rössler,1877
- Idaea subsericeata (Haworth,[1809])** (Geometridae) Synonym(s): subsericeata Haworth,[1809]; perfluaria Boisduval,1840; pinguedinata Zeller,1847; asbestaria Zeller,1849; puraria Heydenreich,1851; pinguedinaria Herrich-Schäffer,1852; oloraria Rössler,1857; mancuniata Knaggs,1865; veterata Gregson,1866; diaphanaria A.Bang-Haas,1910; zernyi D.Lucas,1934
- Idaea typicata (Guenée,1858)** (Geometridae) Synonym(s): typicata Guenée,1858; hornigaria Staudinger,1901
- Idaea volloni (D.Lucas & De Joannis,1907)** (Geometridae) Synonym(s): volloni D.Lucas & De Joannis,1907; plumbearia A.Bang-Haas,1907; numidica Turati,1924
- Isturgia disputaria (Guenée,[1858])** (Geometridae) Synonym(s): disputaria Guenée,[1858]; indodata Walker,1863; strenuata Walker,1863; curvifera Walker,1870; gazella Blackmore,1872; martiniaria Oberthür,1876; granitalis Butler,1883; lithina Butler,1883; zebrina Butler,1883; infrictaria Swinhoe,1886; subocellata Warren,1896; trilineata Krüger,1939
- Isturgia hausmanni M.Krüger,2001** (Geometridae) Synonym(s): hausmanni M.Krüger,2001

- Isturgia spodiaria (Lefèbvre,1832)** (Geometridae) Synonym(s): spodiaria Lefèbvre,1832; semicanaria Freyer,[1832]; cerataria Guenée,[1858].
- Isturgia terminipuncta M.Krüger,2001** (Geometridae) Synonym(s): terminipuncta M.Krüger,2001
- Itame vincularia (Hübner,[1813])** (Geometridae) Synonym(s): vincularia Hübner,[1813]
- Kuchleria insignata Hausmann,1995** (Geometridae) Synonym(s): insignata Hausmann,1995
- Kuchleria therapaena (L.B.Prout,1924)** (Geometridae) Synonym(s): therapaena L.B.Prout,1924
- Larentia clavaria Haworth,[1809]** (Geometridae) Synonym(s): clavaria Haworth,[1809]; pallidata Staudinger,1901
- Larentia malvata (Rambur,1833)** (Geometridae) Synonym(s): malvata Rambur,1833; malvaria Herrich-Schäffer,1848
- Lhommeia biskraria (Oberthür,1885)** (Geometridae) Synonym(s): biskraria Oberthür,1885; viridaria Rothschild,1914
- Lithostege cinerata Turati,1924** (Geometridae) Synonym(s): cinerata Turati,1924; cyrenaica Amsel,1935
- Lithostege farinata (Hufnagel,1767)** (Geometridae) Synonym(s): farinata Hufnagel,1767; illibata [Denis & Schiffermüller],1775; nivearia Hübner,[1799]; albaria Turton,1802; bachmutensis L.B.Prout,1938
- Lithostege fissurata Mabilie,1888** (Geometridae) Synonym(s): fissurata Mabilie,1888; inanis L.B.Prout,1941; fitzgeraldi Wiltshire,1947
- Lithostege notata A.Bang-Haas,1906** (Geometridae) Synonym(s): notata A.Bang-Haas,1906; bifissana Rebel,1911
- Menophra abruptaria (Thunberg,1792)** (Geometridae) Synonym(s): abruptaria Thunberg,1792; strigata Fabricius,1794; petrificata Hübner,[1799]; suberaria Donovan,1808; petrificaria Duponchel,1829; barcinonaria Bellier,1862; theobromaria Turati,1909
- Menophra berenicidaria (Turati,1924)** (Geometridae) Synonym(s): berenicidaria Turati,1924; trypanaria Wiltshire,1948; cretataria Reisser,1948
- Menophra japygiaria (Costa,1849)** (Geometridae) Synonym(s): japygiaria Costa,1849; fractaria Staudinger,1859; rhizolitharia Rambur,1866; sagarraria Turati,1924
- Microloxia ruficornis W.Warren,1897** (Geometridae) Synonym(s): ruficornis W.Warren,1897; innotata W.Warren,1901; halimaria Chrétien,1909; stenopteraria Turati,1930
- Myinodes interpunctaria (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): interpunctaria Herrich-Schäffer,1839
- Nebula ibericata (Staudinger,1871)** (Geometridae) Synonym(s): ibericata Staudinger,1871
- Nebula numidiata (Staudinger,1892)** (Geometridae) Synonym(s): numidiata Staudinger,1892
- Nychiodes (s.str.) mauretanica Wehrli,1929** (Geometridae) Synonym(s): mauretanica Wehrli,1929
- Operophtera brumata (Linnaeus,1758)** (Geometridae) Synonym(s): brumata Linnaeus,1758; hyemata Hufnagel,1767; hyemalis Retzius,1783; brumaria Esper,1801; vulgaris Stephens,1829; phryganea Rambur,1870; myricaria Cooke,1882; robineaui Leraut,1997
- Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): obstipata Fabricius,1794; fluviala Hübner,[1799]; gemmata Hübner,1799; albicinctata Haworth,1809; angustata Haworth,1809; quaerendaria Costa,1850; baccata Guenée,[1858]; lapillata Guenée,[1858]; contrariata Walker,1862; exagitata Walker,1862; intrusata Walker,1862; peracutata Walker,1862; signataria Walker,1863; obruptata Walker,1863; pigrata Walker,1866; plemyrata R.Felder & Rogenhofer,1875; inconspicua Warren,1896; brunneipennis Hulst,1896; discata Warren,1905
- Pachynemia tibiaria (Rambur,1829)** (Geometridae) Synonym(s): tibiaria Rambur,1829; uniformis Bytinski-Salz,1937
- Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): etruscaria Zeller,1849; pulmentaria Guenée,[1858]; palaestinensis Fuchs,1903; benderi Koutsaftikis,1973
- Phyllometra argentaria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): argentaria A.Bang-Haas,1910
- Phyllometra planaria (Chrétien,1911)** (Geometridae) Synonym(s): planaria Chrétien,1911
- Pingasa lahayei (Oberthür,1887)** (Geometridae) Synonym(s): lahayei Oberthür,1887
- Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): sacraria Linnaeus,1767; labda Cramer,1777; sacralis Thunberg,1784; fulvaria Fabricius,1794; sanguinaria Esper,1801; minervae Gistel,1856; labdaria Guenée,[1858];
- Rhodostrophia (s.str.) pudorata (Fabricius,1794)** (Geometridae) Synonym(s): pudorata Fabricius,1794; sicanaria Zeller,1852; quadricalcarata L.B.Prout,1913
- Scopula alba (Hausmann,1993)** (Geometridae) Synonym(s): alba Hausmann,1993
- Scopula andalusiaria (Wagner,1935)** (Geometridae) Synonym(s): andalusiaria Wagner,1935
- Scopula decolor (Staudinger,1898)** (Geometridae) Synonym(s): decolor Staudinger,1898; languidata L.B.Prout,1913
- Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): decorata [Denis & Schiffermüller],1775; cinerata Fabricius,1781; violata Thunberg,1784; caerulata Gmelin,1790; decoraria Hübner,[1799]; ornataria Esper,[1806]; armeniaca Thierry-Mieg,1916
- Scopula emutaria (Hübner,[1809])** (Geometridae) Synonym(s): emutaria Hübner,[1809]; subroseata Haworth,1809
- Scopula imitaria (Hübner,[1799])** (Geometridae) Synonym(s): fimbriata Fourcroy,1785 nec Schreb.,1759; imitaria Hübner,[1799]
- Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoria Joannis,1891; #marginipunctata Rothschild,1914; britonaria Oberthür,1917; subatrata Wagner,1919; #insubrica Vorbrodt,1930
- Scopula minorata (Boisduval,1833)** (Geometridae) Synonym(s): minorata Boisduval,1833; #ochroleucata Herrich-Schäffer,1844; ochroleucaria Herrich-Schäffer,[1847]; luculata Guenée,[1858]; mauritiata Guenée,[1858]; consentanea Walker,1861; holobapharia Mabilie,1900; mombasae W.Warren,1904; dresnaya D.Lucas,1937.
- Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785; ornataria Hübner,[1799]; paludalis Schrank,1802
- Scopula pratana (Fabricius,1794)** (Geometridae) Synonym(s): pratana Fabricius,1794; pratanaria Turton,1802; megearia Oberthür,1881; ectypata Mabilie,1888
- Scopula reamuraria (Milière,1864)** (Geometridae) Synonym(s): reamuraria Milière,1864; megearia Oberthür,1881; occidens L.B.Prout,1935
- Scopula romanaria (Millière,1870)** (Geometridae) Synonym(s): romanaria Millière,1870

- Scopula turbulentaria (Staudinger,1870)** (Geometridae) **Synonym(s):** turbulentaria Staudinger,1870; collata W.Warren,1901; habenata W.Warren,1901; syriacata Neuburger,1904; syriturica Wehrli,1934
- Selenia lunularia (Hübner,1788)** (Geometridae) **Synonym(s):** lunaria [Denis & Schiffermüller],1775 nec Fabr.,1775; lunularia Hübner,1788; delunaria Hübner,1799; sublunaria Stephens,1831
- Stegania ochrearia A.Bang-Haas,1910** (Geometridae) **Synonym(s):** ochrearia A.Bang-Haas,1910; xanthinaria Oberthür,1923
- Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) **Synonym(s):** fluctuata Linnaeus,1758; fibulata Hufnagel,1767; cinerata Fourcroy,1785 nec Fabr.,1781; costovata Haworth,1809; fluctuaria Boisduval,1840; multistriga Oberthür,1910
- Glyphipterix pertenuis Diakonoff,1979** (Glyphipterygidae) **Synonym(s):** pertenuis Diakonoff,1979
- Glyphipterix schoenicoella Boyd,1859** (Glyphipterygidae) **Synonym(s):** schoenicoella Boyd,1859
- Acrocercops cocciferella (Chrétien,1910)** (Gracillariidae) **Synonym(s):** cocciferella Chrétien,1910
- Aspilapteryx (s.str.) multipunctella (Chrétien,1917)** (Gracillariidae) **Synonym(s):** multipunctella Chrétien,1917; anagensis Klimesch,1979
- Caloptilia coruscans (Walsingham,1907)** (Gracillariidae) **Synonym(s):** coruscans Walsingham,1907; schinella Walsingham,1908; terebinthiella Chrétien,1910; instincta Meyrick,1922; ferruginipennis Turati,1924
- Dextellia dorsilineella (Amsel,1935)** (Gracillariidae) **Synonym(s):** dorsilineella Amsel,1935; #dorsiliniella Kuznetsov & Baryshnikova,2001
- Dialectica scariella (Zeller,1850)** (Gracillariidae) **Synonym(s):** scariella Zeller,1850
- Phyllocnistis citrella Stainton,1856** (Gracillariidae) **Synonym(s):** citrella Stainton,1856; minutella Van Deventer,1904; citricola Shiraki,1913
- Phyllonorycter extincta Deschka,1974** (Gracillariidae) **Synonym(s):** extincta Deschka,1974
- Phyllonorycter mirbeckifoliae Deschka,1974** (Gracillariidae) **Synonym(s):** mirbeckifoliae Deschka,1974
- Phyllonorycter pseudojoviella Deschka,1974** (Gracillariidae) **Synonym(s):** pseudojoviella Deschka,1974
- Phyllonorycter retamella (Chrétien,1915)** (Gracillariidae) **Synonym(s):** retamella Chrétien,1915
- Neohepialiscus algeriensis (Joannis,1903)** (Hepialidae) **Synonym(s):** algeriensis Joannis,1903; #joannisi Lucas,1905; #bicolor Pfizner,1912; tunetanus Oberthür,1917
- Chilena oberthuri Lucas,1909** (Lasiocampidae) **Synonym(s):** oberthuri Lucas,1909
- Gufria limosa (de Villiers,[1827])** (Lasiocampidae) **Synonym(s):** limosa de Villiers,[1827]; lineosa de Villiers,[1827]; powelli Oberthür,1916; intermedia Rothschild,1917; souresi Chnéour,1955
- Lasiocampa decolorata (Klug,1832)** (Lasiocampidae) **Synonym(s):** decolorata Klug,1832
- Lasiocampa serrula (Guenée,1858)** (Lasiocampidae) **Synonym(s):** serrula Guenée,1858; almeriaensis Costa & Gomez Bustillo,1976
- Lasiocampa terreni (Herrich-Schäffer,1847)** (Lasiocampidae) **Synonym(s):** terreni Herrich-Schäffer,1847
- Lasiocampa tripolitania Lewandowski & Fischer,2005** (Lasiocampidae) **Synonym(s):** tripolitania Lewandowski & Fischer,2005
- Psilogaster loti (Ochsenheimer,1810)** (Lasiocampidae) **Synonym(s):** loti Ochsenheimer,1810; algeriensis Baker,1885; vernetensis Oberthür,1916
- Sena oberthueri (D.Lucas,1909)** (Lasiocampidae) **Synonym(s):** oberthueri D.Lucas,1909; hilgerti Rothschild,1913; lucasi Oberthür,1916; virgo Oberthür,1916
- Homaloxestis briantiella (Turati,1879)** (Lecithoceridae) **Synonym(s):** briantiella Turati,1879
- Lemonia philopalus (Donzel,1842)** (Lemoniidae) **Synonym(s):** philopalus Donzel,1842
- Albarracina warionis (Oberthür,1881)** (Lymantriidae) **Synonym(s):** warionis Oberthür,1881; korbi Staudinger,1883; syriaca Standfuss,[1890]; banghaasi Rothschild,1909; deundulata Strand,1910; schindlerae Oberthür,1922; alluaudi Oberthür,1922; syrticola C.G.Krüger,1932; littoralis Le Cerf,1933; autumnalis C.G.Krüger,1939; humilis Rungs,1975; thoracica Rungs,1975
- Casama innotata (Walker,1855)** (Lymantriidae) **Synonym(s):** innotata Walker,1855; flavipalpata Staudinger,1896; uniformis Rothschild,1913; leporina Zerny,1935; alfieri C.G.Krüger,1939.
- Euproctis boulifa Dumont,1922** (Lymantriidae) **Synonym(s):** boulifa Dumont,1922
- Euproctis chrysophaea (Walker,1865)** (Lymantriidae) **Synonym(s):** chrysophaea Walker,1865; charmetanti Vuillot,1890; boulifa Dumont,1922; rorida M.Hering,1926; durandi Lucas,1926
- Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) **Synonym(s):** chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803; xanthorrhoea Oberthür,1916 nec Koll.,[1844]
- Lymantria (Porthetria) dispar (Linnaeus,1758)** (Lymantriidae) **Synonym(s):** dispar Linnaeus,1758; disparina Müller,1802; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926; andalusica Reinig,1938; hokkaidoensis Goldschmidt,1940; mediterraneae Goldschmidt,1940; bocharae Goldschmidt,1940; chosensis Goldschmidt,1940; koreibia Bryk,[1948]; kolthoffi Bryk,[1948]
- Lymantria oberthueri D.Lucas,1906** (Lymantriidae) **Synonym(s):** oberthueri D.Lucas,1906; belvalettei Dumont,1928
- Ocnaria rubea ([Denis & Schiffermüller],1775)** (Lymantriidae) **Synonym(s):** #rubea [Denis & Schiffermüller],1775
- Orgyia panlacroixii Oberthür,1876** (Lymantriidae) **Synonym(s):** panlacroixii Oberthür,1876
- Orgyia trigotephras Boisduval,1829** (Lymantriidae) **Synonym(s):** trigotephras Boisduval,1829; anceps Oberthür,1884; sicula Staudinger,1887; transiens Staudinger,1901; orientalis Staudinger,1901; etrusca Verity,1905; holli Oberthür,1916; sebduensis Oberthür,1916; calabra Stauder,1916
- Polymona atlantica (Rambur,1837)** (Lymantriidae) **Synonym(s):** atlantica Rambur,1837; mus Oberthür,1916
- Bedellia somnulentella (Zeller,1847)** (Lyoniidae) **Synonym(s):** somnulentella Zeller,1847; orpheella Stainton,1849; convolutella Heydenreich,1851; staintoniella Clemens,1860; mnesileuca Meyrick,1928; ipomoeae Bradley,1953
- Phyllobrostis (s.str.) daphneella Staudinger,1859** (Lyoniidae) **Synonym(s):** daphneella Staudinger,1859
- Phyllobrostis (s.str.) fregenella Hartig,1941** (Lyoniidae) **Synonym(s):** fregenella Hartig,1941
- Bifascia nigrallbella (Chrétien,1915)** (Mompidae) **Synonym(s):** nigrallbella Chrétien,1915; asteroleuca Meyrick,1917
- Acalyptris limoniastri Nieukerken,2007** (Nepticulidae) **Synonym(s):** limoniastri Nieukerken,2007
- Acalyptris minimella (Rebel,1924)** (Nepticulidae) **Synonym(s):** minimella Rebel,1924; lentiscella Groschke,1944

- Ectoedemia (s.str.) albifasciella (Heinemann,1871)** (Nepticulidae) Synonym(s): albifasciella Heinemann,1871
- Ectoedemia (s.str.) erythrogenella (De Joannis,1908)** (Nepticulidae) Synonym(s): erythrogenella De Joannis,1908
- Ectoedemia (s.str.) heringella (Mariani,1939)** (Nepticulidae) Synonym(s): heringella Mariani,1939
- Ectoedemia (s.str.) subbimaculella (Haworth,1828)** (Nepticulidae) Synonym(s): subbimaculella Haworth,1828; bistrimaculella Heyden,1861
- Ectoedemia (s.str.) suberis (Stainton,1869)** (Nepticulidae) Synonym(s): suberis Stainton,1869
- Stigmella basiguttella (Heinemann,1862)** (Nepticulidae) Synonym(s): basiguttella Heinemann,1862; cerricolella Klimesch,1946
- Stigmella freyella (Heyden,1858)** (Nepticulidae) Synonym(s): freyella Heyden,1858
- Stigmella karsholti Nieuwerkerken & Johansson,2003** (Nepticulidae) Synonym(s): karsholti Nieuwerkerken & Johansson,2003
- Stigmella suberivora (Stainton,1869)** (Nepticulidae) Synonym(s): suberivora Stainton,1869; aureocaputella Millièrre,1870; aureocapitella Millièrre,1870; ilicivora Peyerimhoff,1871
- Stigmella zizyphi (Walsingham,1911)** (Nepticulidae) Synonym(s): zizyphi Walsingham,1911
- Trifurcula (Glaucolipsis) rosmarinella (Chrétien,1914)** (Nepticulidae) Synonym(s): rosmarinella Chrétien,1914
- Trifurcula (s.str.) subnitidella (Duponchel,1843)** (Nepticulidae) Synonym(s): subnitidella Duponchel,1843; griseella Wolff,1957
- Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): trabealis Scopoli,1763; arabica Hufnagel,1766; sulphuralis Linnaeus,1767; sulphurea [Denis & Schiffermüller],1775; lugubris Fabricius,1777; histrionella Goeze,1783; arlequinetta Fourcroy,1785; trabeata Borkhausen,1790; pardalina Walker,1865; deleta Staudinger,1877; flavonitens Austaut,1880; algira Oberthür,1881
- Acontia (s.str.) biskrensis Oberthür,1887** (Noctuidae) Synonym(s): biskrensis Oberthür,1887; #biscraensis Rothschild,1913; orientalis Brandt,1939; agacinoi Rungs,1945; grisescens Rebel,1948
- Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): lucida Hufnagel,1766; solaris [Denis & Schiffermüller],1775; albicollis Fabricius,1781; rupicola Borkhausen,1792; insolatrix Hübner,[1822]; triradiata Walker,[1858]; lugens Alpheraky,1889; heliodora Schawerda,1923
- Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): tridens [Denis & Schiffermüller],1775; karghalika Moore,1878
- Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): rumicis Linnaeus,1758; litterata Panzer,1804; salicis Curtis,1826; diffusa Walker,1857
- Aedia leucomelas (Linnaeus,1758)** (Noctuidae) Synonym(s): leucomelas Linnaeus,1758; ramburii Boisduval,1829; adepta Geyer,[1832]; olivascens Guenée,1852; acronyctoides Guenée,1852; limitaris Walker,[1863]; shisa Strand,1920; thomae A.E.Prout,1927; albidiscalis Roepke,1932; diluta Roepke,1941; ermanniae Berio,1989
- Aegle semicana (Esper,[1798])** (Noctuidae) Synonym(s): semicana Esper,[1798]; vespertalis Hübner,[1813]; mimetes Brandt,1938; #verspentalis Hacker,1986.
- Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) Synonym(s): #lychnidis [Denis & Schiffermüller],1775; #pistacina [Denis & Schiffermüller],1775; pistacina Goeze,1781; rubetra Esper,[1791]; canaria Esper,[1791]; serina Esper,[1791]; lineola Donovan,1801 nec Panzer,1785; sphaerulatina Haworth,1809; venosa Haworth,1809 nec Hw.1809; occulta Hacker,[1997]; aequalis Hacker,[1997]
- Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) Synonym(s): bigramma Esper,[1790]; crassa Hübner,[1803]; lata Treitschke,1835; golickei Erschoff,1872; huguenini Rühl,1891
- Agrotis (Powellinia) boetica (Boisduval,[1837])** (Noctuidae) Synonym(s): boetica Boisduval,[1837]; noctambulatrix Chrétien,1911; orana Oberthür,1912 (preocc.); mateui Rungs,1952; variata Rungs,1952 (preocc.)
- Agrotis (Powellinia) lasserrei (Oberthür,1881)** (Noctuidae) Synonym(s): lasserrei Oberthür,1881; sabura Mabilbe,1888; ptolemaidea Turati,1924
- Agrotis (Powellinia) pierreti (Bugnion,1837)** (Noctuidae) Synonym(s): pierreti Bugnion,1837; messaouda Oberthür,1884; marsdeni Bethune-Baker,1894
- Agrotis (Putagrotis) herzogi (Rebel,1911)** (Noctuidae) Synonym(s): herzogi Rebel,1911; hoggari Rothschild,1920; minima Turati,1924; securifera Turati,1924; saracenica Tams,1925; leroyi Lucas,1940
- Agrotis (Putagrotis) puta (Hübner,[1803])** (Noctuidae) Synonym(s): puta Hübner,[1803]; radius Haworth,1803; renitens Hübner,[1824]; lignosa Godart,1825; erythroxylea Treitschke,1826; radiola Stephens,1829; meridionalis Spuler,1905; minima Turati,1924; silvestrii Turati,1924; insula Richardson,1958;
- Agrotis (s.str.) alexandriensis Bethune-Baker,1894** (Noctuidae) Synonym(s): alexandriensis Bethune-Baker,1894; arens Turati,1926; albonitens C.G.Krüger,1933; griseifusa C.G.Krüger,1933
- Agrotis (s.str.) biconicus Kollar,[1844]** (Noctuidae) Synonym(s): spinifera Hübner,[1808] nec Vill.,1789; biconica Kollar,[1844]; aristifera Guenée,1852; spiculifera Guenée,1852; ferina Felder & Rogenhofer,1874; hodnae Oberthür,1878
- Agrotis (s.str.) endogaea Boisduval,[1837]** (Noctuidae) Synonym(s): endogaea Boisduval,[1837]
- Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) Synonym(s): exclamationis Linnaeus,1758; clavus Hufnagel,1766; murina Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; picea Haworth,1809; plaga Stephens,1835; haruspex Le Cerf,1924; nigriorbis Zerny,1934.
- Agrotis (s.str.) haifae Staudinger,1897** (Noctuidae) Synonym(s): haifae Staudinger,1897
- Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) Synonym(s): ipsilon Hufnagel,1766; suffusa [Denis & Schiffermüller],1775; idonea Cramer,[1780]; spinula Esper,[1786]; spinifera De Villers,1789.
- Agrotis (s.str.) lata Treitschke,1835** (Noctuidae) Synonym(s): lata Treitschke,1835; dirempta Staudinger,1859; sabura Mabilbe,1888; fulva Turati,1922; castellana Fernandez,1929; afflouensis Corti,1932
- Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis De Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversa Walker,1857; correctus Walker,1857; obliuosus Walker,1857; denticulosus Wallengren,1860; certificata Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886.



- Agrotis (s.str.) trux (Hübner,[1824])** (Noctuidae) Synonym(s): trux Hübner,[1824]; lenticulosa Duponchel,1826; lunigera Stephens,1829; terranea Freyer,1831; obesula Smith,1888; nili Bethune-Baker,1894; amasina Staudinger,1901; euxoides Rothschild,1920; subalba Corti & Draudt,1933; adolfi Corti & Draudt,1933; #rubrofusca Schawerda,1931; rubrofusca Boursin,1964; maderensis Pinker,1971
- Agrotis (s.str.) vestigialis (Hufnagel,1766)** (Noctuidae) Synonym(s): vestigialis Hufnagel,1766
- Amphipyra (s.str.) berbera Rungs,1949** (Noctuidae) Synonym(s): #variegata W.Warren,1911; berbera Rungs,1949; svenssoni D.S.Fletcher,1968
- Amphipyra (s.str.) pyramidea (Linnaeus,1758)** (Noctuidae) Synonym(s): pyramidea Linnaeus,1758; navicularis Geoffroy,1785; obscura Oberthür,1880; obliquilimbata Graeser,1888; satinea Rougemont,1901; variegata W.Warren,1911; yama Swinhoe,1918; apyra Bryk,1942; cuprior Fletcher,1968
- Amphipyra (s.str.) tetra (Fabricius,1787)** (Noctuidae) Synonym(s): tetra Fabricius,1787
- Anomis flava (Fabricius,1775)** (Noctuidae) Synonym(s): flava Fabricius,1775; stigmatizans Fabricius,1775; fimbriago Stephens,1829; xanthindyma Boisduval,1833; auragoides Guenée,1852; indica Guenée,1852; variolosa Walker,1857; edentata Walker,1857; aurantiaca Prittwitz,1867; serrata Barnes & McDunnough,1913
- Anumeta cestis (Ménétriés,1848)** (Noctuidae) Synonym(s): cestis Ménétriés,1848; punctata Ménétriés,1848; parvimacula Rothschild,1920
- Anumeta harterti Rothschild,1913** (Noctuidae) Synonym(s): harterti Rothschild,1913; ? tazelikoula Dumont,1920
- Anumeta hilgerti Rothschild,1909** (Noctuidae) Synonym(s): hilgerti Rothschild,1909; brunnea W.Warren,1913; comosa Dumont,1920; popovi Wiltshire,1982
- Anumeta straminea (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): straminea A.Bang-Haas,1906
- Anydrophila sabouraudi (D.Lucas,1907)** (Noctuidae) Synonym(s): sabouraudi D.Lucas,1907
- Aporophyla chioleuca (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): chioleuca Herrich-Schäffer,1850
- Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): lunula Ström,1783 nec Hfn.,1766; nigra Haworth,[1809]; nigricans Hbn.,[1813]; aethiops Ochsenheimer,1816; seileri Fuchs,1901
- Araeopteron ecphaea Hampson,1914** (Noctuidae) Synonym(s): ecphaea Hampson,1914
- Arenostola deserticola (Staudinger,1900)** (Noctuidae) Synonym(s): deserticola Staudinger,1900; modesta Staudinger,1900; chimaera Rothschild,1920
- Armada panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s): panaceorum Ménétriés,1849; distincta Rothschild,1915.
- Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): gamma Linnaeus,1758; messmeri Schädewald,1992; voelkeri Schädewald,1992.
- Autophila (Cheirophanes) cymaenotaenia Boursin,1940** (Noctuidae) Synonym(s): cymaenotaenia Boursin,1940
- Autophila (s.str.) rosea (Staudinger,1888)** (Noctuidae) Synonym(s): rosea Staudinger,1888
- Bena africana (W.Warren,1913)** (Noctuidae) Synonym(s): africana W.Warren,1913
- Boursinia lithoxylea (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): lithoxylea A.Bang-Haas,1912; beduina Wiltshire,1948
- Brachygalea albolineata (Blachier,1905)** (Noctuidae) Synonym(s): albolineata Blachier,1905; leucorhabda Hampson,1906; albolineata Hampson,1906
- Brithys crini (Fabricius,1775)** (Noctuidae) Synonym(s): crini Fabricius,1775; dominica Cramer,1872; nipponica Matsumura,1931
- Brithys encausta (Hübner,[1808])** (Noctuidae) Synonym(s): encausta Hübner,[1808]
- Callopistria juvenina (Stoll,[1782])** (Noctuidae) Synonym(s): juvenina Stoll,[1782]; purpureofasciata Piller & Mitterpacher,1783; lagopus Esper,[1788]; pteridis Thunberg,1788; manicata De Villiers,1789; formissimalis Hübner,1796; obscura Butler,1878
- Callopistria latreillei (Duponchel,1827)** (Noctuidae) Synonym(s): latreillei Duponchel,1827; quieta Treitschke,1826; roseitulum Walker,[1858]; rakoto Viette,1865; rechingeri Koutsaftikis,1973.
- Calophasia angularis Chrétien,1911** (Noctuidae) Synonym(s): angularis Chrétien,1911; stigmatica Rothschild,1913; liberatii Turati,1924; danieli Le Cerf,1924; pintori Turati,1924; volmeri Hering,1930
- Calophasia pauli (Staudinger,1892)** (Noctuidae) Synonym(s): pauli Staudinger,1892
- Calophasia platyptera (Esper,[1788])** (Noctuidae) Synonym(s): platyptera Esper,[1788]; canterius De Villiers,1789; tenera Hübner,[1803]; olbiena Duponchel,1842; subalbida Staudinger,1901; signata Constantini,1916
- Caradrina (Eremodrina) casearia (Staudinger,1900)** (Noctuidae) Synonym(s): casearia Staudinger,1900; tauorgensis C.G.Krüger,1939
- Caradrina (Eremodrina) distigma Chrétien,1913** (Noctuidae) Synonym(s): distigma Chrétien,1913; halimi Chrétien,1913
- Caradrina (Eremodrina) flava Oberthür,1876** (Noctuidae) Synonym(s): flava Oberthür,1876; approximans Rothschild,1914
- Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): clavipalpis Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg,1791; milleri Schultz,1862; avicula Krulikovskiy,1909; teidovolans Pinker,1974; pinkeri Kobes,1975
- Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): flavirena Guenée,1852; minor Staudinger,1897; subdita W.Warren,1911; muricolor Boursin,1933; subdita Leraut,1980
- Caradrina (Paradrina) jacobsi (Rothschild,1914)** (Noctuidae) Synonym(s): jacobsi Rothschild,1914; lignea Turati,1930
- Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): selini Boisduval,1840; selinoides Bellier,1862; milleri Schultz,1862; jurassica Riggenbach-Stehlin,1876; minor Staudinger,1897; #puengeleri Draudt,1934; telekii Dioszeghy,[1935]
- Caradrina (Platyperigea) proxima (Rambur,1837)** (Noctuidae) Synonym(s): proxima Rambur,1837; infusca Rambur,1858; rufostigmata Rothschild,1914
- Cardepiia affinis Rothschild,1913** (Noctuidae) Synonym(s): affinis Rothschild,1913; ghigli Turati,1921; strobilacei Dumont,1925.
- Cardepiia sociabilis (Graslin,1850)** (Noctuidae) Synonym(s): sociabilis Graslin,1850; ghigii Turati,1926; pedrosai Monteiro,1972; grisea Berio,1986.
- Catamecia minima (Swinhoe,1889)** (Noctuidae) Synonym(s): minima Swinhoe,1889; jordana Staudinger,1897; bacheri Staudinger,1901; balestre Lucas,1907; arabica Wiltshire,1949

- Catephia alchymista** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): alchymista [Denis & Schiffermüller],1775
- Catocala (Ephesia) nymphaea** (Esper,[1787]) (Noctuidae) Synonym(s): nymphaea Esper,[1787]; vestalis Geyer,[1835]; conjux Freyer,1850
- Catocala (Mormonia) dilecta** (Hübner,[1808]) (Noctuidae) Synonym(s): dilecta Hübner,[1808]; dayremi Oberthür,1907; powelli Oberthür,1907; laetita Schawerda,1931
- Catocala (Mormonia) sponsa** (Linnaeus,1767) (Noctuidae) Synonym(s): sponsa Linnaeus,1767; rejecta Fischer v. Waldheim,1820; laeta Oberthür,1907; purpurea Oberthür,1922
- Catocala (s.str.) conjuncta** (Esper,[1787]) (Noctuidae) Synonym(s): conjuncta Esper,[1787]; conjuga Hübner,[1803]; vivida W.Warren,1913; perrettei Seyer,1976
- Catocala (s.str.) conversa** (Esper,1783) (Noctuidae) Synonym(s): conversa Esper,[1787]; pasythea Hübner,[1809]; agamos Hübner,[1813]
- Catocala (s.str.) elocata** (Esper,[1787]) (Noctuidae) Synonym(s): elocata Esper,[1787]; marita Hübner,[1813]; nurus Hübner,[1822]; gitana Mabilie,1885
- Catocala (s.str.) nymphagoga** (Esper,[1787]) (Noctuidae) Synonym(s): nymphagoga Esper,[1787]; v-nigrum De Villers,1789; tmolia Lederer,1865; vallantini Oberthür,1894
- Catocala (s.str.) optata** (Godart,1824) (Noctuidae) Synonym(s): optata Godart,1824; amanda Boisduval,1840; sultana A.Bang-Haas,1910; intermedia Hampson,1913
- Catocala (s.str.) promissa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #promissa [Denis & Schiffermüller],1775; mneste Hübner,[1813]; hilaris Oberthür,1907; ochracea Oberthür,1907; electra A.Bang-Haas,1910
- Catocala (s.str.) puerpera** (Giorna,1791) (Noctuidae) Synonym(s): puerpera Giorna,1791; amasia Esper,[1804] nec Sm.,1797; pellex Hübner,[1809]; orientalis Staudinger,1877; ?pudica Moore,1879; romana Schultz,1909; syriaca Schultz,1909
- Cerastis faceta** (Treitschke,1835) (Noctuidae) Synonym(s): faceta Treitschke,1835; amicta Donzel,1847; variicollis Delahaye,1886
- Cerocala algeriae** Oberthür,1876 (Noctuidae) Synonym(s): algeriae Oberthür,1876; biskrensis Culot,1916; machadoi Bacallado,1974
- Cerocala rothschildi** Turati,1924 (Noctuidae) Synonym(s): rothschildi Turati,1924
- Cleonymia (Serryvania) fatima** (A.Bang-Haas,1907) (Noctuidae) Synonym(s): fatima A.Bang-Haas,1907
- Cleonymia (Serryvania) pectinicornis** (Staudinger,1859) (Noctuidae) Synonym(s): pectinicornis Staudinger,1859; youngi Rothschild,1925
- Cleonymia (s.str.) baetica** (Rambur,1837) (Noctuidae) Synonym(s): baetica Rambur,1837
- Cleonymia (s.str.) chabordis** (Oberthür,1876) (Noctuidae) Synonym(s): chabordis Oberthür,1876; #charbordis Brandt,1939.
- Cleonymia (s.str.) versicolor** (Rothschild,1920) (Noctuidae) Synonym(s): #versicolor Staudinger,1901; versicolor Rothschild,1920
- Cleonymia (s.str.) warionis** (Oberthür,1876) (Noctuidae) Synonym(s): warionis Oberthür,1876
- Cleonymia jubata** (Oberthür,1890) (Noctuidae) Synonym(s): jubata Oberthür,1890
- Cleonymia vaulogeri** (Staudinger,1900) (Noctuidae) Synonym(s): vaulogeri Staudinger,1900
- Clytie (Hypoglaucitis) infrequens** (Swinhoe,1884) (Noctuidae) Synonym(s): infrequens Swinhoe,1884; benenotata W.Warren,1888
- Clytie (s.str.) illunaris** (Hübner,[1813]) (Noctuidae) Synonym(s): illunaris Hübner,[1813]; canaria Pinker,1974.
- Clytie (s.str.) sancta** (Staudinger,1898) (Noctuidae) Synonym(s): sancta Staudinger,1898
- Condica viscosa** (Freyer,1831) (Noctuidae) Synonym(s): viscosa Freyer,[1831]; inamoena W.Warren,1914 [ssp.]; indelicata Turati,1934; europaea Parenzan,1980
- Conistra (s.str.) alicia Lajonquière,1939** (Noctuidae) Synonym(s): alicia Lajonquière,1939; barbarica Boursin,1943; mixtoides Nepveu,1952
- Conistra (s.str.) vaccinii** (Linnaeus,1761) (Noctuidae) Synonym(s): vaccinii Linnaeus,1761; polita [Denis & Schiffermüller],1775; spadicea [Denis & Schiffermüller],1775; nigra A.Bang-Haas,1907
- Craniophora pontica** (Staudinger,1879) (Noctuidae) Synonym(s): pontica Staudinger,1879
- Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; divisa Esper,1791; palliola Borkhausen,1792; pomula Borkhausen,1792; deceptricula Hübner,[1803]; carbonis Freyer,1849; oxybiensis Millièr,1875; #striata Staudinger,1879; eretina Calberla,1888; raptriculoides Turati,1912; bryophiloides Rothschild,1914; #persica Strand,1915; cretica Reisser,1962
- Cryphia (Bryoleuca) ravula** (Hübner,[1813]) (Noctuidae) Synonym(s): ravula Hübner,[1813]; lupula Hübner,[1813]; troglodyta Freyer,1832; grisea Oberthür,1918 [ssp.]; ereptriculoides Boursin,1952 [ssp.]; ravulatra Aubert,1953 [ssp.]
- Cryphia (Euthales) algae** (Fabricius,1775) (Noctuidae) Synonym(s): algae Fabricius,1775; degener [Denis & Schiffermüller],1775; alni Fabricius,1787; calligrapha Borkhausen,1792; mendacula Hübner,[1813].
- Cryphia (Euthales) pallida** (Bethune-Baker,1894) (Noctuidae) Synonym(s): pallida Bethune-Baker,1894
- Cryphia (s.str.) aerumna** (Culot,1912) (Noctuidae) Synonym(s): aerumna Culot,1912; mimouna Oberthür,1922; atlantis Schwingenschuss,1935
- Cucullia (s.str.) calendulae** Treitschke,1835 (Noctuidae) Synonym(s): calendulae Treitschke,1835; wredowi Costa,[1836]; leucanthemi Rambur,1858; dellabrunai Berio,1980.
- Cucullia (s.str.) chamomillae** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): chamomillae [Denis & Schiffermüller],1775; fissina Haworth,1809; chrysanthemi Hübner,[1822].
- Dichagyris (Stenosomides) mansoura** (Chrétien,1911) (Noctuidae) Synonym(s): mansoura Chrétien,1911
- Dichagyris (Yigoga) fidelis** (Joannis,1903) (Noctuidae) Synonym(s): fidelis Joannis,1903; mansoura Chrétien,1911; agrotina Rothschild,1914; kaaba Oberthür,1918; synesia Turati,1924
- Dichagyris (Yigoga) signifera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #signifera [Denis & Schiffermüller],1775

- Dichagyris (s.str.) constanti (Millière,1860)** (Noctuidae) Synonym(s): constanti Millière,1860; eos Oberthür,1913; clarescens Fernandez,1929; schawerdae Agenjo,1941
- Dichagyris (s.str.) imperator (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): imperator A.Bang-Haas,1912; alcarriensis Calle & Agenjo,1981
- Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): cailino Lefèbvre,1827; caylino Lederer,1857
- Drasteria kabyalaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): kabyalaria A.Bang-Haas,1906
- Drasteria oranensis Rothschild,1920** (Noctuidae) Synonym(s): oranensis Rothschild,1920
- Dysgonia algira (Linnaeus,1767)** (Noctuidae) Synonym(s): algira Linnaeus,1767; achatina Sulzer,1776; alterna De Villers,1789; triangularis Hübner,[1803] nec Thunb.,1784; albivitta Guenée,1852; festina Walker,1858; olympia Swinhoe,1885; europea Schawerda,1912
- Earias albovenosana Oberthür,1917** (Noctuidae) Synonym(s): albovenosana Oberthür,1917
- Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): insulana Boisduval,1833; smaragdinana Zeller,1852; frondosana Walker,1863; xanthophila Walker,1863; siliquana Stainton,1865; simillima Walker,1866; chlorion Rambur,1866; gossypii Frauenfeld,1867; anthophilana Snellen,1879; trigostrigosa Butler,1881
- Epharmottomena eremophila (Rebel,1895)** (Noctuidae) Synonym(s): eremophila Rebel,1895; plumbizonata W.Warren,1913; costiplaga W.Warren,1913; lacroixi Lucas,1914.
- Episema scillae (Chrétien,1888)** (Noctuidae) Synonym(s): scillae Chrétien,1888
- Eremohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): chenopodiphaga Rambur,1832; erubescens Staudinger,1901; roseotincta Turati,1929
- Eremotrachea bacheri (Püngeler,1902)** (Noctuidae) Synonym(s): bacheri Püngeler,1902; hagar Rothschild,1912; sahariensis Rothschild,1915; salmonea Oberthür,1918
- Eublemma albivestalis (Hampson,1910)** (Noctuidae) Synonym(s): vestalis Staudinger,1900 nec Btl.,1886; albivestalis Hampson,1910
- Eublemma desertum (Staudinger,1900)** (Noctuidae) Synonym(s): deserta Staudinger,1900; lacteola Rothschild,1914; ernesti Rothschild,1915; cremorna Hampson,1918; cremorna Rothschild,1920; pernieva Rothschild,1920
- Eublemma geyri Rothschild,1915** (Noctuidae) Synonym(s): geyri Rothschild,1915
- Eublemma parvum (Hübner,[1808])** (Noctuidae) Synonym(s): parva Hübner,[1808]; rubefacta Mabilie,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902.
- Eublemma pseudostrinum Rothschild,1914** (Noctuidae) Synonym(s): pseudostrina Rothschild,1914
- Eublemma purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): purpurina [Denis & Schiffermüller],1775; secunda Staudinger,1901.
- Eublemma subvenatum (Staudinger,1892)** (Noctuidae) Synonym(s): subvenata Staudinger,1892
- Eucoptocnemis (Cladocerotis) optabilis (Boisduval,1834)** (Noctuidae) Synonym(s): optabilis Boisduval,1834; murina Culot,1909; ochrea Culot,1909
- Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): diaphora Staudinger,1879; triangularis W.Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898.
- Euplexia lucipara (Linnaeus,1758)** (Noctuidae) Synonym(s): lucipara Linnaeus,1758; dubia Hufnagel,1766; leonhardi Rebel,1909; brittanica Turner,1943
- Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): adulatrix Hübner,[1813]
- Euxoa (s.str.) anarmodia (Staudinger,1897)** (Noctuidae) Synonym(s): anarmodia Staudinger,1897; muriicolor Rothschild,1914; albiobris Hampson,1920 (praeocc.); albiobroides Poole,1989
- Euxoa (s.str.) capensis Chrétien,1911** (Noctuidae) Synonym(s): capensis Chrétien,1911
- Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): cos Hübner,[1824]; tephra Boisduval,1840; nagyagensis Freyer,1845; vacillans Herrich-Schäffer,[1850]; millierei Staudinger,1870; cycladum Staudinger,1871; aphe Mabilie,1885; crimaea A.Bang-Haas,1906; mesopotamica O.Bang-Haas,1922; rubra Corti,1933.
- Euxoa (s.str.) oranaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): oranaria A.Bang-Haas,1906; psimmithiosa Boursin,1958
- Euxoa (s.str.) powelli (Oberthür,1912)** (Noctuidae) Synonym(s): powelli Oberthür,1912
- Euxoa (s.str.) rugifrons (Mabilie,1888)** (Noctuidae) Synonym(s): rugifrons Mabilie,1888; bledi Chrétien,1911; urbana A.Bang-Haas,1912
- Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937.
- Gnamptonyx innexa (Walker,1858)** (Noctuidae) Synonym(s): innexa Walker,1858; vilis Walker,1865.
- Gortyna (s.str.) xanthenes (Germar,[1842])** (Noctuidae) Synonym(s): xanthenes Germar,[1842]; monotona Rungs,1975
- Grammodes bifasciata (Petagna,1787)** (Noctuidae) Synonym(s): geometrica auct.; bifasciata Petagna,1787; linearis Hübner,1790; parallela Cyrillo,1790; chalcipera Borkhausen,1792; parallelaris Hübner,[1803].
- Grammodes stolidia (Fabricius,1775)** (Noctuidae) Synonym(s): stolidia Fabricius,1775; cingularis Hübner,[1808]; stupida Herrich-Schäffer,1851; curvilinea Walker,1869.
- Hadena (Anepia) sancta (Staudinger,1859)** (Noctuidae) Synonym(s): sancta Staudinger,1859
- Hadena (Anepia) silenides (Hübner,[1822])** (Noctuidae) Synonym(s): silenides Hübner,[1822]; sejuncta Herrich-Schäffer,[1850]; trisagittata Rothschild,1914
- Hadena (Pronotestra) silenides (Staudinger,1895)** (Noctuidae) Synonym(s): silenides Staudinger,1895; cinochrea Chrétien,1911; pampaninii C.G.Krüger,1933.
- Hadena (s.str.) adriana (Schawerda,1921)** (Noctuidae) Synonym(s): adriana Schawerda,1921
- Hadena (s.str.) confusa (Hufnagel,1766)** (Noctuidae) Synonym(s): confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.

- Hadula (Aglossestra) deserticola (Hampson,1905)** (Noctuidae) Synonym(s): deserticola Hampson,1905; mariaeludovicae Lucas,1914; affinis Rothschild,1914.
- Hadula (Calocestra) sodae (Boisduval,1829)** (Noctuidae) Synonym(s): sodae Boisduval,1829; sodae Rambur,1829.
- Hadula (Calocestra) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921
- Hadula (s.str.) sabulorum (Alpheraky,1882)** (Noctuidae) Synonym(s): sabulorum Alpheraky,1882
- Hecatera weissi (Draudt,1934)** (Noctuidae) Synonym(s): weissi Draudt,1934
- Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; commoni Hardwick,1965; rama Bhattacharjee & Gupta,1972.
- Heliothis (Masalia) albida (Hampson,1905)** (Noctuidae) Synonym(s): albida Hampson,1905; chitinipyga C.Dumont,1920
- Heterographa puengeleri Bartel,1904** (Noctuidae) Synonym(s): puengeleri Bartel,1904
- Heteropalpia acrosticta (Püngeler,1904)** (Noctuidae) Synonym(s): acrosticta Püngeler,1904; rosacea Rebel,1907
- Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885
- Hoplodrina blanda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): blanda [Denis & Schiffermüller],1775; redacta Haworth,1809; taraxaci Hübner,[1813].
- Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) Synonym(s): octogenaria Goeze,1781; alsines Brahm,1791; sordida Haworth,1809 nec Hübn.,[1803]; sericea Speyer,1867; alsinides Constanti,1922; melendizi Agenjo,1941
- Hypena (Ophiuche) lividalis (Hübner,1796)** (Noctuidae) Synonym(s): lividalis Hübner,1796; diagonalis Fabricius,1794; simplicialis Zeller,1852; abjurialis Walker,[1859]; scissalis Walker,[1866]; ? perna R.Felder & Rogenhofer,1873; bipartita Smith,1900.
- Hypena (s.str.) obsitalis (Hübner,[1813])** (Noctuidae) Synonym(s): obsitalis Hübner,[1813]; cholericus Schawerda,1921
- Jodia croceago (Fabricius,1787)** (Noctuidae) Synonym(s): #croceago [Denis & Schiffermüller],1775; croceago Fabricius,1787; aurantiago Donovan,1796; corsica Mabil,1868
- Lacanobia (Diataraxia) blenna (Hübner,[1824])** (Noctuidae) Synonym(s): blenna Hübner,[1824]; peregrina Treitschke,1825; trimenda Geyer,[1832]; guenei Bruand,1850.
- Lacanobia (Diataraxia) oleracea (Linnaeus,1758)** (Noctuidae) Synonym(s): oleracea Linnaeus,1758; spinaciae Borkhausen,1792; variegata Austaut,1885; essoni Hampson,1909; albolineata Matsumura,1926; #pallida Bytinski-Salz & Brandt,1937
- Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856.
- Leucania zae (Duponchel,1827)** (Noctuidae) Synonym(s): zae Duponchel,1827; indistincta Christoph,1887; putrida Staudinger,1889; cinerea Lucas,1948
- Leucochlaena oditis (Hübner,1822)** (Noctuidae) Synonym(s): oditis Hübner,1822
- Lithophasia quadrivirgula (Mabille,1888)** (Noctuidae) Synonym(s): quadrivirgula Mabille,1888; jordana Stertz,1919.
- Luperina dumerilii (Duponchel,1826)** (Noctuidae) Synonym(s): dumerilii Duponchel,1826; amenata Germar,[1842]; sancta Staudinger,1892; armoricana Culot,1909; aequalis Schawerda,1911; uniformis W.Warren,1911; adriatica Stauder,1913; hirsuta F.Wagner,1931; indistincta Rebel,1933; hartigi L.Ronkay & Varga,1985
- Meganola togatalis (Hübner,1796)** (Noctuidae) Synonym(s): togatalis Hübner,1796; togatulana Duponchel,1845
- Mesapamea (s.str.) secalis (Linnaeus,1758)** (Noctuidae) Synonym(s): secalis Linnaeus,1758
- Mesologia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): furuncula [Denis & Schiffermüller],1775; spoliaticula [Denis & Schiffermüller],1775; bicoloria De Villers,1789; vinctuncula Hübner,[1803]; humeralis Haworth,1809; terminalis Haworth,1809; rufuncula Haworth,1809
- Metachrostis quinaria (Moore,1881)** (Noctuidae) Synonym(s): quinaria Moore,1881
- Metachrostis velox (Hübner,[1813])** (Noctuidae) Synonym(s): velox Hübner,[1813]; griseimargo W.Warren,1912; mendacularis Treitschke,1829; tarda Turati,1926; velocissima Turati,1926; rubescens Schwingenschuss,1930
- Metlaouia oberthueri (Culot,[1910])** (Noctuidae) Synonym(s): oberthueri Culot,[1910]; autumnus Chrétien,1911.
- Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonym(s): omar Oberthür,1887
- Metopoceras canroberti (Oberthür,1918)** (Noctuidae) Synonym(s): codeti Hampson,1906 nec Obth.,1881; canroberti Oberthür,1918; duseutrei Oberthür,1922; agnellus Schwingenschuss,1935
- Mniotype fulva (Rothschild,1914)** (Noctuidae) Synonym(s): fulva Rothschild,1914; maribelae Perez-Lopez & Morente-Benitez,1996
- Mniotype johanna (Staudinger,1898)** (Noctuidae) Synonym(s): johanna Staudinger,1898; grisea D.Lucas,1908
- Mniotype spinosa (Chrétien,1911)** (Noctuidae) Synonym(s): spinosa Chrétien,1911
- Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): maura Linnaeus,1758; lemur Meinecke,1775; usta Fourcroy,1785; deusta Geoffroy,1799; cypriaca Hacker,1996
- Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): l-album Linnaeus,1767; penicillata Moore,1881
- Mythimna (Aletia) sicala (Treitschke,1835)** (Noctuidae) Synonym(s): sicala Treitschke,1835; cyperi Boisduval,1840; dactylidis Boisduval,1840; montium Boisduval,1840; albivena Graslin,1852; fuscilinea Graslin,1852; belgiensis Derenne,1931; bavarica Forster & Wohlfahrt,1971
- Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): vitellina Hübner,[1808]; #vitellina Lederer,1870; decolorata Dannehl,1929; saturator Dannehl,1929; grisescens Dannehl,1929.
- Mythimna (Hyphillare) ferrago (Fabricius,1787)** (Noctuidae) Synonym(s): ferrago Fabricius,1787; lithargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926
- Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): unipuncta Haworth,[1809]; extranea Guenée,1852; antica Walker,1856; tseki Koutsaftikis,1974.
- Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): janthina [Denis & Schiffermüller],1775; flavomaculata Goeze,1781; altica Geoffroy,1785; latimarginata Röber,1900; algerica Oberthür,1918; intermedia Rothschild,1920

- Noctua (Lampra) fimbriata (Schreber,1759)** (Noctuidae) Synonym(s): fimbriata Schreber,1759; domiduca Hufnagel,1766; fimbria Linnaeus,1767; solani Fabricius,1787.
- Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): orbona Hufnagel,1766; subsequa [Denis & Schiffermüller],1775; caroni Lempke,1964.
- Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Synonym(s): orbona Fabricius,1787 nec Hufn.,1767; comes Hübner,[1813]; adsequa Treitschke,1825; prosequa Treitschke,1825; bergensis Sp.-Schn.,1901.
- Noctua (s.str.) janthe (Borkhausen,1792)** (Noctuidae) Synonym(s): janthe Borkhausen,1792; algerica Oberthür,1918; intermedia Rothschild,1920
- Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923.
- Nodaria nodosalis (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): nodosalis Herrich-Schäffer,[1851]; aethiopolis Herrich-Schäffer,[1851]; hispanalis Guenée,1854; aesoposalis Walker,[1859]; #nododalis Hacker,1992.
- Nola (s.str.) cucullatella (Linnaeus,1758)** (Noctuidae) Synonym(s): cucullatella Linnaeus,1758; ludvigella Müller,1764; palliola [Denis & Schiffermüller],1775; pygmaria Fabricius,1794; palliolalis Hübner,1796; cucullatalis Haworth,1811; cucullatana Hübner,[1825]; fuliginalis Stephens,1834
- Nola (s.str.) infantula Kitt,1926** (Noctuidae) Synonym(s): infantula Kitt,1926
- Nola (s.str.) squalida Staudinger,1871** (Noctuidae) Synonym(s): squalida Staudinger,1871; muscualis Saalmüller,1880; turanica Staudinger,1887; fraterna Moore,1888; vanhasseltii Heylaerts,1892; ceylonica Hampson,1893; desmotes Turner,1899; parvula Chrétien,1913; mesoscia Hampson,1914; henrioti Warnecke,1937; minima Warnecke,1938; #squamosa Zukowsky,1941; priesneri Rebel,1948
- Nola (s.str.) tutulella Zerny,1927** (Noctuidae) Synonym(s): tutulella Zerny,1927
- Nola subchlamydula Staudinger,1870** (Noctuidae) Synonym(s): subchlamydula Staudinger,1870; lathonialis Milliére,1872; kruegeri Turati,1911; praetextula Chrétien,1923; infantula Kitt,1926; derasa Zerny,1933; albidula Zerny,1934
- Nonagra typhae (Thunberg,1784)** (Noctuidae) Synonym(s): typhae Thunberg,1784; arundinis Fabricius,1787.
- Nycteola columbana (Turner,1925)** (Noctuidae) Synonym(s): columbana Thurner,1925; gallicana Aubert,1957; #apicistrigata Dufay,1958.
- Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): revayana Scopoli,1772; duplana Fabricius,1777; ilicana Fabricius,1781; fasciatum Retzius,1783; punctana Thunberg,1784; anglica Fourcroy,1785; rivagana Fabricius,1787; ramosana Hübner,1793; undulana Hübner,[1799]; bifasciana Donovan,1801 nec Hbn.,1787; stonius Curtis,1829; russiana Duponchel,[1845]; bilineatella Walker,1866; fusculana Schmid,1886; diplographa Hampson,1905
- Nycteola siculana (Fuchs,1899)** (Noctuidae) Synonym(s): siculana Fuchs,1899; cuneana Patocka,1953; pseudodilutana Obraztsov,1954.
- Nyctobrya (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonym(s): muralis Forster,1771; lichenis Fabricius,1775; glandifera [Denis & Schiffermüller],1775; par Hübner,[1813]; viridior Schawerda,1932
- Ochropleura leucogaster (Freyer,1831)** (Noctuidae) Synonym(s): leucogaster Freyer,1831
- Ochropleura plecta (Linnaeus,1761)** (Noctuidae) Synonym(s): plecta Linnaeus,1761; unimacula Staudinger,1859; anderssoni Lampa,1885; glaucimacula Graeser,[1889]; unupplecta Bryk,1942.
- Odice suava (Hübner,[1813])** (Noctuidae) Synonym(s): suava Hübner,[1813].
- Olivenebula xanthochloris (Boisduval,1840)** (Noctuidae) Synonym(s): xanthochloris Boisduval,1840; alliacea Germar,1842; graslini Culot,1913
- Omphalophana pauli (Staudinger,1892)** (Noctuidae) Synonym(s): pauli Staudinger,1892; adamantina Blachier,1905
- Omphalophana serrata (Treitschke,1835)** (Noctuidae) Synonym(s): serrata Treitschke,1835; arctata Guenée,1852; pallidior Rothschild,1913
- Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) Synonym(s): tirhaca Cramer,[1777]; #tirrhaea Fabricius,1781; vesta Esper,1789; olivacea De Villers,1789; auricularis Hübner,[1803]; hottentota Guenée,1852; separans Walker,1858; clementi Swinhoe,1918; #demarginata Heydemann,1963; obscura Pinker & Bacallado,1978
- Oria musculosa (Hübner,[1808])** (Noctuidae) Synonym(s): musculosa Hübner,[1808]; laeta Alpheraky,1889.
- Outaya grisescens Chrétien,1911** (Noctuidae) Synonym(s): grisescens Chrétien,1911
- Paramathes picata (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): picata A.Bang-Haas,1912; nona Oberthür,1913
- Parascotia nisseni Turati,1905** (Noctuidae) Synonym(s): nisseni Turati,1905
- Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonym(s): saucia Hübner,[1808]; majuscula Haworth,1809; margaritosa Haworth,1809; aequa Hübner,[1813]; orophila Geyer,1837; inermis Harrison,1841; infuscula Blanchard,1852; stictica Blanchard,1852; ambrosioides Walker,[1857]; impacta Walker,[1857]; intecta Walker,[1857]; angulifera Wallengren,1860; ortonii Packard,1869; phillipsi Caspari,1899; ochronota Hampson,1903; cyrnaea Spuler,1908; tenebricosa Schawerda,1929.
- Periphanes (s.str.) delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903.
- Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): meticulosa Linnaeus,1758; lamii Schadewald,1993
- Phytometra sanctiflorentis (Boisduval,1834)** (Noctuidae) Synonym(s): sanctiflorentis Boisduval,1834; aurantiacus Rothschild,1920; luna Zerny,1927
- Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): inquinata Lederer,1857; pyrami Rogenhofer,1873; amanica Osthelder,1933
- Polymixis (Eumichtis) aurora (Turati,1924)** (Noctuidae) Synonym(s): aurora Turati,1924; glaisi D.Lucas,1932
- Polymixis (Eumichtis) lichenea (Hübner,[1813])** (Noctuidae) Synonym(s): lichenea Hübner,[1813]; viridicincta Freyer,1831; tephra Geyer,[1832]; aetna Turati,1908; apennina Dannehl,1929
- Polymixis (s.str.) dubia (Duponchel,1836)** (Noctuidae) Synonym(s): dubia Duponchel,1836; caerulescens Boisduval,1840; typhonias Milliére,1882; randoui Stertz,1902; luna Schwingenschuss,1930; mus Boursin,1934
- Polymixis (s.str.) flavicincta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #flavicincta [Denis & Schiffermüller],1775; dysodea Esper,[1790]; major Esper,[1790]
- Polypogon flavicrinalis (Andreas,1910)** (Noctuidae) Synonym(s): flavicrinalis Andreas,1910; gigantea Turati,1911; neglecta Krausse,1912; authumnalis Turati,1913; flavicrinalis Rothschild,1920 nec Andr.,1910; flavicrinaloides Poole,1989

- Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) **Synonym(s):** plumigeralis Hübner,[1825]; crinalis Treitschke,1829.
- Pseudenargia regina (Staudinger,1892)** (Noctuidae) **Synonym(s):** regina Staudinger,1892
- Pseudocopicucullia syrtana (Mabille,1888)** (Noctuidae) **Synonym(s):** syrtana Mabille,1888; #cyrtana Rothschild,1913
- Pseudohadena (Pseudopseustis) tellieri (D.Lucas,1907)** (Noctuidae) **Synonym(s):** tellieri D.Lucas,1907; diacrisioides Rothschild,1914
- Pseudomathes volloni (D.Lucas,1907)** (Noctuidae) **Synonym(s):** volloni D.Lucas,1907
- Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) **Synonym(s):** bipartita Herrich-Schäffer,1850
- Rhabinopteryx subtilis (Mabille,1888)** (Noctuidae) **Synonym(s):** subtilis Mabille,1888; renatalis Rebel,1909 nec Obth.; luridalis Rebel,1911.
- Rhyacia (s.str.) simulans (Hufnagel,1766)** (Noctuidae) **Synonym(s):** simulans Hufnagel,1766; tristis Fabricius,1775; pyrophila [Denis & Schiffermüller],1775; radicea Esper,[1789]; obscurata Staudinger,1901; augurides Rothschild,1914
- Schinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** #scutosa [Denis & Schiffermüller],1775; nuchalis Grote,1878
- Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) **Synonym(s):** libatrix Linnaeus,1758; salictaria Poda,1761; modesta Müller,1764; delicatula Retzius,1783; libatricus Haworth,1809
- Scythocentropus inquinatus (Mabille,1888)** (Noctuidae) **Synonym(s):** inquinata Mabille,1888; mercedes Pinker,1974
- Sesamia cretica Lederer,1857** (Noctuidae) **Synonym(s):** cretica Lederer,1857; cyrnea Mabille,1866; fraterna Moore,1882; striata Staudinger,1888; pecki Tams,1938
- Sesamia nonagrioides (Lefèbvre,1827)** (Noctuidae) **Synonym(s):** vuteria sensu auct nec Stl.; nonagrioides Lefèbvre,1827; hesperica Rambur,1839; sacchari Wollaston,1858; gracilis Rebel,1898.
- Shargacucullia (Verbascullia) adriennei G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) **Synonym(s):** adriennei G.Ronkay, L.Ronkay & Gyulai,2011
- Shargacucullia (Verbascullia) verbasci (Linnaeus,1758)** (Noctuidae) **Synonym(s):** verbasci Linnaeus,1758
- Shargacucullia (s.str.) erythrocephala (Wagner,1914)** (Noctuidae) **Synonym(s):** erythrocephala Wagner,1914
- Shargacucullia (s.str.) reisseri (Boursin,1933)** (Noctuidae) **Synonym(s):** reisseri Boursin,1933
- Shargacucullia (s.str.) scrophulariphila (Staudinger,1859)** (Noctuidae) **Synonym(s):** scrophulariphila Staudinger,1859
- Sideridis (Dianthivora) implexa (Hübner,[1809])** (Noctuidae) **Synonym(s):** implexa Hübner,[1809]; fallovi Oberthür,1876
- Spodoptera exiguum (Hübner,[1808])** (Noctuidae) **Synonym(s):** exigua Hübner,[1808]; fulgens Geyer,[1832]; pygmaea Rambur,1834; junceti Zeller,1847; caradrinoides Walker,1856; flavimaculata Harvey,1876; venosa Butler,1880; sebhana Austaut,1880; antipodea W.Warren,1914; protector De Laever,1985.
- Spudaea rutilicilla (Esper,[1791])** (Noctuidae) **Synonym(s):** rutilicilla Esper,[1791]
- Stilbia turatii D.Lucas,1910** (Noctuidae) **Synonym(s):** turatii D.Lucas,1910
- Teinoptera culminifera Calberla,1891** (Noctuidae) **Synonym(s):** culminifera Calberla,1891; kraussi Rebel,1895; craussi Hampson,1906; #brunnea Rothschild,1913; #alboochracea Rothschild,1913; mahuzzim Oberthür,1913; #intermedia Rothschild,1920
- Teinoptera gafsana (Blachier,1905)** (Noctuidae) **Synonym(s):** gafsana Blachier,1905; gassana Hampson,1906; albina A.Bang-Haas,1907; #intermedia Rothschild,1920; pianii C.G.Krüger,1933
- Thalpophila vitalba (Freyer,1834)** (Noctuidae) **Synonym(s):** vitalba Freyer,1834; amathusia Rambur,1871
- Thria robusta Walker,[1858]** (Noctuidae) **Synonym(s):** anysa auct.; robusta Walker,[1858]; fugitiva Walker,[1858]; opposita Wallengren,1865; sennaarensis R.Felder & Rogenhofer,1874; grandis Staudinger,1877; terrigena Christoph,1877; similata Moore,1883; distincta Rothschild,1920; asiria Wiltshire,1988; omana Wiltshire,1988; sokotrana Wiltshire,1988
- Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) **Synonym(s):** daubei Boisduval,1840; ciliaris Walker,[1858]
- Trichoplusia ni (Hübner,[1803])** (Noctuidae) **Synonym(s):** ni Hübner,[1803]; humilis Walker,1858; extrahens Walker,1858; brassicae Riley,1870; echinocystidis Strecker,1874; deserticola Rothschild,1913
- Trigonophora flammea (Esper,1785)** (Noctuidae) **Synonym(s):** flammea Esper,1785; empyrea Hübner,[1803].
- Xestia (Megasema) c-nigrum (Linnaeus,1758)** (Noctuidae) **Synonym(s):** c-nigrum Linnaeus,1758; nunatrum Esper,[1786]; singularis Esper,[1786]; degenerata Staudinger,1889; depravata A.Bang-Haas,1912; kurilana Bryk,1942; #pallida Lempke,1962; ignorata Eitschberger,1972.
- Xestia (s.str.) kermesina (Mabille,1869)** (Noctuidae) **Synonym(s):** kermesina Mabille,1869; cermesina Hampson,1903; grisea Fernandez,1908; albida Ribbe,1912; darroensis Ribbe,1912; astigmata Rothschild,1914; flavida Oberthür,1918; divitefimbriata Oberthür,1918; delectans Oberthür,1918; uclesina Fernandez,1918; sylvicola Turati,1930; #viridibrunnea Bytinski-Salz,1937
- Xestia (s.str.) nisseni (Rothschild,1912)** (Noctuidae) **Synonym(s):** nisseni Rothschild,1912; durandi Lucas,1932
- Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** xanthographa [Denis & Schiffermüller],1775; tetragona Haworth,1809; budensis Freyer,1838; elutior Alpheraky,1887; funerea Gauckler,1901; trumani Smith,1903; praecipua Rothschild,1914; almohada F.Wagner,1918; faroulti Rothschild,1920; lepida Constantini,1922; algerica Corti & Draudt,1933
- Xylena exsoleta (Linnaeus,1758)** (Noctuidae) **Synonym(s):** exsoleta Linnaeus,1758; exoleta Fabricius,1787; impudica Staudinger,1888; canaria Pinker,1969
- Zebeeba falsalis (Herrich-Schäffer,[1839])** (Noctuidae) **Synonym(s):** falsalis Herrich-Schäffer,[1839]; ?dardounula Millière,1871
- Zethes insularis Rambur,1833** (Noctuidae) **Synonym(s):** insularis Rambur,1833
- Furcula interspersa (Rothschild,1917)** (Notodontidae) **Synonym(s):** interspersa Rothschild,1917
- Phalera bucephalina Staudinger,1901** (Notodontidae) **Synonym(s):** bucephalina Staudinger,1901
- Agonopterix thapsiella (Zeller,1847)** (Oecophoridae) **Synonym(s):** thapsiella Zeller,1847; feruliphila Millière,1866; linolotella Lhomme,1929
- Agonopterix yeatiana (Fabricius,1781)** (Oecophoridae) **Synonym(s):** yeatiana Fabricius,1781; albidana Donovan,1806; putrida Haworth,1811; yeatsii Haworth,1811; yeatseana Stephens,1834; ventosella Stephens,1834; altricornella Mann,1855; yeatiella Doubleday,1859; oglatella Chrétien,1915



- Callima mikkolai Lvovsky, 1995** (Oecophoridae) Synonym(s): mikkolai Lvovsky, 1995
- Denisia curlettii Lvovsky & Koster, 1996** (Oecophoridae) Synonym(s): curlettii Lvovsky & Koster, 1996
- Depressaria assalella Chrétien, 1915** (Oecophoridae) Synonym(s): assalella Chrétien, 1915
- Depressaria deverrella Chrétien, 1915** (Oecophoridae) Synonym(s): deverrella Chrétien, 1915; duplicatella Chrétien, 1915
- Depressaria marcella Rebel, 1901** (Oecophoridae) Synonym(s): marcella Rebel, 1901; cuprinella Walsingham, 1907; marcidella Walsingham, 1907; cruenta Meyrick, 1920; chneuriella Lucas, 1940
- Depressaria veneficella Zeller, 1847** (Oecophoridae) Synonym(s): veneficella Zeller, 1847
- Horridopalpus moranella (Chrétien, 1907)** (Oecophoridae) Synonym(s): moranella Chrétien, 1907; arabica Amsel, 1972
- Hypersymmoca faecivorella Chrétien, 1917** (Oecophoridae) Synonym(s): faecivorella Chrétien, 1917
- Pleurota (s.str.) algeriella Baker, 1885** (Oecophoridae) Synonym(s): algeriella Baker, 1885
- Pleurota (s.str.) argodonta Meyrick, 1913** (Oecophoridae) Synonym(s): argodonta Meyrick, 1913
- Pleurota (s.str.) bicostella (Clerck, 1759)** (Oecophoridae) Synonym(s): bicostella Clerck, 1759; bipunctella Hübner, 1793; bicostatus Fabricius, 1798
- Rosetea sara Corley & Ferreira, 2019** (Oecophoridae) Synonym(s): sara Corley & Ferreira, 2019
- Urodeta hibernella (Staudinger, 1859)** (Oecophoridae) Synonym(s): hibernella Staudinger, 1859; cisticolella Stainton, 1869
- Pseudopostega chalcopepla (Walsingham, 1908)** (Opostegidae) Synonym(s): chalcopepla Walsingham, 1908
- Amicta maliarda Turati & Krüger, 1936** (Psychidae) Synonym(s): maliarda Turati & Krüger, 1936; caliginosa C.G.Krüger, 1939; syrtana C.G.Krüger, 1939; acutella C.G.Krüger, 1939; #meliarda Kozhanchikov, 1956
- Amicta murina (Klug, 1834)** (Psychidae) Synonym(s): murina Klug, 1834; albescens Staudinger, 1900 nec Obth., 1883; falkneri Koçak, 1980
- Eumasia parietariella (Heydenreich, 1851)** (Psychidae) Synonym(s): parietariella Heydenreich, 1851; crepusculella Müller-Rutz, 1920.
- Oiketicoides chottella (Lucas, 1934)** (Psychidae) Synonym(s): chottella Lucas, 1934
- Oiketicoides febretha (Boyer de Fonscolombe, 1835)** (Psychidae) Synonym(s): febretha Boyer de Fonscolombe, 1835; febrethella Bruand, 1853; magnella Bruand, 1853; vetulella Rambur, 1866; albipunctella Millière, 1875; lambessa Heylaerts, 1889
- Oiketicoides gracilis (Turati & Krüger, 1936)** (Psychidae) Synonym(s): gracilis Turati & Krüger, 1936
- Oiketicoides lefevrei (Oberthür, 1922)** (Psychidae) Synonym(s): lefevrei Oberthür, 1922
- Oiketicoides tedaldii (Heylaerts, 1881)** (Psychidae) Synonym(s): tedaldii Heylaerts, 1881; mediterranea Kirby, 1892
- Penestoglossa dardoinella (Millière, 1863)** (Psychidae) Synonym(s): dardoinella Millière, 1863; latiorella Mann, 1873; incerta Millière, 1876; symmathetica Meyrick, 1938
- Placodoma oasella Chrétien, 1915** (Psychidae) Synonym(s): oasella Chrétien, 1915
- Sciopetris karsholti Hättenschwiler, 1996** (Psychidae) Synonym(s): #karsholti Hättenschwiler, 1996
- Agdistis adactyla (Hübner, [1819])** (Pterophoridae) Synonym(s): adactyla Hübner, [1819]; huebneri Curtis, 1834; delphinensella Bruand, 1858; shaanxisis Qin & Zheng, 1997.
- Agdistis arabica Amsel, 1958** (Pterophoridae) Synonym(s): arabica Amsel, 1958
- Agdistis bellissima Arenberger, 1975** (Pterophoridae) Synonym(s): bellissima Arenberger, 1975
- Agdistis bifurcatus Agenjo, 1952** (Pterophoridae) Synonym(s): bifurcatus Agenjo, 1952
- Agdistis cypriota Arenberger, 1983** (Pterophoridae) Synonym(s): cypriota Arenberger, 1983
- Agdistis delicatulella Chrétien, 1917** (Pterophoridae) Synonym(s): delicatulella Chrétien, 1917.
- Agdistis frankeniae (Zeller, 1847)** (Pterophoridae) Synonym(s): frankeniae Zeller, 1847; lerinsis Millière, 1876; bahrlutia Amsel, 1955; tondeuri Bigot, 1963; rupestris Bigot, 1974; rjabovi Zagulyaev & Filippova, 1976; kulunda Ustjuzhanin, 1991; urmijensis Zagulyaev, 1996
- Agdistis halodelta Meyrick, 1925** (Pterophoridae) Synonym(s): halodelta Meyrick, 1925; lippensi Amsel, 1955
- Agdistis hartigi Arenberger, 1973** (Pterophoridae) Synonym(s): hartigi Arenberger, 1973.
- Agdistis heydeni (Zeller, 1852)** (Pterophoridae) Synonym(s): heydeni Zeller, 1852; canariensis Rebel, 1896; excurata Meyrick, 1920.
- Agdistis manicata Staudinger, 1859** (Pterophoridae) Synonym(s): manicata Staudinger, 1859; gigas Turati, 1924; lutescens Turati, 1927; tunesiella Amsel, 1955; fiorii Bigot, 1960.
- Agdistis melitensis Amsel, 1954** (Pterophoridae) Synonym(s): melitensis Amsel, 1954.
- Agdistis meridionalis (Zeller, 1847)** (Pterophoridae) Synonym(s): meridionalis Zeller, 1847; staticis Millière, 1875; portlandica Tutt, 1906; clivicola Meyrick, 1920; tyrrhenica Amsel, 1952; prolai Hartig, 1953.
- Agdistis paralia (Zeller, 1847)** (Pterophoridae) Synonym(s): paralia Zeller, 1847
- Agdistis satanas Millière, 1876** (Pterophoridae) Synonym(s): satanas Millière, 1876; nanus Turati, 1924; pseudosatanas Amsel, 1952.
- Agdistis sphinx Walsingham, 1907** (Pterophoridae) Synonym(s): sphinx Walsingham, 1907
- Agdistis symmetrica Amsel, 1955** (Pterophoridae) Synonym(s): symmetrica Amsel, 1955
- Agdistis tamaricis (Zeller, 1847)** (Pterophoridae) Synonym(s): tamaricis Zeller, 1847; bagdadiensis Amsel, 1949; xinjiangsis Qin & Zheng, 1997.
- Amblyptilia acanthadactyla (Hübner, [1813])** (Pterophoridae) Synonym(s): acanthadactyla Hübner, [1813]; odontodactyla Charpentier, 1821; calaminthae Frey, 1886; tetracella Hofmann, 1895; phoenicodactyla Chrétien, 1915
- Crombruggia distans (Zeller, 1847)** (Pterophoridae) Synonym(s): distans Zeller, 1847; distantidactyla Bruand, 1858; geodactylus Fuchs, 1903; lactucae Fletcher, 1920; clarisignis Myerick, 1924; buvati Bigot & Picard, 1988; pravieli Bigot & Picard, 1989; gibeauxi Bigot et al., 1990; supplementum Gibeaux, 1997.
- Crombruggia laeta (Zeller, 1847)** (Pterophoridae) Synonym(s): laetus Zeller, 1847; loetidactyla Bruand, 1858; andryalae Millière, 1863; andryaladactylus Millière, 1863; lantoscenus Millière, 1882.
- Emmelina monodactyla (Linnaeus, 1758)** (Pterophoridae) Synonym(s): monodactyla Linnaeus, 1758; sibiricus Caradja, 1920.

- Hellinsia carphodactyla (Hübner,[1813])** (Pterophoridae) Synonym(s): carphodactylus Hübner,[1813]; citridactylus Stephens,1834; infirma Heydenreich,1851; bupththalmi Hofmann,1898; inulaevorus Gibeaux,1989; alpinus Gibeaux & Picard,1992
- Hellinsia inulae (Zeller,1852)** (Pterophoridae) Synonym(s): inulae Zeller,1852; coniodactylus Staudinger,1859; alpinus Gibeaux & Picard,1992.
- Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): malacodactyla Zeller,1847; meridionalis Staudinger,1880; indocta Meyrick,1913; subtilis Caradja,1920; parca Meyrick,1921; subcretosa Meyrick,1922; phaeoschista Meyrick,1923; luteodactyla Turati,1926; rayatella Amsel,1959; insularis Bigot,1961; livadiensis Zagulyaev & Filippova,1976; transdanubinus Fazekas,1986; garrigae Bigot & Picard,1989; moulignieri Nel,1991; inopinata Bigot, Nel & Picard,1993
- Merrifieldia probolias (Meyrick,1891)** (Pterophoridae) Synonym(s): probolias Meyrick,1891
- Puerphorus olbiadactylus (Millière,1859)** (Pterophoridae) Synonym(s): olbiadactylus Millière,1859; hemiargus Meyrick,1908; dactilographa Turati,1927.
- Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonym(s): siceliota Zeller,1847; ononidis Zeller,1852; ononydactyla Bruand,1858; siceliotidactyla Bruand,1858.
- Stenoptilia arida (Zeller,1847)** (Pterophoridae) Synonym(s): arida Zeller,1847; oxyactis Meyrick,1921; grisescens Schawerda,1933; csanadyi Gozmany,1959; picardi Gibeaux,1986; mariaeluisae Bigot & Picard,2001; inopinata Bigot & Picard,2001; kopetdagi Zagulyaev,2002
- Stenoptilia bipunctidactyla (Scopoli,1763)** (Pterophoridae) Synonym(s): bipunctidactyla Scopoli,1763; mictodactyla [Denis & Schiffermüller],1775; #pallida Tutt,1906; arida Caradja,1920 nec Zell.,1847.
- Stenoptilia elkefi Arenberger,1984** (Pterophoridae) Synonym(s): elkefi Arenberger,1984
- Stenoptilia mariaeluisae Bigot & Picard,2002** (Pterophoridae) Synonym(s): mariaeluisae Bigot & Picard,2002
- Stenoptilia stigmatodactyla (Zeller,1852)** (Pterophoridae) Synonym(s): stigmatodactyla Zeller,1852
- Stenoptilia zophodactyla (Duponchel,1838)** (Pterophoridae) Synonym(s): zophodactyla Duponchel,1838; loewii Zeller,1847; oreodactyla Bruand,1850; loividactyla Bruand,1859; canalis Walker,1864; semicostatus Zeller,1873.
- Wheeleria spilodactyla (Curtis,1827)** (Pterophoridae) Synonym(s): spilodactyla Curtis,1827; marrubii Heydenreich,1851; xerodactylus Herrich-Schäffer,1855 nec Zell.,1841; tuneta Staudinger,1892; calamodactyla Zerny,1935
- Achyra nudalis (Hübner,1796)** (Pylalidae) Synonym(s): nudalis Hübner,1796; interpunctalis Hübner,1796; unipunctalis Duponchel,1831; bipunctalis Duponchel,1832; lacunalis Zeller,1852; pauciferalis Walker,1865; nodalis Gundlach,1891; fulvalis W.Warren,1892; ochromorpha Lower,1901; kronei Schawerda,1914; brunnealis Caradja,1916; serenalais Schawerda,1916; xanthalis Fawcett,1916
- Acrobasis consociella (Hübner,[1813])** (Pylalidae) Synonym(s): consociella Hübner,[1813]; consocialis Hübner,[1825]; tumidella Duponchel,1836; oberthueri Lucas,1914.
- Acrobasis erastriella (Ragonot,1887)** (Pylalidae) Synonym(s): erastriella Ragonot,1887; semistrigella Mabilie,1908; lella Chrétien,1911
- Acrobasis legatea (Haworth,[1811])** (Pylalidae) Synonym(s): legatea Haworth,[1811]; legatella Hübner,1796 nec [Den. & Schiff.],1775; legatalis Hübner,[1825]; naumanni Roesler,1969
- Acrobasis mabilieella (D.Lucas,1909)** (Pylalidae) Synonym(s): mabilieella D.Lucas,1909
- Acrobasis marmorea (Haworth,[1811])** (Pylalidae) Synonym(s): marmorea Haworth,[1811]; epelydella Zeller,1839; marmorella Doubleday,1859; lugens Staudinger,1881
- Acrobasis porphyrella (Duponchel,1836)** (Pylalidae) Synonym(s): porphyrella Duponchel,1836
- Acrobasis xanthogramma (Staudinger,1870)** (Pylalidae) Synonym(s): xanthogramma Staudinger,1870; zizyphella Rebel,1914; pumilella Rebel,1926; arenella Dufrane,1955.
- Adenia metamelana (Hampson,1896)** (Pylalidae) Synonym(s): metamelana Hampson,1896; aumontella D.Lucas,1911; horridella Dumont,1932; arida Asselbergs,2008
- Aeschremon kabylalis (Rebel,1902)** (Pylalidae) Synonym(s): kabylalis Rebel,1902; nigronaevalis Mabilie,1906
- Aglossa aglossalis (Ragonot,1892)** (Pylalidae) Synonym(s): aglossalis Ragonot,1892; exiguus Chrétien,1911; africana Rothschild,1921; latidorsalis Turati,1929; exsculpta Meyrick,1937
- Aglossa capsalis (Chrétien,1911)** (Pylalidae) Synonym(s): capsalis Chrétien,1911
- Aglossa gracilalis Rebel,1914** (Pylalidae) Synonym(s): gracilalis Rebel,1914
- Aglossa rabatalis (De Joannis,1923)** (Pylalidae) Synonym(s): rabatalis De Joannis,1923; atlantica Schmidt,1934; ifniensis Schmidt,1934
- Aglossa rubralis Hampson,1900** (Pylalidae) Synonym(s): rubralis Hampson,1900; lateritalis Turati,1921; lividalis Turati,1921
- Aglossa subpurpuralis (Chrétien,1915)** (Pylalidae) Synonym(s): subpurpuralis Chrétien,1915
- Agriphila cyrenaicella (Ragonot,1887)** (Pylalidae) Synonym(s): cyrenaicella Ragonot,1887; alexandriensis Bethune-Baker,1894; permixtella Kalchberg,1897
- Agriphila tersella (Lederer,1855)** (Pylalidae) Synonym(s): tersellus Lederer,1855; graphellus Constant,1884; hungaricus Schmidt,1909; austellus Chrétien,1913; uniformellus Caradja,1918; chneouri Lucas,1942.
- Alophia combustella (Herrich-Schäffer,[1855])** (Pylalidae) Synonym(s): combustella Herrich-Schäffer,[1855]; gallicola Staudinger,1870; palumbiella Rondani,1876; incinerella Caradja,1910; fusciorubra Riel,1928; marocana D.Lucas,1955; hyrcanella Amsel,1961
- Amonia psammenitella (Zeller,1967)** (Pylalidae) Synonym(s): psammenitella Zeller,1967; subterrella Ragonot,1888; luxorella Caradja,1916; fasciculatella Dumont,1932; nubiella Amsel,1965
- Anania ochrofascialis (Christoph,1882)** (Pylalidae) Synonym(s): ochrofascialis Christoph,1882; retowskyi Möschler,1888; bilinea Bethune-Baker,1894; #ochrifascialis Rebel,1901; younesalis Chrétien,1915
- Anarpia incertalis (Duponchel,1832)** (Pylalidae) Synonym(s): incertalis Duponchel,1832; pyrenealis Duponchel,1842; incertella Duponchel,[1845]; pyrenaecella Duponchel,[1845]; pyrenaicalis Guenée,1846; phycophanes Meyrick,1937; rupestris Meyrick,1937
- Ancylodes dealbatella (Erschoff,1874)** (Pylalidae) Synonym(s): dealbatella Erschoff,1874; staminella Christoph,1877; nervulata Turati,1926; subgoliathella Caradja,1937; kerbelella Amsel,1949; gigantella Roesler,1965
- Ancylodes pallens Ragonot,1887** (Pylalidae) Synonym(s): pallens Ragonot,1887; lactealis Rothschild,1915; banghaasiella Caradja,1917; #fussella Amsel,1958.

- Ancylolomia inornata Staudinger, 1870** (Pyralidae) Synonym(s): inornata Staudinger, 1870; anaryrella Chrétien, 1896; malacellus Mabilie, 1906; confusella Turati, 1929; rabatellus Lucas, 1939.
- Ancylosis arenosella (Staudinger, 1859)** (Pyralidae) Synonym(s): arenosella Staudinger, 1859; angusta Staudinger, 1870; arenicola Ragonot, 1901; variabilis Rothschild, 1913; invalidella Turati, 1930; #hederalis Amsel, 1935; michaeliella Lucas, 1939; subflavella Lucas, 1946; trifasciatella Lucas, 1948; buckwelli Lucas, 1954.
- Ancylosis aspilatella (Ragonot, 1887)** (Pyralidae) Synonym(s): aspilatella Ragonot, 1887; simplicella Chrétien, 1910; calligonella Dumont, 1926.
- Ancylosis biflexella (Lederer, 1855)** (Pyralidae) Synonym(s): biflexella Lederer, 1855; pilosella Zeller, 1867; brabantella D. Lucas, 1907; similis Rothschild, 1915; medicalba Rothschild, 1921; latakiella Amsel, 1952; fuscella Amsel, 1961.
- Ancylosis bouhraouai Leraut, 2014** (Pyralidae) Synonym(s): bouhraouai Leraut, 2014
- Ancylosis brunneella (Chrétien, 1911)** (Pyralidae) Synonym(s): brunneella Chrétien, 1911
- Ancylosis calcariella Ragonot, 1901** (Pyralidae) Synonym(s): calcariella Ragonot, 1901; illineella Chrétien, 1911
- Ancylosis candidatella (Lederer, 1858)** (Pyralidae) Synonym(s): candidatella Lederer, 1858; fathmella Oberthür, 1888; tenuigranella Ragonot, 1890.
- Ancylosis cinnamomella (Duponchel, 1836)** (Pyralidae) Synonym(s): dilutella Tr., 1832 [n.o.]; cinnamomella Dup., 1836; labeomella Staudinger, 1859; lafauryella Rag., 1887; byzacaeniella Rag., 1887; roseopennella Rag., 1901; tunesella Caradja, 1910; fuliginosa Rothschild, 1913; pictella Tur., 1922; ferrugineolineella Tur., 1924.
- Ancylosis citrinella (Ragonot, 1887)** (Pyralidae) Synonym(s): citrinella Ragonot, 1887; agraphella Ragonot, 1901
- Ancylosis convexella (Lederer, 1855)** (Pyralidae) Synonym(s): convexella Lederer, 1855; albiciella Staudinger, 1859; favorinella Zeller, 1867
- Ancylosis costistrigella (Ragonot, 1890)** (Pyralidae) Synonym(s): costistrigella Ragonot, 1890
- Ancylosis faustinella (Zeller, 1867)** (Pyralidae) Synonym(s): faustinella Zeller, 1867; staudingeri Christoph, 1877; rubripictella Hampson, 1896; thalerella Mabilie, 1908; variabilis Rothschild, 1915; airensis Rothschild, 1921; bilineella Amsel, 1935; damascenella Amsel, 1952.
- Ancylosis gracilella Ragonot, 1887** (Pyralidae) Synonym(s): gracilella Ragonot, 1887; subcandidatella Ragonot, 1887; monostictella Ragonot, 1887; casella Chrétien, 1910; lybistinella Turati, 1924; dowsoniella Richards & Thomson, 1932.
- Ancylosis harmoniella (Ragonot, 1887)** (Pyralidae) Synonym(s): harmoniella Ragonot, 1887; ochrotaeniella Ragonot, 1887; fulminantella Turati, 1922; rosalbella Turati, 1930; diffusella Turati, 1930; incanella Turati, 1930.
- Ancylosis holophaella (Rebel, 1903)** (Pyralidae) Synonym(s): holophaella Rebel, 1903; desertella Lucas, 1909; holophaella Caradja, 1910; obscurior Caradja, 1910; calcariellina Rothschild, 1913; griseolella Rothschild, 1915.
- Ancylosis imitella Hampson, 1901** (Pyralidae) Synonym(s): imitella Hampson, 1901
- Ancylosis labeculella (Ragonot, 1887)** (Pyralidae) Synonym(s): labeculella Ragonot, 1887
- Ancylosis lacteicostella (Ragonot, 1887)** (Pyralidae) Synonym(s): lacteicostella Ragonot, 1887; fulvobasella Ragonot, 1887; aegyptiacella Ragonot, 1901; spatzi Rothschild, 1915.
- Ancylosis limoniella (Chrétien, 1911)** (Pyralidae) Synonym(s): limoniella Chrétien, 1911; eremita Gozmany, 1951.
- Ancylosis mabilieella (D. Lucas, 1909)** (Pyralidae) Synonym(s): mabilieella D. Lucas, 1909
- Ancylosis maculifera Staudinger, 1870** (Pyralidae) Synonym(s): maculifera Staudinger, 1870; ifraneella Lucas, 1954.
- Ancylosis minimella (D. Lucas, 1911)** (Pyralidae) Synonym(s): minimella D. Lucas, 1911
- Ancylosis muliebris (Meyrick, 1937)** (Pyralidae) Synonym(s): muliebris Meyrick, 1937; macedonica Schawerda, 1937.
- Ancylosis myosella Ragonot, 1901** (Pyralidae) Synonym(s): myosella Ragonot, 1901
- Ancylosis nigripunctella (Staudinger, 1879)** (Pyralidae) Synonym(s): nigripunctella Staudinger, 1879; wockeella Ragonot, 1887; carnibasalis Hampson, 1896.
- Ancylosis nubeculella (Ragonot, 1887)** (Pyralidae) Synonym(s): nubeculella Ragonot, 1887
- Ancylosis oblitella (Zeller, 1848)** (Pyralidae) Synonym(s): oblitella Zeller, 1848; homographis Hampson, 1930; ischnopsis Meyrick, 1937; major Lucas, 1948; ochraeella Lucas, 1948; boitella Lucas, 1950; calaritalella Amsel, 1951; indistinctella Lucas, 1955.
- Ancylosis olfae Leraut, 2014** (Pyralidae) Synonym(s): olfae Leraut, 2014
- Ancylosis partitella (Ragonot, 1887)** (Pyralidae) Synonym(s): partitella Ragonot, 1887; adustella Ragonot, 1887; fractifasciella Ragonot, 1890; kebiella Lucas, 1909; combustella Chrétien, 1910.
- Ancylosis pectinatella (Ragonot, 1887)** (Pyralidae) Synonym(s): pectinatella Ragonot, 1887
- Ancylosis roscidella (Eversmann, 1844)** (Pyralidae) Synonym(s): roscidella Eversmann, 1844; cinerella Stainton, 1859; ephedrella Herrich-Schäffer, 1860; neglectella Heinemann, 1864; blandella Ragonot, 1887; zohrella Oberthür, 1888; carnea W. Warren, 1888; barteella Caradja, 1910; benderella Amsel, 1961
- Ancylosis rufulella Hartig, 1936** (Pyralidae) Synonym(s): rufulella Hartig, 1936
- Ancylosis sabulosella (Staudinger, 1879)** (Pyralidae) Synonym(s): sabulosella Staudinger, 1879; decolorella Ragonot, 1901.
- Ancylosis samaritanella (Zeller, 1867)** (Pyralidae) Synonym(s): samaritanella Zeller, 1867; urbicella Erschoff, 1874; biligulella Ragonot, 1887; flavescentella Chrétien, 1910; diminutella Chrétien, 1910; cinnamomeifascia Rothschild, 1915; lacroixella Lucas, 1939; brevialpella Amsel, 1954.
- Ancylosis sulcatella (Christoph, 1877)** (Pyralidae) Synonym(s): sulcatella Christoph, 1877; lineatella Ragonot, 1887
- Ancylosis syrtella (Ragonot, 1887)** (Pyralidae) Synonym(s): syrtella Ragonot, 1887; costalbella Amsel, 1954
- Ancylosis thalerella (Mabilie, 1908)** (Pyralidae) Synonym(s): thalerella Mabilie, 1908
- Ancylosis umbrilimbella (Ragonot, 1901)** (Pyralidae) Synonym(s): umbrilimbella Ragonot, 1901; holella Lucas, 1909; thiriet Lucas, 1937; sfaxella Lucas, 1949; concavella Amsel, 1949
- Ancylosis uncinatella (Ragonot, 1890)** (Pyralidae) Synonym(s): uncinatella Ragonot, 1890; navasi De Joannis, 1907.
- Ancylosis ustella Ragonot, 1887** (Pyralidae) Synonym(s): ustella Ragonot, 1887; talebella Oberthür, 1888; maroccanella D. Lucas, 1933
- Ancylosis variabilis (Rothschild, 1913)** (Pyralidae) Synonym(s): variabilis Rothschild, 1913
- Ancylosis xylina (Staudinger, 1870)** (Pyralidae) Synonym(s): xylina Staudinger, 1870; sablonella Rothschild, 1915; molochinella Zerny, 1929.

- Ancylosis yerburii (Butler,1884)** (Pyralidae) Synonym(s): yerburii Butler,1884; innotalis Hampson,1899; costalbella Mabilie,1906; rubronervella Mabilie,1906; pallidicostella Chrétien,1910; pruinosaella Chrétien,1911; strictipennis Rothschild,1915; cinnamomella Rothschild,1915; vinosparsella Turati,1924; ruehli Gozmany,1959; khuzistanella Amsel,1959; benderella Amsel,1961
- Anerastia flaveolella Ragonot,1887** (Pyralidae) Synonym(s): flaveolella Ragonot,1887
- Anerastia lotella (Hübner,[1813])** (Pyralidae) Synonym(s): lotella Hübner,[1813]; miniosella Zincken,1818; incarnata Staudinger,1879; dubia Gerasimov,1928; dignella Leraut,2014 [ssp.]
- Apomyelois ceratoniae (Zeller,1839)** (Pyralidae) Synonym(s): ceratoniae Zeller,1839; ceratoniella Fischer Röslerstamm,1839; pryrella Vaughan,1870; tuerckheimiella Sorhagen,1881; dentilinella Hampson,1896; psarella Hampson,1903; rivularis W.Warren & Rothschild,1905; oporedestella Dyar,1911; phoenicis Durrant,1915; durandi Lucas,1950
- Aporodes floralis (Hübner,[1809])** (Pyralidae) Synonym(s): floralis Hübner,[1809]; stygialis Treitschke,1829; siculalis Duponchel,1833; conversalis Duponchel,1834; meleagrisalis Walker,1859; transversalis Moore,1878; grisealis Caradja,1916; #florealis Rebel,1939
- Archiephestia adpiscinella (Chrétien,1911)** (Pyralidae) Synonym(s): adpiscinella Chrétien,1911; pholeacola Dumont,1932; menonoma Schmidt,1934; murciella Amsel,1955
- Arimania komaroffi (Ragonot,1888)** (Pyralidae) Synonym(s): komaroffi Ragonot,1888
- Arsenaria caidalis (Hampson,1900)** (Pyralidae) Synonym(s): caidalis Hampson,1900; strobilacalis Chrétien,1911
- Arsenaria dattinii (Ragonot,1887)** (Pyralidae) Synonym(s): dattinii Ragonot,1887; rara Amsel,1935
- Arsenaria kebilialis (D.Lucas,1907)** (Pyralidae) Synonym(s): kebilialis D.Lucas,1907; rungsalis Leraut,2004
- Asalebria florella (Mann,1862)** (Pyralidae) Synonym(s): florella Mann,1862; chicanensis Staudinger,1870; syriella Amsel,1954; joesti Amsel,1954; vartianae Roesler,1969
- Assara conicolella (Constant,1884)** (Pyralidae) Synonym(s): conicolella Constant,1884
- Bostra obsoletalis (Mann,1864)** (Pyralidae) Synonym(s): obsoletalis Mann,1864; tunesialis Caradja,1916; palaestinensis Amsel,1935; buckwelli Lucas,1954
- Bradyrrhoa (s.str.) cantenerella (Duponchel,1837)** (Pyralidae) Synonym(s): cantenerella Duponchel,1837; ravella Heydenreich,1851; subflavella Ragonot,1887; sardicolella Schawerda,1936; variegatella Lucas,1948; brunneella Lucas,1955
- Bradyrrhoa (s.str.) marianella Ragonot,1887** (Pyralidae) Synonym(s): marianella Ragonot,1887; andryaella Chrétien,1911; lyratella Chrétien,1926
- Bradyrrhoa (s.str.) trapezella (Duponchel,1836)** (Pyralidae) Synonym(s): trapezella Duponchel,1836; cinerella Duponchel,1836; saxeella Zeller,1848; chalcidoniella Herrisch-Schäffer,1851; seniella Staudinger,1879; petryi Schawerda,1933
- Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): cautella Walker,1863; defectella Walker,1864; desuetella Walker,1866; passulella Barrett,1875; formosella Wileman & South,1918; rotundatella Turati,1930; pelopis Turner,1947; irakella Amsel,1959
- Cadra figulilella (Gregson,1871)** (Pyralidae) Synonym(s): figulilella Gregson,1871; ficulella Barrett,1875; milleri Zeller,1876; gypsellae Ragonot,1887; venosella Turati,1926; ernestinella Turati,1927; #halfaella Roesler,1965.
- Caina deletella Ragonot,1893** (Pyralidae) Synonym(s): deletella Ragonot,1893; subdeletella Ragonot,1893; ciniferella Ragonot,1893; gayneri Rothschild,1902; tahlarella Dumont,1932; vasta Amsel,1935
- Catoptria pinella (Linnaeus,1758)** (Pyralidae) Synonym(s): pinella Linnaeus,1758; virginella Scopoli,1763.
- Ceutholopha isidis (Zeller,1867)** (Pyralidae) Synonym(s): isidis Zeller,1867; gilvibasella Ragonot,1888; aequalisella Lucas,1948; parallelolineata Lucas,1950.
- Cherchera abatesella Dumont,1932** (Pyralidae) Synonym(s): abatesella Dumont,1932
- Christophia dattinella Ragonot,1887** (Pyralidae) Synonym(s): dattinella Ragonot,1887; hampsoniella D.Lucas,1909; dilutalis Rothschild,1913
- Chrysocrambus mauretanicus (Müller-Rutz,1931)** (Pyralidae) Synonym(s): mauretanicus Müller-Rutz,1931
- Chrysocrambus similimellus (Müller-Rutz,1931)** (Pyralidae) Synonym(s): similimellus Müller-Rutz,1931; #umbrosellus Müller-Rutz,1931.
- Cnephidia serraticornella (Zeller,1839)** (Pyralidae) Synonym(s): serraticornella Zeller,1839; gregella Eversmann,1844; zernyi Toll,1942; rungsella D.Lucas,1942; ifraneella D.Lucas,1956; kairouanensis Leraut,2003
- Coenochroa nitidicostella (Ragonot,1887)** (Pyralidae) Synonym(s): nitidicostella Ragonot,1887
- Cornifrons ulceratalis Lederer,1858** (Pyralidae) Synonym(s): ulceratalis Lederer,1858; seriziatialis Oberthür,1876
- Cybalomia pulverosalis Hampson** (Pyralidae) Synonym(s):
- Cynaeda (s.str.) dentalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): dentalis [Denis & Schiffermüller],1775; ramalis Fabricius,1787; radiata Esper,1788; fulminans Fabricius,1794; dilutalis De Lattin,1959
- Dentitegumia nigrigranella (Ragonot,1890)** (Pyralidae) Synonym(s): nigrigranella Ragonot,1890; comeella Amsel,1961.
- Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) Synonym(s): bruguieralis Duponchel,1833; coniotalis Hampson,1903; pseudobotys Rothschild,1913; similalis Rothschild,1915; bahrlutalis Amsel,1935; mauretanica D.Lucas,1949
- Dolicharthria daralis (Chrétien,1911)** (Pyralidae) Synonym(s): daralis Chrétien,1911; pseudobotys Rothschild,1913; similalis Rothschild,1915; heringi Rebel,1939; mauretanica D.Lucas,1950
- Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): punctalis [Denis & Schiffermüller],1775; longipedalis Curtis,1830
- Ecpyrrhorhoe diffusalis (Guenée,1854)** (Pyralidae) Synonym(s): carnealis Dup.,1831 nec Treit.1829; diffusalis Guenée,1854; affusalis Guenée,1854; tenuialis Mann,1862.
- Ematheudes punctellus (Treitschke,1833)** (Pyralidae) Synonym(s): punctellus Treitschke,1833; pseudopunctellus Ragonot,1888; tunesiella Ragonot,1892
- Emmalocera anerastica (Snellen,1879)** (Pyralidae) Synonym(s): anerastica Snellen,1879; latilimbella Ragonot,1890
- Emporia grisescens Ragonot,1887** (Pyralidae) Synonym(s): grisescens Ragonot,1887
- Emprepes russulalis (Christoph,1877)** (Pyralidae) Synonym(s): russulalis Christoph,1877; baryscia Meyrick,1937
- Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): flammealis [Denis & Schiffermüller],1775; adustalis Turati,1905; lutealis Turati,1905; carnealis De Lattin,1951
- Ephedrophila lucasi (Mabilie,1907)** (Pyralidae) Synonym(s): lucasi Mabilie,1907
- Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonym(s): kuehniella Zeller,1879; fuscofasciella Ragonot,1887; gitoniella Druce,1896; lunella Noel,1904; ischnomorpha Meyrick,1931; #kueniella Hutacharern & Tubtim,1995

- Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) **Synonym(s):** welseriella Zeller,1848; modestella Lederer,1863; tephriella Lederer,1870; rhenanella Fuchs,1877; suffusella Ragonot,1901; immodestella Rebel,1916; superbella Lucas,1954; capricola Hampson,1927
- Ephestia (s.str.) disparella Hampson,1901** (Pyralidae) **Synonym(s):** disparella Hampson,1901; rectifasciella Turati,1913; semicostella Turati,1934.
- Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) **Synonym(s):** elutella Hübner,1796; semirufa Haworth,1811; rufa Haworth,1811; angusta Haworth,1811; sericarium Scott,1859; roxburghii Gregson,1873; infumatella Ragonot,1887; affusella Ragonot,1888; icosiella Ragonot,1888; amarella Dyar,1904; pterogrisella Roesler,1965
- Ephestia (s.str.) woodiella Richards & Thomson,1932** (Pyralidae) **Synonym(s):** woodiella Richards & Thomson,1932
- Epicrocis neftaella (Lucas,1911)** (Pyralidae) **Synonym(s):** neftaella Lucas,1911
- Epiparthia dattinella (Ragonot,1887)** (Pyralidae) **Synonym(s):** dattinella Ragonot,1887; hampsoniella Lucas,1909; #dattinella Caradja,1910; dilutalis Rothschild,1913
- Epischidia caesariella (Ragonot,1901)** (Pyralidae) **Synonym(s):** caesariella Ragonot,1901
- Epischnia duchateneti Leraut,2014** (Pyralidae) **Synonym(s):** duchateneti Leraut,2014
- Epischnia illotella Zeller,1839** (Pyralidae) **Synonym(s):** illotella Zeller,1839; asteriscella Millière,1873; alfacarella Amsel,1954; #micronella Roesler,1969
- Epischnia prodromella (Hübner,[1799])** (Pyralidae) **Synonym(s):** prodromella Hübner,[1799]; #prodromella Rebel,1939
- Etiella zinckenella (Treitschke,1832)** (Pyralidae) **Synonym(s):** marginella Fabricius,1781 nec Den. & Schiff.,1775; zinckenella Treitschke,1832; etiella Treitschke,1835; majorellus Costa,1836; colonnellus Costa,1836; dymnusalis Walker,1859; heraldella Guenée,1862; anticalis Walker,1863; indicatalis Walker,1863; hastiferella Walker,1866; decipiens Staudinger,1870; spartiella Rondani,1876; sabulinus Butler,1879; madagascariensis Saalmüller,1880; schisticolor Zeller,1881; villosella Hulst,1887; rubribasella Hulst,1890; #tiella Pinhey,1975.
- Euchromius anapiellus (Zeller,1847)** (Pyralidae) **Synonym(s):** anapiellus Zeller,1847
- Euchromius cambridgei (Zeller,1867)** (Pyralidae) **Synonym(s):** cambridgei Zeller,1867; luciella Chrétien,1907; prototypa Meyrick,1935; congruentella Amsel,1958; szijartoi Gozmany,1959; ilkui Gozmany,1959.
- Euchromius gozmanyi Bleszynski,1961** (Pyralidae) **Synonym(s):** gozmanyi Bleszynski,1961
- Euchromius ocellus (Haworth,[1811])** (Pyralidae) **Synonym(s):** ocella Haworth,[1811]; cyrilli Costa,1832; fomiculella Treitschke,1832; texana Robinson,1870; gigantea Turati,1924; quadrii Ahmad, Zaidi & Kamaluddin,1982
- Euchromius ramburiellus (Duponchel,1836)** (Pyralidae) **Synonym(s):** ramburiellus Duponchel,1836; zonellus Zeller,1847; luteella Caradja,1910; #ramburellus Rothschild,1924; islamella Amsel,1949
- Euchromius subcambridgei Bleszynski,1965** (Pyralidae) **Synonym(s):** subcambridgei Bleszynski,1965
- Euchromius vinculellus (Zeller,1847)** (Pyralidae) **Synonym(s):** vinculellus Zeller,1847; corsicalis Hampson,1919; joiceyella Schmidt,1934; bahrlutella Amsel,1949.
- Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyralidae) **Synonym(s):** splendidalis Herrich-Schäffer,[1848]
- Euclasta (s.str.) varii Popescu-Gorj & Constantinescu,1973** (Pyralidae) **Synonym(s):** varii Popescu-Gorj & Constantinescu,1973; perisalis Vives Moreno,1980
- Eudonia angustea (Curtis,1827)** (Pyralidae) **Synonym(s):** angustea Curtis,1827; coarctata Zeller,1846; hesperella Heydenreich,1851; acuminatella Stainton,1859; napolitalis Milliere,1870; vafra Meyrick,1913; imparilis Dyar,1929
- Eurhodope (s.str.) cruentella (Duponchel,1843)** (Pyralidae) **Synonym(s):** cruentella Duponchel,1843; alba Caradja,1916
- Eurhodope (s.str.) incensella (Staudinger,1859)** (Pyralidae) **Synonym(s):** incensella Staudinger,1859; flavella Amsel,1954
- Eurrhysis pollinalis ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** pollinalis [Denis & Schiffermüller],1775; bigutta Esper,[1791]; melissalis Walker,1859; flavinotalis Grote,1881; #obcaecatalis Leraut & Luquet,1985
- Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) **Synonym(s):** bigella Zeller,1848; stenoptycha Herrich-Schäffer,1855; bisinuella Ragonot,1887; punicaella Moore,1891; immundella Ragonot,1901; angulella Chrétien,1922; renulella Constantini,1922
- Euzophera (s.str.) lunulella (Costa,1836)** (Pyralidae) **Synonym(s):** lunulella Costa,1836; corcyrella Herrich-Schäffer,1851.
- Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) **Synonym(s):** osseatella Treitschke,1832; arcuatella Ragonot,1901.
- Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyralidae) **Synonym(s):** pinguis Haworth,[1811]; fischeri Zeller,1846; splendidella Herrich-Schäffer,1848.
- Euzophera (s.str.) sordidella Chrétien,1911** (Pyralidae) **Synonym(s):** sordidella Chrétien,1911
- Euzophera (s.str.) subcribrella Ragonot,1887** (Pyralidae) **Synonym(s):** subcribrella Ragonot,1887; mercatrix Meyrick,1937; marginepunctella Amsel,1959.
- Euzopherodes pusilla (Mabille,1906)** (Pyralidae) **Synonym(s):** pusilla Mabille,1906; cinnamomea Rothschild,1915; keltella Amsel,1935.
- Euzopherodes vapidella (Mann,1857)** (Pyralidae) **Synonym(s):** vapidella Mann,1857; tenebrosa Zeller,1867; lutescentella Chrétien,1911; xylobrunnea Amsel,1951.
- Evergestis caesialis (Herrich-Schäffer,[1849])** (Pyralidae) **Synonym(s):** caesialis Herrich-Schäffer,[1849]; saxicolalis Mann,1862
- Evergestis isatidalis (Duponchel,1833)** (Pyralidae) **Synonym(s):** isatidalis Duponchel,1833; conquisitalis Guenée,1849
- Evergestis marionalis Leraut,2003** (Pyralidae) **Synonym(s):** marionalis Leraut,2003
- Evergestis pechi (Bethune-Baker,1885)** (Pyralidae) **Synonym(s):** pechi Bethune-Baker,1885
- Evergestis politalis ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** politalis [Denis & Schiffermüller],1775; pictoralis Fabricius,1794; bifascialis Guenée,1849; dispersalis Mann,1859; bicoloralis La Harpe,1861; marocana Lucas,1955
- Evergestis renatalis (Oberthür,1887)** (Pyralidae) **Synonym(s):** renatalis Oberthür,1887
- Falckia laetanella (Lucas,1937)** (Pyralidae) **Synonym(s):** laetanella Lucas,1937

- Faveria dionysia (Zeller,1846)** (Pyralidae) **Synonym(s):** dionysia Zeller,1846; terrella Ragonot,1888; isoxyla Meyrick,1937; tsherenkovi Gerasimov,1940
- Gymnancyla anabasella (Chrétien,1917)** (Pyralidae) **Synonym(s):** anabasella Chrétien,1917
- Gymnancyla canella ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** canella [Denis & Schiffermüller],1775; depositella Zincken,1818; canellaris Hübner,[1825].
- Gymnancyla gilvella (Ragonot,1887)** (Pyralidae) **Synonym(s):** gilvella Ragonot,1887
- Gymnancyla hornigii (Lederer,1852)** (Pyralidae) **Synonym(s):** hornigii Lederer,1852; debilis Caradja,1916; #hornigi Hannemann,1964
- Gymnancyla pempeliella (Ragonot,1893)** (Pyralidae) **Synonym(s):** pempeliella Ragonot,1893; ochriplaga Rebel,1909; djiroftella Amsel,1959; afghanella Amsel,1970
- Gymnancyla ruscionella Ragonot,1888** (Pyralidae) **Synonym(s):** ruscionella Ragonot,1888; semirosella Chrétien,1911.
- Gymnancyla sfakesella Chrétien,1911** (Pyralidae) **Synonym(s):** sfakesella Chrétien,1911; merkalana Lucas,1937; candida Gozmany,1960
- Gymnancyla turensis (Ragonot,1887)** (Pyralidae) **Synonym(s):** turensis Ragonot,1887
- Hannemannea tacapella (Ragonot,1887)** (Pyralidae) **Synonym(s):** tacapella Ragonot,1887
- Hellula undalis (Fabricius,1781)** (Pyralidae) **Synonym(s):** undalis Fabricius,1781; lunulalis Costa,1836;alconalis Walker,1859; exemptalis Walker,[1866]; geyri Rothschild,1915; occidentalis De Joannis,1930; reniculus Pajni & Rose,1977
- Hodebertia testalis (Fabricius,1794)** (Pyralidae) **Synonym(s):** testalis Fabricius,1794; incoloralis Guenée,1854; ruficostalis Lederer,1855; melonalis Walker,1859; nitetisalis Walker,1859; albidalis Walker,[1866]; putrescens Meyrick,1934
- Homoeosoma capsitanellum Chrétien,1911** (Pyralidae) **Synonym(s):** capsitanellum Chrétien,1911; eminentella Turati,1924; litorella Amsel,1935; soalthirellum Roesler,1965
- Homoeosoma sinuella (Fabricius,1794)** (Pyralidae) **Synonym(s):** sinuella Fabricius,1794; sinuatus Fabricius,1794; elongella Hübner,[1813]; gemina Haworth,1811; flavella Duponchel,1836; gioferella Turati,1934.
- Huertasiella multifidella (Chrétien,1911)** (Pyralidae) **Synonym(s):** multifidella Chrétien,1911; albicostella Amsel,1958
- Hyperlais lutosalis (Mann,1862)** (Pyralidae) **Synonym(s):** lutosalis Mann,1862; biskralis Chrétien,1911; nigralis Caradja,1916; tunesalis Caradja,1916; cloralis Caradja,1916; cruzae Agenjo,1952
- Hyperlais nemausalis (Duponchel,1834)** (Pyralidae) **Synonym(s):** nemausalis Duponchel,[1834]
- Hyperlais rivasalis (Vazquez,1905)** (Pyralidae) **Synonym(s):** rivasalis Vazquez,1905
- Hypotia bleusei (Oberthür,1888)** (Pyralidae) **Synonym(s):** bleusei Oberthür,1888; santschii Lucas,1911
- Hypotia chretieni (Lucas,1910)** (Pyralidae) **Synonym(s):** chretieni Lucas,1910; sardzealis Amsel,1951
- Hypotia colchicalis (Herrich-Schäffer,[1855])** (Pyralidae) **Synonym(s):** colchicalis Herrich-Schäffer,[1855]; anceschii Turati,1926
- Hypotia infulalis Lederer,1858** (Pyralidae) **Synonym(s):** infulalis Lederer,1858; staudingeralis Ragonot,1891; atrisquamalis Hampson,1900; inclinatalis Rebel,1914; mavromoustakisi Rebel,1928
- Hypotia leonalis (Oberthür,1887)** (Pyralidae) **Synonym(s):** leonalis Oberthür,1887; syrticolalis Ragonot,1887; subochrealis Ragonot,1891; fasciatalis Chrétien,1917
- Hypotia myalis (Rothschild,1913)** (Pyralidae) **Synonym(s):** myalis Rothschild,1913; faroulti Rothschild,1915; predotae Schawerda,1934
- Hypotia numidalis Hampson,1900** (Pyralidae) **Synonym(s):** numidalis Hampson,1900
- Hypotia pectinalis (Herrich-Schäffer,1838)** (Pyralidae) **Synonym(s):** pectinalis Herrich-Schäffer,1838; ocelliferalis Ragonot,1887; jordanalis Rebel,1903
- Hypotia poliopastalis (Hampson,1900)** (Pyralidae) **Synonym(s):** poliopastalis Hampson,1900
- Hypotia syrtalis (Ragonot,1887)** (Pyralidae) **Synonym(s):** syrtalis Ragonot,1887; bella Bethune-Baker,1894
- Krombia harralis Chrétien,1911** (Pyralidae) **Synonym(s):** harralis Chrétien,1911
- Krombia seghiralis (Chrétien,1911)** (Pyralidae) **Synonym(s):** seghiralis Chrétien,1911
- Krombia zarcinella Lucas,1909** (Pyralidae) **Synonym(s):** zarcinella Lucas,1909
- Lamoria anella ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** anella [Denis & Schiffermüller],1775; insulana Schawerda,1931; variegana Lucas,1949; marocana Lucas,1955
- Laristania nevadensis (Rebel,1910)** (Pyralidae) **Synonym(s):** nevadensis Rebel,1910
- Loryma egregialis (Herrich-Schäffer,1838)** (Pyralidae) **Synonym(s):** egregialis Herrich-Schäffer,1838; medusalis Milliere,1872; algerialis Hampson,1900
- Loxostege comptalis (Freyer,[1848])** (Pyralidae) **Synonym(s):** comptalis Freyer,[1848]
- Maradana fuscolimbalis (Ragonot,1887)** (Pyralidae) **Synonym(s):** fuscolimbalis Ragonot,1887
- Maradana vidualis (Chrétien,1911)** (Pyralidae) **Synonym(s):** vidualis Chrétien,1911; ragusai Turati,1922; chneouri D.Lucas,1938; mariaeludovicae D.Lucas,1950; rosinans D.Lucas,1951
- Mecyna lutealis (Duponchel,1833)** (Pyralidae) **Synonym(s):** flavalis De Villers,1789 nec [Denis & Schiff.],1775; lutealis Duponchel,1833; citralis Herrich-Schäffer,1849; albarracinensis Fuchs,1901; gomagoialis Amsel,1932
- Melathrix coenulentella (Zeller,1846)** (Pyralidae) **Synonym(s):** coenulentella Zeller,1846; maculata Staudinger,1876; algeriella Chrétien,1911
- Merulempista azrouella D.Lucas,1933** (Pyralidae) **Synonym(s):** azrouella D.Lucas,1933; juanella Leraut,2002 [ssp.]
- Merulempista jucundella (Chrétien,1911)** (Pyralidae) **Synonym(s):** jucundella Chrétien,1911
- Merulempista saharae Leraut,2002** (Pyralidae) **Synonym(s):** saharae Leraut,2002
- Metacrambus pallidellus (Duponchel,1836)** (Pyralidae) **Synonym(s):** pallidellus Duponchel,1836; grammiculellus Lucas,1849; catalauniellus Herrich-Schäffer,[1852]; oxybiellus Millière,1872; cuencalis Hampson,1900.
- Metasia suppandalis (Hübner,[1823])** (Pyralidae) **Synonym(s):** suppandalis Hübner,[1823]
- Myelois (s.str.) fuscicostella Mann,1861** (Pyralidae) **Synonym(s):** fuscicostella Mann,1861; nivosella Ragonot,1890; palalbidella Chrétien,1917; margaritella Turati,1930; infumatella Amsel,1961; niveisplendella Amsel,1961



- Neopempelia hieroglyphella (Ragonot,1887)** (Pyalidae) Synonym(s): hieroglyphella Ragonot,1887; chneourella D.Lucas,1946
- Nephoterix cleopatrella Ragonot,1887** (Pyalidae) Synonym(s): cleopatrella Ragonot,1887
- Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): noctuella [Denis & Schiffermüller],1775; hybridalis Hübner,1796; incertalis Hübner,[1825]; indistinctalis Walker,1859
- Nyctegretis ruminella Harpe,1861** (Pyalidae) Synonym(s): ruminella Harpe,1861
- Palepicorsia ustrinalis (Christoph,[1877])** (Pyalidae) Synonym(s): ustrinalis Christoph,[1877]; emiralis Oberthür,1888; excavatalis Ragonot,1892; palmalis Swinhoe,1884
- Palpita vitrealis (Rossi,1794)** (Pyalidae) Synonym(s): vitrealis Rossi,1794; unionalis Hübner,1796; quinquepunctalis Boisduval,1833; transvisalis Guenée,1854; suralis Lederer,1863; septempunctalis Mabille,1880
- Parapoynx fluctuosalis (Zeller,1852)** (Pyalidae) Synonym(s): fluctuosalis Zeller,1852; linealis Guenée,1854; circealis Walker,1859; chrysippusalis Walker,1859; obitalis Walker,1859; curta Butler,1879; luteivittalis Mabille,1880; cryzalis Wood-Mason,1885; rugosalis Möschler,1890
- Pediasia ochristrigella (Hampson,1896)** (Pyalidae) Synonym(s): ochristrigella Hampson,1896; dumontellus Hartig,1953.
- Pediasia serraticornis (Hampson,1900)** (Pyalidae) Synonym(s): serraticornis Hampson,1900; gracilellus Chrétien,1910; distinctellus Chrétien,1910; ochrosignellus Chrétien,1915; tenellus Chrétien,1917; fusculellus Turati,1924
- Pempelia brephiella (Staudinger,1879)** (Pyalidae) Synonym(s): brephiella Staudinger,1879; farinosella Caradja,1910; coremetella Amsel,1949
- Pempelia numidella (Ragonot,1890)** (Pyalidae) Synonym(s): numidella Ragonot,1890
- Pempelia zelicella (Oberthür,1888)** (Pyalidae) Synonym(s): zelicella Oberthür,1888
- Pempeliapteryx cirtensis (Ragonot,1890)** (Pyalidae) Synonym(s): cirtensis Ragonot,1890
- Pempeliapteryx cleopatrella (Ragonot,1887)** (Pyalidae) Synonym(s): cleopatrella Ragonot,1887; atlantica Asselbergs,2009
- Pempeliapteryx pulverulenta (Ragonot,1888)** (Pyalidae) Synonym(s): pulverulenta Ragonot,1888; tchouruma Amsel,1961
- Phycita diaphana (Staudinger,1870)** (Pyalidae) Synonym(s): diaphana Staudinger,1870; biscraella Caradja,1916; lenitella Chrétien,1922; ricinivorella Dumont,1925
- Phycita zizyphella Chrétien,1915** (Pyalidae) Synonym(s): zizyphella Chrétien,1915; jerichoella Amsel,1935
- Phycitodes albatella (Ragonot,1887)** (Pyalidae) Synonym(s): albatella Ragonot,1887; parvum Gerasimov,1930; pseudonimbella Bentick,1937
- Phycitodes carlinella (Heinemann,1865)** (Pyalidae) Synonym(s): carlinella Heinemann,1865; cretacella Rössler,1866; maritima Tengström,1870; senecionis Vaughan,1870; caniusella Ragonot,1901
- Phycitodes lacteella (Rothschild,1915)** (Pyalidae) Synonym(s): lacteella Rothschild,1915; viettella Roesler,1965.
- Phycitodes saxicola (Vaughan,1870)** (Pyalidae) Synonym(s): saxicola Vaughan,1870; subbinaevella Ragonot,1888; griseopunctata Lucas,1955; vallettae Amsel,1951; comeella Amsel,1961; tenerifferlla Roesler,1965
- Pima aureliae Leraut,2014** (Pyalidae) Synonym(s): aureliae Leraut,2014
- Pima leucoloma (Herrich-Schäffer,[1849])** (Pyalidae) Synonym(s): leucoloma Herrich-Schäffer,[1849]
- Pima vilhelmseni Slamka,2019** (Pyalidae) Synonym(s): vilhelmseni Slamka,2019
- Pima yllai Slamka,2019** (Pyalidae) Synonym(s): yllai Slamka,2019
- Platytes zarcinella Lucas,1909** (Pyalidae) Synonym(s): zarcinella Lucas,1909
- Plodia interpunctella (Hübner,[1813])** (Pyalidae) Synonym(s): interpunctella Hübner,[1813]; interpunctalis Hübner,[1825]; zeae Fitch,1856; castaneella Reutti,1898; latercula Hampson,1901; glycinivora Matsumura,1917; glycinivorella Matsumura,1932.
- Polyocha transversariella (Zeller,1848)** (Pyalidae) Synonym(s): transversariella Zeller,1848; strigosa Staudinger,1879; phoeniciella Ragonot,1895; discella Hampson,1901; granatella Zerny,1927
- Polyochodes stipella Chrétien,1911** (Pyalidae) Synonym(s): stipella Chrétien,1911
- Pseudobissetia terrestrella (Christoph,1885)** (Pyalidae) Synonym(s): terrestrella Christoph,1885; hypenalis Rebel,1910; tozeurellus Lucas,1911
- Pseudoinsalebria albipunctella (Chrétien,1911)** (Pyalidae) Synonym(s): albipunctella Chrétien,1911
- Pseudosyria malacella (Staudinger,1870)** (Pyalidae) Synonym(s): malacella Staudinger,1870; punctigerella Caradja,1910; gracilis Rebel,1927
- Psorosa ferrugatella Turati,1924** (Pyalidae) Synonym(s): ferrugatella Turati,1924
- Psorosa mediterranea Amsel,1954** (Pyalidae) Synonym(s): nucleolella auct. nec Möschler,1866; mediterranea Amsel,1953.
- Pyralis farinalis (Linnaeus,1758)** (Pyalidae) Synonym(s): farinalis Linnaeus,1758; erecta Fourcroy,1785; farinatus Haworth,1810; domesticalis Zeller,1847; fraterna Butler,1879; tenerifensis Rebel,1906; meridionalis Schmidt,1934; orientalis Amsel,1961 nec Fabr.,1794.
- Pyrausta aurata (Scopoli,1763)** (Pyalidae) Synonym(s): aurata Scopoli,1763; punicealis [Denis & Schiffermüller],1775; niepoldalis Lederer,1863; meridionalis Staudinger,1880 nec Weke,1871; deficiens Dufrane,1957; inciae Koçak,1982
- Pyrausta sanguinalis (Linnaeus,1767)** (Pyalidae) Synonym(s): sanguinalis Linnaeus,1767; crentalis Scriba,1770; haematalis Hübner,[1819]
- Pyrausta virginalis Duponchel,1832** (Pyalidae) Synonym(s): virginalis Duponchel,1832; auroralis Zeller,1847; tristriatalis Szent-Ivány & Uhrík-Meszaros,1942; arianalis Amsel,1970
- Repetekiodes kraussi (Rebel,1903)** (Pyalidae) Synonym(s): kraussi Rebel,1903; umbriferella Mabille,1906; biformis Rothschild,1915; fasciferella Dumont,1928; nigrofasciella Dumont,1928; lepigreella Dumont,1948.
- Rungsina canifusalis (Hampson,1900)** (Pyalidae) Synonym(s): canifusalis Hampson,1900; smaraensis Leraut,2004
- Saluria maculivittella Ragonot,1887** (Pyalidae) Synonym(s): maculivittella Ragonot,1887; armeniella Ragonot,1888
- Scotomera tacapealis (Ragonot,1891)** (Pyalidae) Synonym(s): tacapealis Ragonot,1891

- Seeboldia korgosella Ragonot,1887** (Pyalidae) Synonym(s): korgosella Ragonot,1887; uralskella Caradja,1910; occidentella Zerny,1927; jolanella Schmidt,1933
- Stemmatophora austautalis (Oberthür,1881)** (Pyalidae) Synonym(s): austautalis Oberthür,1881; funebris D.Lucas,1950
- Stemmatophora brunnealis (Treitschke,1829)** (Pyalidae) Synonym(s): brunnealis Treitschke,1829; phaealis Hampson,1900; ocellata Rothschild,1915; lividalis Constantini,1922; #nigrobrunnealis Schawerda,1941
- Stemmatophora byzaecialis (Ragonot,1887)** (Pyalidae) Synonym(s): byzaecialis Ragonot,1887; pallidalis Turati,1924
- Stemmatophora orbicentralis (Rebel,1902)** (Pyalidae) Synonym(s): orbicentralis Rebel,1902; ocellata Rothschild,1915; hilaralis Zerny,1935; ifranalis D.Lucas,1954; conspicialis D.Lucas,1956
- Susia discomaculella (Ragonot,1888)** (Pyalidae) Synonym(s): discomaculella Ragonot,1888
- Susia uberalis (Swinhoe,1884)** (Pyalidae) Synonym(s): uberalis Swinhoe,1884; bahrainalis Amsel,1968.
- Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): bombycalis [Denis & Schiffermüller],1775; almanica Rebel,1917.
- Synaphe chellalalis (Hampson,1900)** (Pyalidae) Synonym(s): chellalalis Hampson,1900; #chellalis Speidel & Hassler,[1990]; #chellalis Leraut,2014
- Synaphe interjunctalis (Guenée,1849)** (Pyalidae) Synonym(s): interjunctalis Guenée,1849
- Synaphe oculatalis (Ragonot,1885)** (Pyalidae) Synonym(s): oculatalis Ragonot,1885
- Synaphe praedotalis (Zerny,1927)** (Pyalidae) Synonym(s): praedotalis Zerny,1927; montarcensis Dufrane,1955; saharae Dufrane,1955 [ssp.]
- Synclera bleusei Oberthür,1887** (Pyalidae) Synonym(s): bleusei Oberthür,1887
- Talis arenella Ragonot,1887** (Pyalidae) Synonym(s): arenella Ragonot,1887
- Talis quercella ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): #quercella [Denis & Schiffermüller],1775; noctuella Hübner,1796; neglectella Hübner,[1824].
- Tegostoma comparalis (Hübner,1796)** (Pyalidae) Synonym(s): comparalis Hübner,1796; ramalis Hübner,1796; tenebrosalis Walker,1865; fotalis Swinhoe,1885; #comparale Caradja,1917.
- Tephris chneourella D.Lucas,1946** (Pyalidae) Synonym(s): chneourella D.Lucas,1946
- Tephris ochreella Ragonot,1893** (Pyalidae) Synonym(s): ochreella Ragonot,1893; perlucidella Ragonot,1893; joannisella D.Lucas,1909; aridella Rothschild,1913; diversella Amsel,1951
- Tephris verruculella (Ragonot,1887)** (Pyalidae) Synonym(s): verruculella Ragonot,1887; aridiella Rothschild,1913 [ssp.]; rungsi Leraut,2002
- Thoepetis galleriellus (Ragonot,1892)** (Pyalidae) Synonym(s): galleriellus Ragonot,1892; canicostalis Hampson,1896; unicolor De Joannis,1910; submedianalis Hampson,1919; buxtoni Rothschild,1921; chretienellus Dumont,1930; maculalis Predota,1934; hederalis Amsel,1935
- Udea martialis (Guenée,1854)** (Pyalidae) Synonym(s): martialis Guenée,1854
- Udea numeralis (Hübner,1796)** (Pyalidae) Synonym(s): numeralis Hübner,1796; illutalis Guenée,1854; simplicella La Harpe,1861; catilualis Hampson,1900; thalalis D.Lucas,1908
- Uresiphita gilvata (Fabricius,1794)** (Pyalidae) Synonym(s): polygonalis sensu [Denis & Schiff.],1775 nec Linn.,1767; #limbalis [Denis & Schiffermüller],1775; gilvata Fabricius,1794; orientalis Fabricius,1794; diversalis Hübner,1796; rusticalis Hübner,1796; aversalis Guenée,1854; consanguinalis Guenée,1854; teriadalis Guenée,1854; deprivalis Walker,1859; meridionalis Wocke,1871; virescens Butler,1881; gracilis Caradja,1916; ochrocrossa Clarke,1971
- Valdovecaria unipunctella (Chrétien,1911)** (Pyalidae) Synonym(s): unipunctella Chrétien,1911; rungsella Leraut,2002
- Zonora argentalis (Hampson,1900)** (Pyalidae) Synonym(s): argentalis Hampson,1900; biseraeensis Caradja,1916; senegalensis Leraut,2004
- Samia cynthia (Drury,1773)** (Saturniidae) Synonym(s): cynthia Drury,1773; aylanti Motschulsky,1858; walkeri C.Felder & R.Felder,1862; ailanthi Weil,1863; parisiensis Clemens,1899; advena Watson,1912; eulouvaina Watson,1914
- Saturnia (s.str.) atlantica Lucas,1848** (Saturniidae) Synonym(s): atlantica Lucas,1848; numida Austaut,1883; maroccana Austaut,1894
- Apostibes griseolineata Walsingham,1907** (Scythridae) Synonym(s): griseolineata Walsingham,1907; striella Turati,1929; bahrlutella Amsel,1935
- Enolmis acanthella (Godart,1824)** (Scythridae) Synonym(s): acanthella Godart,1824; gallicella Zeller,1839; delicatella Agenjo,1951 nec Rbl.; tavaresi Monteiro,1961
- Enolmis tunisiae Bengtsson,2005** (Scythridae) Synonym(s): tunisiae Bengtsson,2005
- Episcythis bouhedmae Passerin d'Entrèves,1991** (Scythridae) Synonym(s): bouhedmae Passerin d'Entrèves,1991
- Episcythis pseudoalbiflua Passerin d'Entrèves,1991** (Scythridae) Synonym(s): pseudoalbiflua Passerin d'Entrèves,1991
- Eretmocera medinella (Staudinger,1859)** (Scythridae) Synonym(s): medinella Staudinger,1859; #decolorata Turati,1924
- Eretmocera nomadica Walsingham,1907** (Scythridae) Synonym(s): nomadica Walsingham,1907
- Erigethes strobilacei Walsingham,1907** (Scythridae) Synonym(s): strobilacei Walsingham,1907
- Falkovitshella pediculella (Bengtsson,1997)** (Scythridae) Synonym(s): pediculella Bengtsson,1997
- Scythis (bazaensis-gr.) bazaensis Bengtsson,1997** (Scythridae) Synonym(s): bazaensis Bengtsson,1997
- Scythis (camelella-gr.) camelella Walsingham,1907** (Scythridae) Synonym(s): camelella Walsingham,1907
- Scythis (canescens-gr.) articulata Chrétien,1915** (Scythridae) Synonym(s): articulata Chrétien,1915
- Scythis (canescens-gr.) barbatella Chrétien,1915** (Scythridae) Synonym(s): barbatella Chrétien,1915
- Scythis (canescens-gr.) canescens (Staudinger,1880)** (Scythridae) Synonym(s): canescens Staudinger,1880; plumbeogrisea Walsingham,1907; maculatella Chrétien,1915
- Scythis (canescens-gr.) cupellella Bengtsson,1997** (Scythridae) Synonym(s): cupellella Bengtsson,1997
- Scythis (canescens-gr.) curlettii Bengtsson,1997** (Scythridae) Synonym(s): curlettii Bengtsson,1997

- Scythris (canescens-gr.) eremella Chrétien, 1915** (Scythridae) Synonym(s): eremella Chrétien, 1915
- Scythris (canescens-gr.) eucharis Walsingham, 1907** (Scythridae) Synonym(s): eucharis Walsingham, 1907; elongatella Lucas, 1933; halophilella Amsel, 1935; lacteella Caradja, 1920
- Scythris (canescens-gr.) maculosa Bengtsson, 1997** (Scythridae) Synonym(s): maculosa Bengtsson, 1997
- Scythris (canescens-gr.) neftae Bengtsson, 1997** (Scythridae) Synonym(s): neftae Bengtsson, 1997
- Scythris (canescens-gr.) tessulatella Rebel, 1903** (Scythridae) Synonym(s): tessulatella Rebel, 1903; erminea Walsingham, 1907
- Scythris (dissitella-gr.) dissitella (Zeller, 1847)** (Scythridae) Synonym(s): dissitella Zeller, 1847; eatoni Caradja, 1920; aritzoella Amsel, 1936
- Scythris (formicella-gr.) kebiliensis Bengtsson, 1997** (Scythridae) Synonym(s): kebiliensis Bengtsson, 1997
- Scythris (gravatella-gr.) gravatella (Zeller, 1847)** (Scythridae) Synonym(s): gravatella Zeller, 1847; vagabundella Herrich-Schäffer, [1854]; caradjae Amsel, 1939; flavidella Passerin d'Entrèves, 1986 nec Preiss., 1911
- Scythris (inertella-gr.) inertella (Zeller, 1855)** (Scythridae) Synonym(s): inertella Zeller, 1855; tangerensis Stainton, 1872; gurdella Christoph, 1877; orbidella Chrétien, 1901; marionella Walsingham, 1907; praeclava Meyrick, 1913; hassenella Chrétien, 1915; semialbicostella Turati, 1927
- Scythris (laminella-gr.) thomisioides Bengtsson, 1997** (Scythridae) Synonym(s): thomisioides Bengtsson, 1997
- Scythris (mus-gr.) mus Walsingham, 1898** (Scythridae) Synonym(s): mus Walsingham, 1898; talpella Walsingham, 1907; blandella Chrétien, 1915; griseomiscella Turati, 1924
- Scythris (pascuella-gr.) aciella Bengtsson, 1997** (Scythridae) Synonym(s): aciella Bengtsson, 1997
- Scythris (pascuella-gr.) albidella (Stainton, 1867)** (Scythridae) Synonym(s): albidella Stainton, 1867; recreata Meyrick, 1925; abdominalis Turati, 1926; lemarchandella Lucas, 1950
- Scythris (pulicella-gr.) azrouensis Bengtsson, 1997** (Scythridae) Synonym(s): azrouensis Bengtsson, 1997
- Scythris (scopolella-gr.) scopolella (Linnaeus, 1767)** (Scythridae) Synonym(s): scopolella Linnaeus, 1767; quadripunctella Hübner, 1793; triguttella Duponchel, 1839; humillimella Staudinger, 1859; biforella Staudinger, 1859; heleniella Millière, 1876; tenietella Caradja, 1920; gredosella Schmidt, 1941
- Scythris (subfasciata-gr.) locustella Chrétien, 1915** (Scythridae) Synonym(s): locustella Chrétien, 1915
- Scythris karsholti Bengtsson, 1997** (Scythridae) Synonym(s): karsholti Bengtsson, 1997
- Scythris kefensis K. Nupponen, 2001** (Scythridae) Synonym(s): kefensis K. Nupponen, 2001
- Scythris landryi Passerin d'Entrèves & Roggero, 2004** (Scythridae) Synonym(s): landryi Passerin d'Entrèves & Roggero, 2004
- Scythris lemarchandella Lucas, 1950** (Scythridae) Synonym(s): lemarchandella Lucas, 1950
- Bembecia albanensis (Rebel, 1918)** (Sesiidae) Synonym(s): albanensis Rebel, 1918; coreyrensis Rebel, 1918; tunetana Le Cerf, 1920 [ssp.]; kalavrytana Sheljuzhko, 1924
- Bembecia dispar (Staudinger, 1881)** (Sesiidae) Synonym(s): dispar Staudinger, 1881; oberthueri Le Cerf, 1916; dumonti Le Cerf, 1920; deniba Le Cerf, 1934
- Bembecia hymenopteriformis (Bellier, 1860)** (Sesiidae) Synonym(s): hymenopteriformis Bellier, 1860; algeriensis Le Cerf, 1911; #algerica Le Cerf, 1920; laticornis Mariani, 1937
- Bembecia sirphiformis (Lucas, 1849)** (Sesiidae) Synonym(s): sirphiformis Lucas, 1849; tunetana Le Cerf, 1920; #sirphiformis Dalla Torre & Strand, 1925
- Chamaesphecia aerifrons (Zeller, 1847)** (Sesiidae) Synonym(s): aerifrons Zeller, 1847; sardoa Staudinger, 1856 [ssp.]
- Chamaesphecia anthraciformis (Rambur, 1832)** (Sesiidae) Synonym(s): anthraciformis Rambur, 1832; agriliformis Walker, 1856; joppiformis Staudinger, 1856; phoeniformis Faila-Teddaldi, 1883; lahaye Oberthür, 1888; seitzi Püngeler, 1905; suprema Oberthür, 1907; louisae Le Cerf, 1915; phoenix Le Cerf, 1925; major Rothschild, 1926; reisseri Capuse, 1973
- Chamaesphecia osmiaeformis (Herrich-Schäffer, 1848)** (Sesiidae) Synonym(s): stelidiformis Zeller, 1847 nec Frr., 1836; osmiaeformis Herrich-Schäffer, 1848; zelleri Lederer, 1853; osmiiformis Staudinger, 1856; floricola Oberthür, 1881; agnes Oberthür, 1890
- Microsphecia tineiformis (Esper, [1789])** (Sesiidae) Synonym(s): tineiformis Esper, [1789]; aselliformis Rossi, 1794.
- Paranthrene tabaniformis (Rottemburg, 1775)** (Sesiidae) Synonym(s): tabaniformis Rottemburg, 1775; asiliformis [Denis & Schiffermüller], 1775 nec Rott., 1775; sesia Gmelin, 1789; rhingiaeformis Hübner, 1790; crabroniformis Laspeyres, 1801 nec Fabr., 1793; tricincta Harris, 1839; serratiformis Freyer, 1842; rhingiiformis Staudinger, 1856; denotata Edwards, 1882; flammans Hampson, 1893
- Synansphecia affinis (Staudinger, 1856)** (Sesiidae) Synonym(s): affinis Staudinger, 1856; erodiiphaga Dumont, 1922 [ssp.]
- Synansphecia doryliformis (Ochsenheimer, 1808)** (Sesiidae) Synonym(s): doryliformis Ochsenheimer, 1808; icteropus Zeller, 1847 [ssp.]; euglossaeformis Lucas, 1849; ceriaeformis Lucas, 1849; teriolensis Staudinger, 1894; erythrostigma Rebel, 1901; bellieri Le Cerf, 1916; tingitana Le Cerf, 1916
- Synansphecia leucomelaena (Zeller, 1847)** (Sesiidae) Synonym(s): leucomelaena Zeller, 1847; therevaeformis Lederer, 1853; cretica Rebel, 1916
- Synanthedon codeti (Oberthür, 1881)** (Sesiidae) Synonym(s): codeti Oberthür, 1881; puigi Oberthür, 1881; inversa Le Cerf, 1916; kabyalaria Le Cerf, 1916; atavus Le Cerf, 1920; maroccana Le Cerf, 1920; almohades Le Cerf, 1920; ferdinandi Rungs, 1972
- Somabrachys aegrota (Klug, 1830)** (Somabrachyidae) Synonym(s): aegrota Klug, 1830; arcanaria Millière, 1884; unicolor Oberthür, 1911; powelli Oberthür, 1908; mogadorensis Oberthür, 1911; massiva Oberthür, 1911; maroccana Oberthür, 1911; holli Oberthür, 1911; klugi Oberthür, 1911; manastabal Oberthür, 1911; hiempsal Oberthür, 1911; adherbal Oberthür, 1911
- Somabrachys infuscata Klug, 1830** (Somabrachyidae) Synonym(s): infuscata Klug, 1830; ?kroumira Oberthür, 1911; ragmata Chrétien, 1910; atrinervis Oberthür, 1911
- Acherontia atropos (Linnaeus, 1758)** (Sphingidae) Synonym(s): atropos Linnaeus, 1758; solani Oken, 1815; sculda Kirby, 1877.
- Agrius convolvuli (Linnaeus, 1758)** (Sphingidae) Synonym(s): convolvuli Linnaeus, 1758; abandonna Fabricius, 1798; pseudofasciatus Koch, 1865; pseudoconvolvuli Schaufuss, 1870; orientalis Butler, 1876; distans Butler, 1876; batatae Christ, 1882; nigricans Cannaviello, 1900; ichangensis Tutt, 1904; javanensis Tutt, 1904; tahitiensis Tutt, 1904; indica Skell, 1913; marshallensis Clark, 1922; aksuensis O. Bang-Haas, 1927
- Daphnis nerii (Linnaeus, 1758)** (Sphingidae) Synonym(s): nerii Linnaeus, 1758; infernelutea Saalmüller, 1884; #confluens Closs, 1912; #nigra Schmidt, 1914; bipartita Gehlen, 1934.

- Hippotion celerio (Linnaeus,1758)** (Sphingidae) **Synonym(s):** celerio Linnaeus,1758; tisiphone Linnaeus,1758; inquilinus Harris,1780; phoenix Oken,1815; ocyus Hübner,[1819]; albolineatus Montrouzier,1864
- Hyles euphorbiae (Linnaeus,1758)** (Sphingidae) **Synonym(s):** euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalousica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980.
- Hyles livornica (Esper,[1780])** (Sphingidae) **Synonym(s):** livornica Esper,[1780]; koechlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998.
- Hyles tithymali (Boisduval,1834)** (Sphingidae) **Synonym(s):** tithymali Boisduval,1834; calverleyi Grote,1865.
- Laothoe austauti (Staudinger,1877)** (Sphingidae) **Synonym(s):** austauti Staudinger,1877; poupillieri Bellier,1878; #austanti Bellier,1878; #staudingeri Austaut,1879; #incarnata Austaut,1880; #mirabilis Austaut,1883; #flava Bartel,1900; #aurantiaca Oberthür,1916; #brunnea Huard,1928
- Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) **Synonym(s):** stellatarum Linnaeus,1758; nigra Cosmovici,1892.
- Smerinthus atlanticus Austaut,1890** (Sphingidae) **Synonym(s):** atlanticus Austaut,1890; aestivalis Austaut,1890
- Sphinx ligustri Linnaeus,1758** (Sphingidae) **Synonym(s):** ligustri Linnaeus,1758; spiraeae Esper,1800; amurensis Oberthür,1886; nisseni Rothschild & Jordan,1903; fraxini Dannehl,1925; chischimensis Matsumura,1929; weryi Rungs,1977; zolutuhini Eitschberger & Lukhtanov,1996; eichleri Eitschberger, Danner & Surholt,1998
- Tortilia flavella Chrétien,1908** (Stathmopodidae) **Synonym(s):** flavella Chrétien,1908; #favella Hacker,1999
- Helianthocampa herculeana (Rambur,1866)** (Thaumetopoeidae) **Synonym(s):** herculeana Rambur,1866; #bifasciata Spuler,1903; colossa A.Bang-Haas,1910; phosphatophila Dumont,1922; alvarezi Agenjo,1941; carneades Agenjo,1941; ibarrae Agenjo,1941; lustrata Agenjo,1941; zernyi Agenjo,1941
- Anomalotinea paepalella (Walsingham,1907)** (Tineidae) **Synonym(s):** paepalella Walsingham,1907; nigropilella Chrétien,1915.
- Cephimallota repetekiella Zagulyaev,1971** (Tineidae) **Synonym(s):** striatella Lucas,1942 nec [Denis & Schiff.],1775; ? repetekiella Zagulyaev,1971; tunusensis Koçak,1981.
- Cephimallota tunesiella (Zagulyaev,1966)** (Tineidae) **Synonym(s):** tunesiella Zagulyaev,1966
- Cephimallota vittatella (Chrétien,1915)** (Tineidae) **Synonym(s):** vittatella Chrétien,1915
- Ceratophaga infuscatella (de Joannis,1897)** (Tineidae) **Synonym(s):** infuscatella de Joannis,1897
- Edosa lardatella (Lederer,1858)** (Tineidae) **Synonym(s):** lardatella Lederer,1858
- Elatobia fuliginosella (Lienig & Zeller,1846)** (Tineidae) **Synonym(s):** fuliginosella Lienig & Zeller,1846
- Eudarcia (Meessia) nigraella (Mariani,1937)** (Tineidae) **Synonym(s):** nigraella Mariani,1937
- Hapsifera luridella Zeller,1847** (Tineidae) **Synonym(s):** luridella Zeller,1847; eburnea Butler,1881; palaestinis Rebel,1901; balipsamma Meyrick,1921; torulosa Turati,1919; cyrenaicensis Turati,1924; pustulatella Lucas,1942 nec Zell.,1852; kerbelella Amsel,1949; asiatica Amsel,1949; susaella Amsel,1959
- Hapsifera maculata (Walsingham,1907)** (Tineidae) **Synonym(s):** maculata Walsingham,1907
- Hapsifera multiguttella (Ragonot,1895)** (Tineidae) **Synonym(s):** multiguttella Ragonot,1895; jerichoella Amsel,1935.
- Infurcitinea atrifasciella (Staudinger,1871)** (Tineidae) **Synonym(s):** atrifasciella Staudinger,1871; diasi Amsel,1957; zernyi Zagulyaev,1974
- Infurcitinea frustigerella (Walsingham,1907)** (Tineidae) **Synonym(s):** frustigerella Walsingham,1907; absconditella Chrétien,1915.
- Infurcitinea lambessella G.Petersen,1958** (Tineidae) **Synonym(s):** lambessella G.Petersen,1958
- Infurcitinea media (Walsingham,1907)** (Tineidae) **Synonym(s):** media Walsingham,1907; intricatella Chrétien,1915.
- Infurcitinea nigropluviella (Walsingham,1907)** (Tineidae) **Synonym(s):** nigropluviella Walsingham,1907; maraschensis G.Petersen,1968.
- Monopis imella (Hübner,[1813])** (Tineidae) **Synonym(s):** imella Hübner,[1813]; nitidella Zagulyaev,1960.
- Morphaga (choragella-gr.) choragella ([Denis & Schiffermüller],1775)** (Tineidae) **Synonym(s):** choragella [Denis & Schiffermüller],1775; boleti Fabricius,1777; fungella Thunberg,1794; mediella Hübner,1796
- Morphaga (morella-gr.) morella (Duponchel,1838)** (Tineidae) **Synonym(s):** morella Duponchel,1838; #fungicolella Dumont,1930
- Myrmecozela (Dulcana) diacona Walsingham,1907** (Tineidae) **Synonym(s):** diacona Walsingham,1907
- Myrmecozela (Dulcana) lambesella Rebel,1901** (Tineidae) **Synonym(s):** lambesella Rebel,1901
- Myrmecozela (Promasia) ataxella (Chrétien,1905)** (Tineidae) **Synonym(s):** ataxella Chrétien,1905; chneourella Lucas,1950
- Myrmecozela (Promasia) sordidella (Caradja,1920)** (Tineidae) **Synonym(s):** sordidella Caradja,1920
- Nemapogon palmella (Chrétien,1908)** (Tineidae) **Synonym(s):** palmella Chrétien,1908; oueddarella Amsel,1952
- Neurothaumasia ragusaella (Wocke,1889)** (Tineidae) **Synonym(s):** ragusaella Wocke,1889; purella Chrétien,1907; bifasciatella Turati,1924; roeweri Amsel,1939; africana Gozmany,1960
- Neurothaumasia tunesiella Gaedike,2011** (Tineidae) **Synonym(s):** tunesiella Gaedike,2011
- Pachyartha lividella (Chrétien,1915)** (Tineidae) **Synonym(s):** lividella Chrétien,1915
- Pachyartha mediterranea (Baker,1894)** (Tineidae) **Synonym(s):** mediterranea Baker,1894; serotinella Chrétien,1915; pallidella Lucas,1933; variegata Lucas,1950
- Pachyartha ochroplicella (Chrétien,1915)** (Tineidae) **Synonym(s):** ochroplicella Chrétien,1915; pentatma Meyrick,1937.
- Perissomastix (s.str.) agenjoi (G.Petersen,1957)** (Tineidae) **Synonym(s):** agenjoi G.Petersen,1957
- Perissomastix (s.str.) bifurcatella (G.Petersen,1957)** (Tineidae) **Synonym(s):** bifurcatella G.Petersen,1957
- Perissomastix (s.str.) biskraella (Rebel,1901)** (Tineidae) **Synonym(s):** biskraella Rebel,1901; intermediella Turati,1926.
- Perissomastix (s.str.) crassicornella (Zeller,1847)** (Tineidae) **Synonym(s):** crassicornella Zeller,1847
- Proterospastis ellipticella (Chrétien,1915)** (Tineidae) **Synonym(s):** ellipticella Chrétien,1915

- Rhodobates algiricellus (Rebel,1901)** (Tineidae) **Synonym(s):** algiricellus Rebel,1901; chneouri Lucas,1942; mauretanicus G.Petersen,1958
- Rhodobates unicolor (Staudinger,1871)** (Tineidae) **Synonym(s):** unicolor Staudinger,1871; tibulella Rebel,1936.
- Stenoptinea cyaneimarmorella (Millière,1854)** (Tineidae) **Synonym(s):** cyaneimarmorella Millière,1854; angustipennis Herrich-Schäffer,1854; angustipennis Staudinger,1871 nec H.-S.,1854
- Tinea basifasciella Ragonot,1895** (Tineidae) **Synonym(s):** basifasciella Ragonot,1895; punctigera Walsingham,1907; nitentella Chrétien,1908; palaestinensis Amsel,1955; #basifasciella Gaedike,2011
- Tinea translucens Meyrick,1917** (Tineidae) **Synonym(s):** translucens Meyrick,1917; metonella Pierce & Metcalfe,1934; leonhardi G.Petersen,1957; margaritacea Gozmany,1967; fortificata Gozmany,1968
- Trichophaga bipartitella (Ragonot,1892)** (Tineidae) **Synonym(s):** abruptella Wollaston,1858 (praeocc.); bipartitella Ragonot,1892; desertella Mabille,1907; amina Meyrick,1925
- Wegneria panchalcella (Staudinger,1871)** (Tineidae) **Synonym(s):** panchalcella Staudinger,1871
- Coptotriche berberella (De Prins,1984)** (Tischeriidae) **Synonym(s):** berberella De Prins,1984
- Coptotriche heinemanni (Wocke,1871)** (Tischeriidae) **Synonym(s):** heinemanni Wocke,1871
- Tischeria ekebladoides Puplesis & Diskus,2003** (Tischeriidae) **Synonym(s):** ekebladoides Puplesis & Diskus,2003
- Aethes elpidia Razowski,1983** (Tortricidae) **Synonym(s):** elpidia Razowski,1983
- Aethes hoppei Blackstein & Karisch,2011** (Tortricidae) **Synonym(s):** hoppei Blackstein & Karisch,2011
- Aethes vicinana (Mann,1859)** (Tortricidae) **Synonym(s):** vicinana Mann,1859; unicolor Bethune-Baker,1885; durantana Lucas,1942.
- Aethes williana (Brahm,1791)** (Tortricidae) **Synonym(s):** williana Brahm,1791; cembrana Hübner,[1825]; zephyrana Treitschke,1830; dubrisana Curtis,1834; marmoratana Curtis,1834; luteolana Stephens,1834; virginana Guenée,1845; loriculana Guenée,1849; costignata Filipjev,1926.
- Ancylis sederana Chrétien,1915** (Tortricidae) **Synonym(s):** sederana Chrétien,1915
- Aphelia (Zelotheres) peramplana (Hübner,[1825])** (Tortricidae) **Synonym(s):** amplana Hübner,[1813] nec amplana Hübner,[1799]; peramplana Hübner,[1825]
- Bactra (Chiloides) venosana (Zeller,1847)** (Tortricidae) **Synonym(s):** venosana Zeller,1847; truculenta Meyrick,1909; scythropa Meyrick,1911; geraropa Meyrick,1932; banosii Gozmany,1960
- Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) **Synonym(s):** lancealana Hübner,[1799]; #lanceolana Hübner,[1822]; egestana Haworth,1811; plagana Haworth,1811; dibeliana Hübner,[1819]; rufana Stephens,1834; nigrovittana Stephens,1852; suspensa Diakonoff,1962; mongolica Diakonoff,1972
- Bactra (s.str.) simpliciana Chrétien,1915** (Tortricidae) **Synonym(s):** simpliciana Chrétien,1915; lactosana Turati,1922; pauperrima Turati,1934; #telaviviana Amsel,1933; telaviviana Amsel,1935
- Cacoecimorpha pronubana (Hübner,[1799])** (Tortricidae) **Synonym(s):** pronubana Hübner,[1799]; ambustana Frölich,1830; herminiana Treitschke,1835; insolatana Lucas,1848; perochreana Herrich-Schäffer,1856; obsoletana Strand,1901
- Clepsis consimilana (Hübner,[1817])** (Tortricidae) **Synonym(s):** consimilana Hübner,[1817]; unifasciana Duponchel,1843; productana Zeller,1847; obliterana Herrich-Schäffer,1851; peregrinana Stephens,1852; eatoniana Ragonot,1881; semiana Chrétien,1915; acclivana Zerny,1933; placida Diakonoff,1948
- Clepsis neglectana (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** neglectana Herrich-Schäffer,1851; flavana Duponchel,1834 nec Hüb.,[1799]; betulifolia Lederer,1859; striolana Ragonot,1879; xylotoma Meyrick,1891; severana Kennel,1901; delibatana Rothschild,1912; dorana Kennel,1919; acclivana Zerny,1933
- Clepsis oblimatana (Kennel,1901)** (Tortricidae) **Synonym(s):** oblimatana Kennel,1901; palaestinensis Rebel,1911; callimachana Turati,1924.
- Clepsis siciliana (Ragonot,1894)** (Tortricidae) **Synonym(s):** siciliana Ragonot,1894; fluxana Kennel,1901; granadanus Walsingham,1903
- Clepsis trivia (Meyrick,1913)** (Tortricidae) **Synonym(s):** trivia Meyrick,1913
- Cnephasia (s.str.) albatana Chrétien,1915** (Tortricidae) **Synonym(s):** albatana Chrétien,1915
- Cnephasia (s.str.) amseli (Lucas,1942)** (Tortricidae) **Synonym(s):** amseli Lucas,1942; taurominana Razowski,1955
- Cnephasia (s.str.) longana (Haworth,[1811])** (Tortricidae) **Synonym(s):** longana Haworth,[1811]; egenana Haworth,[1811]; expallidana Haworth,[1811]; ictericana Haworth,[1811]; lutosana Hübner,[1813]; capillana Guenée,1845; stratana Zeller,1847; loewiana Zeller,1847; luridalbana Herrich-Schäffer,1851; insolatana Herrich-Schäffer,1851; gratana Laharpe,1860; #ongana Meyrick,1912; cadizensis Razowski,1959
- Cnephasia (s.str.) zernyi Razowski,1959** (Tortricidae) **Synonym(s):** zernyi Razowski,1959
- Cochylimorpha alternana (Stephens,1834)** (Tortricidae) **Synonym(s):** alternana Stephens,1834; #gigantana Doubleday,1849; moscovana Kennel,1913; cinnamomella Turati & C.G.Krüger,1936.
- Cochylimorpha cultana (Lederer,1855)** (Tortricidae) **Synonym(s):** cultana Lederer,1855; pontana Staudinger,1859; extensana Staudinger,1859; lambessana Baker,1888; oedemana Constant,1893; bigenerana Kennel,1900; assalana Chrétien,1915; albidana Caradja,1916; symmerista Meyrick,1935.
- Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) **Synonym(s):** straminea Haworth,[1811]; tischerana Treitschke,1830; sudana Duponchel,1836; substraminea Ragonot,1895; scabiosana Kennel,1900; lentiginosana Kennel,1900; ramessana Rebel,1912; numidana Turati,1924; glaisana Lucas,1942; pallens Lucas,1954.
- Cochylis molliculana Zeller,1847** (Tortricidae) **Synonym(s):** molliculana Zeller,1847; rufosignana Kennel,1899; calavrytana Rebel,1906.
- Crociosema plebejana Zeller,1847** (Tortricidae) **Synonym(s):** plebejana Zeller,1847; altheana Mann,1855; lavaterana Millière,1863; peregrinana Möschler,1866; obscura Wollaston,1879; blackburnii Butler,1881; signatana Walsingham,1894; ptiladelpha Meyrick,1917; insulana Aurivillius,1922; synneurota Meyrick,1926; tornocycla Turner,1946; charmera Turner,1946.
- Cydia blackmoreana (Walsingham,1903)** (Tortricidae) **Synonym(s):** blackmoreana Walsingham,1903
- Cydia multistriana (Chrétien,1915)** (Tortricidae) **Synonym(s):** multistriana Chrétien,1915
- Cydia succedana ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** succedana [Denis & Schiffermüller],1775; asseclana Hübner,[1800] nec [Den. & Schiff.],1775; griseana Osthelder,1938; decolorana Obraztsov,1949

- Cydia triangulella (Goeze,1783)** (Tortricidae) **Synonym(s):** triangulella Goeze,1783; bicolorata Fourcroy,1785; splendana Hübner,[1799]; #glandella Schrank,1802; reamurana Heinemann,1863
- Cydia tunisiana Aarvik & Karsholt,1993** (Tortricidae) **Synonym(s):** tunisiana Aarvik & Karsholt,1993
- Dichrorampha letarfensis Gibeaux,1983** (Tortricidae) **Synonym(s):** letarfensis Gibeaux,1983
- Ditula angustiorana (Haworth,[1811])** (Tortricidae) **Synonym(s):** angustiorana Haworth,[1811]; rotundana Haworth,[1811]; dumeriliana Duponchel,1836
- Eana antiphila Meyrick,1913** (Tortricidae) **Synonym(s):** antiphila Meyrick,1913
- Endothenia pauperculana (Staudinger,1859)** (Tortricidae) **Synonym(s):** pauperculana Staudinger,1859; nougatana Chrétien,1898; marrubiana Walsingham,1908; schmidt Rebel,1936
- Lozotaenia cupidinana (Staudinger,1859)** (Tortricidae) **Synonym(s):** cupidinana Staudinger,1859; rasana Zerny,1935
- Oxypteron eremica (Walsingham,1907)** (Tortricidae) **Synonym(s):** eremica Walsingham,1907; partitanum Chrétien,1915; #partitanum Razowski,1961
- Pelochrista bleuseana (Oberthür,1888)** (Tortricidae) **Synonym(s):** bleuseana Oberthür,1888; nubilana Caradja,1916; #beluseana Vives Moreno,1991
- Pelochrista confidana (Chrétien,1915)** (Tortricidae) **Synonym(s):** confidana Chrétien,1915
- Pelochrista modicana (Zeller,1847)** (Tortricidae) **Synonym(s):** modicana Zeller,1847; modestana Herrich-Schäffer,[1851]; definitana Kennel,1901; hinnebergiana Fuchs,1902
- Periclepsis accinctana (Chrétien,1915)** (Tortricidae) **Synonym(s):** accinctana Chrétien,1915; pierrelovyana Dumont,1931; abdallah Le Cerf,1932
- Phaneta autochthones (Walsingham,1897)** (Tortricidae) **Synonym(s):** autochthones Walsingham,1897
- Phtheochroa ochrobasa (Chrétien,1915)** (Tortricidae) **Synonym(s):** ochrobasa Chrétien,1915; undulata Lucas,1946
- Phtheochroa ochrolana (Chrétien,1915)** (Tortricidae) **Synonym(s):** ochrolana Chrétien,1915; bedeella Lucas,1946.
- Phtheochroa rectangulana (Chrétien,1915)** (Tortricidae) **Synonym(s):** rectangulana Chrétien,1915
- Phtheochroa syrtana Ragonot,1888** (Tortricidae) **Synonym(s):** syrtana Ragonot,1888
- Prohysterophora chionopa (Meyrick,1891)** (Tortricidae) **Synonym(s):** chionopa Meyrick,1891; neftana Lucas,1943
- Selania leplastriana (Curtis,1831)** (Tortricidae) **Synonym(s):** leplastriana Curtis,1831; gueriniana Duponchel,1836; maderae Wollaston,1858; vana Kennel,1901; malcolmae Walsingham,1903; decoratana Chrétien,1915; extinctana Chrétien,1915; #decorata Caradja,1916
- Tortrix viridana (Linnaeus,1758)** (Tortricidae) **Synonym(s):** viridana Linnaeus,1758; suttneriana [Denis & Schiffermüller],1775; flavipes Fourcroy,1785; flavana Zincken,1821 nec Hübn.,[1799]; coeruleana Sorhagen,1881.
- Acrolepiopsis vesperella (Zeller,1850)** (Yponomeutidae) **Synonym(s):** vesperella Zeller,1850; smilaxella Millièr,1864; tami Hering,1927
- Conchiophora spinosella Chrétien,1915** (Yponomeutidae) **Synonym(s):** spinosella Chrétien,1915
- Ochsenheimeria lovyi Dumont,1930** (Yponomeutidae) **Synonym(s):** lovyi Dumont,1930
- Paradoxus restrictellus (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** restrictella Chrétien,1915
- Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) **Synonym(s):** xylostella Linnaeus,1758; cinerea Fourcroy,1785 nec Hufn.,1766; xylostei Fabricius,1798; maculipennis Curtis,1832; niveella Zeller,1839; cruciferarum Zeller,1843; brassicella Fitch,1856; limbipennella Clemens,1860; mollipedella Clemens,1860; cicerella Rondani,1876; dubiosella Beutenmüller,1889; albovenosa Walsingham,1897; megapterella Bentinck,1943; karsholtella Baraniak,2003
- Prays citri (Millière,1873)** (Yponomeutidae) **Synonym(s):** citri Millière,1873
- Ypsolopha altissimella (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** altissimella Chrétien,1915
- Ypsolopha divisella (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** divisella Chrétien,1915
- Ypsolopha fractella (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** fractella Chrétien,1915
- Ypsolopha reticulatella (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** reticulatella Chrétien,1915
- Zarcinia nigrosignatella Chrétien,1915** (Yponomeutidae) **Synonym(s):** nigrosignatella Chrétien,1915
- Adscita (Tarmannita) mannii (Lederer,1853)** (Zygaenidae) **Synonym(s):** mannii Lederer,1853; heydenreichii Lederer,1853; crassicornis Staudinger,1862; prasina Rothschild,1917; glauca Verity,1946; pseudostatices Verity,1946.
- Jordanita (Gregorita) algerica (Rothschild,1917)** (Zygaenidae) **Synonym(s):** algerica Rothschild,1917
- Jordanita (Gregorita) cognata (Herrich-Schäffer,1847)** (Zygaenidae) **Synonym(s):** cognata Herrich-Schäffer,1847
- Jordanita (Lucasiterna) cirtana (Lucas,1849)** (Zygaenidae) **Synonym(s):** cirtana Lucas,1849; orana Austaut,1880; orana Bethune-Baker,1888; bakeri Kirby,1892
- Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) **Synonym(s):** notata Zeller,1847
- Zygaena (Agrumenia) algira Boisduval,1834** (Zygaenidae) **Synonym(s):** algira Boisduval,1834; algira Duponchel,1835; bachagha Oberthür,1916
- Zygaena (Agrumenia) felix Oberthür,1876** (Zygaenidae) **Synonym(s):** felix Oberthür,1876; mauretanica Staudinger,1887; eudaemon Mabille,1885; andalusiae Burgeff,1914; pseudofelix H.Reiss,1933
- Zygaena (Agrumenia) marcuna Oberthür,1888** (Zygaenidae) **Synonym(s):** marcuna Oberthür,1888
- Zygaena (Agrumenia) orana Duponchel,1835** (Zygaenidae) **Synonym(s):** orana Duponchel,1835; barbara Herrich-Schäffer,1846; nedroma Oberthür,1881; oberthueri Bethune-Baker,1888; minor Seitz,1907; minima Seitz,1907
- Zygaena (Agrumenia) tremewani Hofmann & Reiss,1983** (Zygaenidae) **Synonym(s):** tremewani Hofmann & Reiss,1983
- Zygaena (Mesembrynus) zuleima Pierret,1837** (Zygaenidae) **Synonym(s):** zuleima Pierret,1837; ludicra Lucas,1849; #aestiva Burgeff,1914
- Zygaena (s.str.) trifolii (Esper,1783)** (Zygaenidae) **Synonym(s):** trifolii Esper,1783; pratorum De Villers,1789; syracusia Zeller,1847; vogesiaca Przegendza,1932; carueli Le Charles,1960



## EDITORIAL

### Cesa Publications on African Lepidoptera (CPAL)

Cesa Publications on African Lepidoptera is a peer reviewed online serial of the Centre for Entomological Studies Ankara (Cesa), established in 2007. It appears at irregular intervals as PDF format and includes original articles of the research workers of the Centre, regarding bibliography, check-list, catalogue on African Lepidoptera, as well as papers on taxonomic, faunistic, ecological and distributional researches. The publication language is English. CPAL is archived online at "Internet Archive".

## Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, no commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)<sup>2</sup>, Miscellaneous Papers (print and online versions) (ISSN 1015-8235)<sup>3</sup>, Memoirs (print and online versions) (ISSN-8227)<sup>4</sup>, DVD Films<sup>5</sup>, Iconographia Insectorum<sup>6</sup> (online), Cesa Publications on African Lepidoptera (online)<sup>7</sup>, Cesa News (online)<sup>8</sup>, Cesa Books (online)<sup>9</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. em. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Van, Turkey).

**Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey).

**Chief referees of all Scientific Serials of the CESA:** Prof. em. Dr. Ahmet Ömer Koçak & Asst. Prof. Dr. Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

**Expert referees according to the subject areas:** Dr. Peter Huemer (Austria): Gelechiidae, and some Microlepidoptera groups in Palaearctic (Lepidoptera). Dr. J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr. G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr. V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr. Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr. Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr. E. Heiss (Austria): Hemiptera. Dr. R. Ehrmann (Germany): Mantodea. Prof. Dr. Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr. Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr. Suat Kiyak (Turkey): Hemiptera, Hymenoptera (Cynipidae).

**Plant taxonomy, flora and vegetation:** Assoc. Prof. Dr. Murat Ünal, Asst. Prof. Dr. Mesut Pınar, (Yüzüncü Yıl University, Van, Turkey).

**Editorial policy:** The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

**ALL RIGHTS RESERVED**

Correspondences should be addressed to: Prof. em. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

All the serials of the Cesa are archived regularly by the Internet Archive (300 Funston Ave., San Francisco, CA 94118, U.S.A.), in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)

<https://archive.org/>

and Zoological Record, Thomson Reuters,

Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom

[ts-emea-york.dcsadmins@thomson.com](mailto:ts-emea-york.dcsadmins@thomson.com)

<sup>2</sup> <http://www.cesa-tr.org/Pri.htm>

<sup>3</sup> <http://www.cesa-tr.org/Miscell.htm>

<sup>4</sup> <http://www.cesa-tr.org/Memoirs.htm>

<sup>5</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>6</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>7</sup> Cesa Publications on African Lepidoptera (webpage under preparation)

<sup>8</sup> <http://www.cesa-tr.org/Cesanews.htm>

<sup>9</sup> <http://www.cesa-tr.org/Cesabooks.htm>